according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Diethyl ether ROTICHROM® GC

article number: **1YET**Version: **3.0 en**date of compilation: 2022-12-15
Revision: 2024-03-04

Replaces version of: 2023-09-28

Version: (2)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance **Diethyl ether** ROTICHROM® GC

Article number 1YET

Registration number (REACH) 01-2119535785-29-xxxx

Index number in CLP Annex VI 603-022-00-4
EC number 200-467-2
CAS number 60-29-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data
Department Health, Safety and Environment

sheet:

1.4

sicherheit@carlroth.de

e-mail (competent person): Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	+353 1 809 2166	https:// www.poisons.ie/

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Ireland (en) Page 1 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Diethyl ether ROTICHROM® GC

article number: 1YET

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	1	Flam. Liq. 1	H224
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.8D	Specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336

Supplemental hazard information

Code	Supplemental hazard information
EUH019	may form explosive peroxides
EUH066	repeated exposure may cause skin dryness or cracking

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS02, GHS07



Hazard statements

H224 Extremely flammable liquid and vapour

H302 Harmful if swallowed

H336 May cause drowsiness or dizziness

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking

P243 Take action to prevent static discharges

P261 Avoid breathing dust/fume/gas/mist/vapours/spray

Precautionary statements - response

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower]

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 Call a POISON CENTRE/doctor if you feel unwell

Supplemental hazard information

EUH019 May form explosive peroxides.

EUH066 Repeated exposure may cause skin dryness or cracking.

Ireland (en) Page 2 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Diethyl ether ROTICHROM® GC

article number: 1YET

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)





H224 Extremely flammable liquid and vapour. H336 May cause drowsiness or dizziness

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P243 Take action to prevent static discharges.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTRE/doctor if you feel unwell. P312

EUH019 May form explosive peroxides.

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

Name of substance Diethyl ether

Molecular formula $C_4H_{10}O$

Molar mass 74,12 ^g/_{mol}

01-2119535785-29-xxxx REACH Reg. No

CAS No 60-29-7 EC No 200-467-2 Index No 603-022-00-4

Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	1.215 ^{mg} / _{kg}	oral

SECTION 4: First aid measures

Description of first aid measures 4.1



General notes

Take off contaminated clothing.

Ireland (en) Page 3 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Diethyl ether ROTICHROM® GC

article number: 1YET

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects, Vomiting, Vertigo, Dizziness, Drowsiness, Narcosis

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

Ireland (en) Page 4 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Diethyl ether ROTICHROM® GC

article number: 1YET

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Ireland (en) Page 5 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Diethyl ether ROTICHROM® GC

article number: 1YET

Incompatible substances or mixtures

Observe hints for combined storage.

Protect against external exposure, such as

humidity, UV-radiation/sunlight, contact with air/oxygen

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	diethyl ether	60-29-7	IOELV	100	308	200	616				2000/39/ EC
IE	ether	60-29-7	OELV	100	308	200	616				S.I. No. 619 of 2001

Notation

Ceiling-C STEL

Ceiling value is a limit value above which exposure should not occur

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

TWA

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNELs and other threshold levels **Threshold Endpoint** Protection goal, **Used in Exposure time** level route of exposure 308 mg/m³ DNEL human, inhalatory worker (industry) chronic - systemic effects **DNEL** 616 mg/m³ human, inhalatory worker (industry) acute - systemic effects DNEL 44 mg/kg bw/ human, dermal worker (industry) chronic - systemic effects day

Ireland (en) Page 6 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Diethyl ether ROTICHROM® GC

article number: 1YET

Environmental values

Relevant PNECs and other threshold levels

End- point	Threshold level	Organism	Environmental com- partment	Exposure time
PNEC	2 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
PNEC	0,2 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
PNEC	4,2 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	9,14 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	0,914 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
PNEC	0,66 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

FKM (fluoro rubber)

material thickness

0.65 mm

breakthrough times of the glove material

>30 minutes (permeation: level 2)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

Ireland (en) Page 7 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Diethyl ether ROTICHROM® GC

article number: 1YET

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: AX (gas filters and combined filters against low-boiling point organic compounds, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless
Odour mild sweet
Melting point/freezing point -116 °C

Boiling point or initial boiling point and boiling

range

34,58 – 34,59 °C at 1.013 hPa (ECHA)

Flammability flammable liquid in accordance with GHS criteria

Lower and upper explosion limit 50 g/m³ (LEL) - 1.100 g/m³ (UEL) /

1,7 vol% (LEL) - 39 vol% (UEL)

Flash point -40 °C (c.c.)

Auto-ignition temperature 175 °C at 1.013 hPa (ECHA)

Decomposition temperature not relevant pH (value) not determined

Kinematic viscosity $0,331 \, ^{\text{mm}^2}\text{/}_{\text{s}}$ at 293,2 K Dynamic viscosity $0,235 \, \text{mPa}$ s at 293,2 K

Solubility(ies)

Water solubility $64,9 \, ^{9}/_{1}$ at 20 °C (ECHA)

Partition coefficient

Partition coefficient n-octanol/water (log value): 1,19 (pH value: 7, 25 °C) (ECHA)

Soil organic carbon/water (log KOC) 0,987 (ECHA)

Vapour pressure 589,6 hPa at 20 °C

Density and/or relative density

Density $0.71 \, \mathrm{g/_{cm^3}}$ at 20 °C (ECHA)

Relative vapour density 2,56 (air = 1)

Ireland (en) Page 8 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Diethyl ether ROTICHROM® GC

article number: 1YET

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

There is no additional information.

Other safety characteristics:

Gas group (explosion group) IIE

Maximum Experimental Safe Gap value; 0,5 mm ≤

 $MESG \le 0.9 \text{ m/m}$

Maximum explosion pressure 9,2 bar

Temperature class (EU, acc. to ATEX)

Maximum permissible surface temperature on

the equipment: 135°C

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition. Vapours may form explosive mixtures with air. May form explosive peroxides.

If heated

Risk of ignition.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Nitrate, Perchlorates, Peroxides, Nitric acid, Oxygen, Sulphuric acid, Nitrogen oxides (NOx), Hydrogen peroxide, => Explosive properties

10.4 Conditions to avoid

UV-radiation/sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from moisture.

10.5 Incompatible materials

Rubber articles, different plastics

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5. Peroxides.

Ireland (en) Page 9 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Diethyl ether ROTICHROM® GC

article number: 1YET

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Acuto toxicity

Harmful if swallowed.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	1.215 ^{mg} / _{kg}	rat		TOXNET

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

vomiting

• If in eyes

Data are not available.

If inhaled

Inebriation, vertigo, dizziness, fatigue, narcosis

• If on skin

Frequently or prolonged contact with skin may cause dermal irritation, has degreasing effect on the skin, repeated exposure may cause skin dryness or cracking

Other information

Other adverse effects: Circulatory collapse

Ireland (en) Page 10 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Diethyl ether ROTICHROM® GC

article number: 1YET

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)					
Endpoint	Value	Species	Source	Exposure time	
ErC50	>100 ^{mg} / _l	algae	ECHA	72 h	

Aquatic toxicity (chronic)					
	Endpoint	Value	Species	Source	Exposure time
	EC50	>100 ^{mg} / _l	aquatic invertebrates	ECHA	21 d

12.2 Persistence and degradability

Theoretical Oxygen Demand: 2,59 ^{mg}/_{mg} Theoretical Carbon Dioxide: 2,375 ^{mg}/_{mg}

Biodegradation

Not readily biodegradable.

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	1,19 (pH value: 7, 25 °C) (ECHA)
BCF	2,29

12.4 Mobility in soil

The Organic Carbon normalised adsorption coefficient	0,987 (ECHA)
--	--------------

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

Ireland (en) Page 11 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Diethyl ether ROTICHROM® GC

article number: 1YET

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP3 flammable

HP 15 waste capable of exhibiting a hazardous property listed above not directly displayed by the original waste

HP 6 acute toxicity

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

ADRRID	UN 1155
IMDG-Code	UN 1155
ICAO-TI	UN 1155

14.2 UN proper shipping name

ADRRID	DIETHYL ETHER
IMDG-Code	DIETHYL ETHER
ICAO-TI	Diethyl ether

14.3 Transport hazard class(es)

ADRRID	3
IMDG-Code	3
ICAO-TI	3

14.4 Packing group

ADRRID	Ι	

Ireland (en) Page 12 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Diethyl ether ROTICHROM® GC

article number: 1YET

IMDG-Code I
ICAO-TI I

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name DIETHYL ETHER

Particulars in the transport document UN1155, DIETHYL ETHER, 3, I, (D/E)

Classification code F1
Danger label(s) 3



Excepted quantities (EQ) E3

Transport category (TC) 1

Tunnel restriction code (TRC) D/E

Hazard identification No 33

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code F1

Danger label(s) 3



Excepted quantities (EQ) E3

Transport category (TC) 1

Hazard identification No 33

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name DIETHYL ETHER

Particulars in the shipper's declaration UN1155, DIETHYL ETHER, 3, I, -40°C c.c.

Marine pollutant Danger label(s) 3



Ireland (en) Page 13 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Diethyl ether ROTICHROM® GC

article number: 1YET

Special provisions (SP)

Excepted quantities (EQ) E3

Limited quantities (LQ) 0

EmS F-E, S-D

Stowage category

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Diethyl ether

Particulars in the shipper's declaration UN1155, Diethyl ether, 3, I

Danger label(s) 3



Excepted quantities (EQ) E3

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
Diethyl ether	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Diethyl ether	flammable / pyrophoric		R40	40

Legend

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

tricks and jokes,

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the market.

 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume,
- can be used as fuel in decorative oil lamps for supply to the general public, and

- present an aspiration hazard and are labelled with H304.
 Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation
- (CEN).
 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
- (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil or even sucking the wick of lamps may lead to life-threatening lung damage"; (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage'; (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';

Page 14 / 19 Ireland (en)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Diethyl ether ROTICHROM® GC

article number: 1YET

Legend

R40 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:

- metallic glitter intended mainly for decoration,

- artificial snow and frost,
- 'whoopee' cushions,
- silly string aerosols,
- imitation excrement,
- horns for parties,
 decorative flakes and foams,
- artificial cobwebs,
- stink bombs.
- 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.
- 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
- 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

Seveso Directive

2012/	2012/18/EU (Seveso III)			
No Dangerous substance/hazard categories Qualifying quantity (tonnes) for the ap plication of lower and upper-tier requirements		Notes		
P5a	flammable liquids (cat. 1)	10	50	49)

Notation

- Flammable liquids, category 1, or

 - flammable liquids category 2 or 3 maintained at a temperature above their boiling point, or other liquids with a flash point \leq 60 °C, maintained at a temperature above their boiling point

Deco-Paint Directive

VOC content	100 %
VOC content	710 ⁹ / _I

Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	710 ⁹ / _I

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Page 15 / 19 Ireland (en)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Diethyl ether ROTICHROM® GC

article number: 1YET

Water Framework Directive (WFD)

List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Diethyl ether	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

Legend

a) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

Name of substance	CAS No	Wt%	Classification	CN Code	Threshold level
Diethyl ether	60-29-7	100	Category 3	2909 11 00	

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

UN Convention against Illicit Traffic in Narcotic Drugs and Psychotropic Substances

Name of substance	CAS No	Listed in	HS code
Diethyl ether	60-29-7	Table II	2909.11

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed

Ireland (en) Page 16 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Diethyl ether ROTICHROM® GC

article number: 1YET

Country	Inventory	Status	
KR	KECI	substance is listed	
MX	INSQ	substance is listed	
NZ	NZIoC	substance is listed	
PH	PICCS	substance is listed	
TR	CICR	substance is listed	
TW	TCSI	substance is listed	
US	TSCA	substance is listed (ACTIVE)	
VN	NCI	substance is listed	

Legend

AIIC CICR CSCL-ENCS DSL Australian Inventory of Industrial Chemicals

ECSI IECSC

Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Koroa Existing Chemical Substances

INSQ KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances

TCSI TSCA Taiwan Chemical Substance Inventory

Toxic Substance Control Act

15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1		National inventories: change in the listing (table)	yes

Ireland (en) Page 17 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Diethyl ether ROTICHROM® GC

article number: 1YET

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
CN Code	Combined Nomenclature	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)	
ED	Endocrine disruptor	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
HS	Harmonized Commodity Description and Coding System (Harmonized System, drawn up by the World Customs Organisation)	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
IOELV	Indicative occupational exposure limit value	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval	
LEL	Lower explosion limit (LEL)	
NLP	No-Longer Polymer	

Ireland (en) Page 18 / 19

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Diethyl ether ROTICHROM® GC

article number: 1YET

Abbr.	Descriptions of used abbreviations
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H224	Extremely flammable liquid and vapour.
H302	Harmful if swallowed.
H336	May cause drowsiness or dizziness.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Ireland (en) Page 19 / 19