

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## 2-Ethoxyethanol ROTICHROM® GC

article number: **1YH7**  
Version: **2.0 en**  
Replaces version of: 2022-12-20  
Version: (1)

date of compilation: 2022-12-20  
Revision: 2024-03-02

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

Identification of the substance	<b>2-Ethoxyethanol ROTICHROM® GC</b>
Article number	1YH7
Index No (GB CLP)	603-012-00-X
EC number	203-804-1
CAS number	110-80-5
Alternative name(s)	Ethylene glycol monoethyl ether

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	Laboratory chemical Laboratory and analytical use
Uses advised against:	Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-stuffs.

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:** +49 (0) 721 - 56 06 0

**Telefax:** +49 (0) 721 - 56 06 149

**e-mail:** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

**Website:** [www.carlroth.de](http://www.carlroth.de)

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

**e-mail (competent person):** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## 2-Ethoxyethanol ROTICHROM® GC

article number: 1YH7

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification acc. to GHS

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.11	Acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.7	Reproductive toxicity	1B	Repr. 1B	H360FD

For full text of abbreviations: see SECTION 16

##### The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

#### 2.2 Label elements

##### Labelling

##### Signal word

**Danger**

##### Pictograms

GHS02, GHS06,  
GHS08



##### Hazard statements

H226	Flammable liquid and vapour
H302	Harmful if swallowed
H331	Toxic if inhaled
H360FD	May damage fertility. May damage the unborn child

##### Precautionary statements

##### **Precautionary statements - prevention**

P210	Keep away from heat, sparks, open flames, hot surfaces. No smoking
P261	Avoid breathing mist/vapours/spray
P270	Do not eat, drink or smoke when using this product

##### **Precautionary statements - response**

P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing
P309	IF exposed or if you feel unwell:
P310	Immediately call a POISON CENTER/doctor

For professional users only

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## 2-Ethoxyethanol ROTICHROM® GC

article number: 1YH7

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Name of substance	2-Ethoxyethanol
Molecular formula	C <sub>4</sub> H <sub>10</sub> O <sub>2</sub>
Molar mass	90,12 g/mol
CAS No	110-80-5
EC No	203-804-1
Index No (GB CLP)	603-012-00-X

#### Substance of Very High Concern (SVHC)

Name of substance	CAS No	EC No	Listed in	Remarks
2-Ethoxyethanol	110-80-5	203-804-1	Candidate list	Repr. A57c

#### Legend

Candidate list Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV  
Repr. A57c Toxic for reproduction (article 57c)

#### Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	500 mg/kg 3 mg/l/4h	oral inhalation: vapour

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Self-protection of the first aider.

#### Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

#### Following skin contact

Rinse skin with water/shower.

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## 2-Ethoxyethanol ROTICHROM® GC

article number: 1YH7

### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

### Following ingestion

Rinse mouth with water (only if the person is conscious). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Call a doctor.

### 4.2 Most important symptoms and effects, both acute and delayed

Vomiting, Irritant effects

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings!  
water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

#### Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## 2-Ethoxyethanol ROTICHROM® GC

article number: 1YH7

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Provision of sufficient ventilation. Use extractor hood (laboratory). Avoid exposure.

#### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. When using do not smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice:

Store locked up. Ground/bond container and receiving equipment.

#### Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

### 7.3 Specific end use(s)

No information available.

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## 2-Ethoxyethanol ROTICHROM® GC

article number: 1YH7

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### National limit values

##### Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
EU	2-ethoxyethanol	110-80-5	IOELV	2	8					H	2022/431/EU
GB	2-ethoxyethanol	110-80-5	WEL	2	8						EH40/2005

##### Notation

Ceiling-C	Ceiling value is a limit value above which exposure should not occur
H	Absorbed through the skin
STEL	Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

##### Human health values

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	83 µg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	0,3 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

##### Environmental values

Relevant PNECs and other threshold levels				
Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	10 mg/l	aquatic organisms	water	intermittent release
PNEC	1 mg/l	aquatic organisms	freshwater	short-term (single instance)
PNEC	0,1 mg/l	aquatic organisms	marine water	short-term (single instance)
PNEC	1.000 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)

#### 8.2 Exposure controls

##### Individual protection measures (personal protective equipment)

##### Eye/face protection



# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## 2-Ethoxyethanol ROTICHROM® GC

article number: 1YH7

Use safety goggle with side protection.

### Skin protection



#### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### • material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • Splash protection - Protective gloves

• type of material: NBR (Nitrile rubber)


• material thickness: 0,4 mm

• breakthrough times of the glove material: >60 minutes (permeation: level 3)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

### Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown).

### Environmental exposure controls

Keep away from drains, surface and ground water.

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## 2-Ethoxyethanol ROTICHROM® GC

article number: 1YH7

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	like ether
Melting point/freezing point	-70 °C (ECHA)
Boiling point or initial boiling point and boiling range	135,6 °C at 1.013 hPa (ECHA)
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	not determined
Flash point	40 °C at 1.013 hPa (c.c.) (ECHA)
Auto-ignition temperature	235 °C at 1.013 hPa (ECHA)
Decomposition temperature	not relevant
pH (value)	(20 °C) (neutral)
Kinematic viscosity	2,258 mm <sup>2</sup> /s at 20 °C
Dynamic viscosity	2,1 mPa s at 20 °C

#### Solubility(ies)

Water solubility ~1.000 g/l at 25 °C (ECHA)

#### Partition coefficient

Partition coefficient n-octanol/water (log value): 0,32 (ECHA)

Vapour pressure 7,51 hPa at 25 °C

#### Density and/or relative density

Density 0,93 g/cm<sup>3</sup> at 20 °C

Relative vapour density 3,1 (air = 1)

Particle characteristics not relevant (liquid)

#### Other safety parameters

Oxidising properties none

#### 9.2 Other information

Information with regard to physical hazard classes: There is no additional information.

Other safety characteristics:

Surface tension 40 – 70 mN/m (ECHA)



# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## 2-Ethoxyethanol ROTICHROM® GC

article number: 1YH7

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

It's a reactive substance. Risk of ignition. May form explosive peroxides.

##### If heated

Risk of ignition. Vapours may form explosive mixtures with air.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

**Violent reaction with:** strong oxidiser

#### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### 10.5 Incompatible materials

Rubber articles, different plastics

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

**Classification acc. to GHS**

##### Acute toxicity

Harmful if swallowed. Toxic if inhaled.

GHS of the United Nations, annex 4. May be harmful in contact with skin.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
dermal	LD50	3.900 mg/kg	rabbit		TOXNET
oral	LD50	3.000 mg/kg	rat		ECHA

##### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

##### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

##### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

##### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

##### Carcinogenicity

Shall not be classified as carcinogenic.

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## 2-Ethoxyethanol ROTICHROM® GC

article number: 1YH7

### Reproductive toxicity

May damage the unborn child. May damage fertility.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

diarrhoea, vomiting, abdominal pain, nausea, gastrointestinal complaints

#### • If in eyes

Data are not available.

#### • If inhaled

irritant effects

#### • If on skin

Frequently or prolonged contact with skin may cause dermal irritation

#### • Other information

Other adverse effects: Cardiovascular system, Liver and kidney damage

### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

### 11.3 Information on other hazards

There is no additional information.

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	$>10.000 \text{ mg/l}$	fish	ECHA	96 h
EC50	$>10.000 \text{ mg/l}$	aquatic invertebrates	ECHA	24 h

### 12.2 Persistence and degradability

Theoretical Oxygen Demand:  $1.950 \text{ mg/g}$   
Theoretical Carbon Dioxide:  $1,953 \text{ mg/mg}$

#### Biodegradation

The substance is readily biodegradable.

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## 2-Ethoxyethanol ROTICHROM® GC

article number: 1YH7

Process of degradability		
Process	Degradation rate	Time
biotic/abiotic	100 %	14 d

### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	0,32 (ECHA)
---------------------------	-------------

### 12.4 Mobility in soil

Henry's law constant	0 Pa m <sup>3</sup> /mol (ECHA)
----------------------	---------------------------------

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

**HP 3** flammable  
**HP 6** acute toxicity  
**HP 10** toxic for reproduction

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## 2-Ethoxyethanol ROTICHROM® GC

article number: 1YH7

### SECTION 14: Transport information

#### 14.1 UN number or ID number

ADRRID	UN 1171
IMDG-Code	UN 1171
ICAO-TI	UN 1171

#### 14.2 UN proper shipping name

ADRRID	ETHYLENE GLYCOL MONOETHYL ETHER
IMDG-Code	ETHYLENE GLYCOL MONOETHYL ETHER
ICAO-TI	Ethylene glycol monoethyl ether

#### 14.3 Transport hazard class(es)

ADRRID	3
IMDG-Code	3
ICAO-TI	3

#### 14.4 Packing group

ADRRID	III
IMDG-Code	III
ICAO-TI	III

#### 14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

#### 14.6 Special precautions for user


Provisions for dangerous goods (ADR) should be complied within the premises.

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

##### Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) Additional information

Proper shipping name	ETHYLENE GLYCOL MONOETHYL ETHER
Particulars in the transport document	UN1171, ETHYLENE GLYCOL MONOETHYL ETHER, 3, III, (D/E)
Classification code	F1
Danger label(s)	3
	
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	D/E

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## 2-Ethoxyethanol ROTICHROM® GC

article number: 1YH7

Hazard identification No 30

**Emergency Action Code** 2Y

### Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) Additional information

**Classification code** F1

**Danger label(s)** 3



**Excepted quantities (EQ)** E1

**Limited quantities (LQ)** 5 L

**Transport category (TC)** 3

**Hazard identification No** 30

### International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name ETHYLENE GLYCOL MONOETHYL ETHER

Particulars in the shipper's declaration UN1171, ETHYLENE GLYCOL MONOETHYL ETHER, 3, III, 40°C c.c.

Marine pollutant -

**Danger label(s)** 3



Special provisions (SP) -

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 L

EmS F-E, S-D

Stowage category A

### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Ethylene glycol monoethyl ether

Particulars in the shipper's declaration UN1171, Ethylene glycol monoethyl ether, 3, III

**Danger label(s)** 3



Excepted quantities (EQ) E1

Limited quantities (LQ) 10 L

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## 2-Ethoxyethanol ROTICHROM® GC

article number: 1YH7

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### Relevant provisions of the European Union (EU)

##### Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
H2	acute toxic (cat. 2 + cat. 3, inhal.)	50                      200	41)

##### Notation

- 41) - Category 2, all exposure routes  
- category 3, inhalation exposure route

##### Deco-Paint Directive

VOC content	100 %
VOC content	930 g/l

##### Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	930 g/l

##### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

##### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

##### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
2-Ethoxyethanol	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		a)	

##### Legend

- a) Indicative list of the main pollutants

##### Regulation on the marketing and use of explosives precursors

not listed

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## 2-Ethoxyethanol ROTICHROM® GC

article number: 1YH7

### Regulation on drug precursors

not listed

### Regulation on substances that deplete the ozone layer (ODS)

not listed

### Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

### Regulation on persistent organic pollutants (POP)

not listed

### National regulations(GB)

#### List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

Substance of Very High Concern (SVHC) acc. to GB REACH and HSE			
Name of substance	CAS No	Listed in	Remarks
2-Ethoxyethanol	110-80-5	Candidate list	Repr. A57c

#### Legend

Candidate list  
Repr. A57c Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV  
Toxic for reproduction (Article 57c)

#### Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
2-Ethoxyethanol	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		3
2-Ethoxyethanol	toxic for reproduction		30
2-Ethoxyethanol	flammable / pyrophoric		40

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
JP	ISHA-ENCS	substance is listed
KR	KECI	substance is listed

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## 2-Ethoxyethanol ROTICHROM® GC

article number: 1YH7

Country	Inventory	Status
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

### Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

## 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

## SECTION 16: Other information

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$ .	yes
15.1	VOC content: 100 % 930 g/l	VOC content: 100 %	yes
15.1		VOC content: 930 g/l	yes
15.1		National inventories: change in the listing (table)	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2022/431/EU	Directive (EU) 2022/431 of the European Parliament and of the Council of 9 March 2022 amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate



# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## 2-Ethoxyethanol ROTICHROM® GC

article number: 1YH7

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HSE	Health and Safety Executive
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## 2-Ethoxyethanol ROTICHROM® GC

article number: 1YH7

Abbr.	Descriptions of used abbreviations
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H331	Toxic if inhaled.
H360FD	May damage fertility. May damage the unborn child.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.