acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium hydrogen phthalate solution 200 mg CSB/l (0,170 g C₈H₅KO₄/l)

article number: 2055 date of compilation: 2020-01-30 Version: **2.0 en** Revision: 2022-08-02

Replaces version of: 2020-01-30

Version: (1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Potassium hydrogen phthalate solution 200 mg CSB/l (0,170 g $C_8H_5KO_4/l$) Identification of the substance

2055 Article number

Relevant identified uses of the substance or mixture and uses advised against 1.2

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

sicherheit@carlroth.de e-mail (competent person):

1.4 **Emergency telephone number**

| Name | Street | Postal code/city | Telephone | Website |
|--|-----------|----------------------|--------------|---------|
| National Poisons Information Service City Hospital | Dudley Rd | B187QH Birmingham | 844 892 0111 | |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

| Section | Hazard class | Cat- egory | Hazard class and category | Hazard statement |
|---------|--|---------------|---------------------------|---------------------|
| 2.16 | Substance or mixture corrosive to metals | 1 | Met. Corr. 1 | H290 |

For full text of abbreviations: see SECTION 16

2.2 **Label elements**

Labelling

United Kingdom (en) Page 1 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium hydrogen phthalate solution 200 mg CSB/I (0,170 g C₈H₅KO₄/I)

article number: 2055

Signal word Warning

Pictograms

GHS05



Hazard statements

H290 May be corrosive to metals

Precautionary statements

Precautionary statements - prevention

Keep only in original packaging

Precautionary statements - response

P390 Absorb spillage to prevent material damage

Precautionary statements - storage

P406 Store in a corrosion-resistant container with a resistant inner liner

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

not relevant (mixture)

3.2 **Mixtures**

Description of the mixture

| Name of sub- stance | Identifier | Wt% | Classification acc. to GHS | Pictograms | Notes |
|---------------------------------|---|-------------|--|------------|--|
| Sulphuric acid | CAS No 7664-93-9 EC No 231-639-5 | 0,5 - < 2,5 | Met. Corr. 1 / H290 Skin Corr. 1A / H314 Eye Dam. 1 / H318 | | B(a) GHS-HC IARC: 1 IOELV RoC "Known" |
| Potassium hydrogen phthalate | CAS No 877-24-7 EC No 212-889-4 | < 0,1 | | | |

Notes

The classification refers to an aqueous solution B(a):

GHŚ-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/

2008/EC, Annex VI)

IARC: 1: IARC group 1: carcinogenic to humans (International Agency for Research on Cancer)

Substance with a community indicative occupational exposure limit value NTP-RoC: Known To Be A Human Carcinogen

RoC "Known"

United Kingdom (en) Page 2 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium hydrogen phthalate solution 200 mg CSB/l (0,170 g C₈H₅KO₄/l)

article number: 2055

| Name of sub- stance | Identifier | Specific Conc. Limits | M-Factors | ATE | Exposure route |
|------------------------|---|--|-----------|-----|-------------------|
| Sulphuric acid | CAS No 7664-93-9 EC No 231-639-5 | Skin Corr. 1A; H314: C ≥ 15 % Skin Irrit. 2; H315: 5 % ≤ C < 15 % Eye Dam. 1; H318: C ≥ 15 % Eye Irrit. 2; H319: 5 % ≤ C < 15 % | - | - | |

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

United Kingdom (en) Page 3 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium hydrogen phthalate solution 200 mg CSB/l (0,170 g C₈H₅KO₄/l)

article number: 2055

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures are necessary.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

United Kingdom (en) Page 4 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium hydrogen phthalate solution 200 mg CSB/l (0,170 g C₈H₅KO₄/l)

article number: 2055

SECTION 8: Exposure controls/personal protection

Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Cou ntr y | Name of agent | CAS No | Identi- fier | TW A [pp m] | TWA [mg/ m³] | STE L [pp m] | STEL [mg/ m³] | Ceil ing- C [pp m] | Ceil- ing-C [mg/ m³] | Nota- tion | Source |
|-----------------|---------------|---------------|-----------------|----------------------|--------------------|-----------------------|---------------------|--------------------------------|-------------------------------|---------------|-----------------|
| EU | sulfuric acid | 7664-93- 9 | IOELV | | 0,05 | | | | | t, mist | 2009/ 161/EU |
| GB | sulfuric acid | 7664-93- 9 | WEL | | 0,05 | | | | | t, mist | EH40/ 2005 |

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

As mists
Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) mist STEL

Thoracic fraction

t TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

| Name of sub- stance | CAS No | End- point | Threshol d level | Protection goal, route of exposure | Used in | Exposure time |
|------------------------|-----------|---------------|-----------------------|--|-------------------|------------------------------|
| Sulphuric acid | 7664-93-9 | DNEL | 0,05 mg/ m³ | human, inhalat- ory | worker (industry) | chronic - local ef- fects |
| Sulphuric acid | 7664-93-9 | DNEL | 0,1 mg/m ³ | human, inhalat- ory | worker (industry) | acute - local ef- fects |

Relevant PNECs of components of the mixture

| Name of sub- stance | CAS No | End- point | Threshol d level | Organism | Environmental compartment | Exposure time |
|------------------------|-----------|---------------|------------------------------------|------------------------|---------------------------------|---------------------------------|
| Sulphuric acid | 7664-93-9 | PNEC | 0,003 ^{mg} / _l | aquatic organ- isms | freshwater | short-term (single instance) |
| Sulphuric acid | 7664-93-9 | PNEC | 0 ^{mg} / _l | aquatic organ- isms | marine water | short-term (single instance) |
| Sulphuric acid | 7664-93-9 | PNEC | 8,8 ^{mg} / _l | aquatic organ- isms | sewage treatment plant (STP) | short-term (single instance) |
| Sulphuric acid | 7664-93-9 | PNEC | 0,002 ^{mg} / kg | aquatic organ- isms | freshwater sedi- ment | short-term (single instance) |
| Sulphuric acid | 7664-93-9 | PNEC | 0,002 ^{mg} / kg | aquatic organ- isms | marine sediment | short-term (single instance) |

8.2 **Exposure controls**

United Kingdom (en) Page 5 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium hydrogen phthalate solution 200 mg CSB/l (0,170 g C₈H₅KO₄/l)

article number: 2055

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Usually no personal respirative protection necessary.

Environmental exposure controls

Keep away from drains, surface and ground water.

United Kingdom (en) Page 6 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium hydrogen phthalate solution 200 mg CSB/I (0,170 g C₈H₅KO₄/I)

article number: 2055

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless
Odour odourless

Melting point/freezing point not determined

Boiling point or initial boiling point and boiling

range

~100 °C

not determined (acidic)

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not determined
Auto-ignition temperature not determined

Decomposition temperature not relevant

Kinematic viscosity not determined

Solubility(ies)

pH (value)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure 23 hPa at 20 °C

Density and/or relative density

Density $1,005 \, {}^{9}/_{\mathrm{cm}^3}$ at 20 ${}^{\circ}\mathrm{C}$

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

Corrosive to metals category 1: corrosive to metals

Other safety characteristics:

Miscibility completely miscible with water

United Kingdom (en) Page 7 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium hydrogen phthalate solution 200 mg CSB/I (0,170 g C₈H₅KO₄/I)

article number: 2055

SECTION 10: Stability and reactivity

10.1 Reactivity

Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Strong alkali

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

different metals

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity of components of the mixture

| Name of substance | CAS No | Exposure route | Endpoint | Value | Species |
|------------------------------|-----------|----------------|----------|--------------------------------------|---------|
| Sulphuric acid | 7664-93-9 | oral | LD50 | 2.140 ^{mg} / _{kg} | rat |
| Potassium hydrogen phthalate | 877-24-7 | oral | LD50 | >3.200 ^{mg} / _{kg} | rat |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

United Kingdom (en) Page 8 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium hydrogen phthalate solution 200 mg CSB/l (0,170 g C₈H₅KO₄/l)

article number: 2055

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

Data are not available.

• If in eyes

Data are not available.

If inhaled

Data are not available.

• If on skin

Frequently or prolonged contact with skin may cause dermal irritation

Other information

none

11.2 Endocrine disrupting properties

None of the ingredients are listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture

| Name of sub- stance | | | Value | Species | Exposure time |
|---------------------------------|-----------|-------|------------------------------------|-----------------------|---------------|
| Sulphuric acid | 7664-93-9 | EC50 | >100 ^{mg} / _l | aquatic invertebrates | 48 h |
| Sulphuric acid | 7664-93-9 | ErC50 | >100 ^{mg} / _l | algae | 72 h |
| Potassium hydrogen phthalate | 877-24-7 | LC50 | >100 ^{mg} / _l | fish | 96 h |
| Potassium hydrogen phthalate | 877-24-7 | ErC50 | 19,89 ^{mg} / _l | algae | 72 h |
| Potassium hydrogen phthalate | 877-24-7 | EC50 | 997 ^{mg} / _l | microorganisms | 96 h |

United Kingdom (en) Page 9 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium hydrogen phthalate solution 200 mg CSB/I (0,170 g C₈H₅KO₄/I)

article number: 2055

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Degradability of components of the mixture

| Name of substance | CAS No | Process | Degrada- tion rate | Time | Method | Source |
|--|----------|-----------------------|-----------------------|------|--------|--------|
| Potassium hy- drogen phthal- ate | 877-24-7 | oxygen deple- tion | 97,34 % | 28 d | | ECHA |

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

| Name of substance | CAS No | BCF | Log KOW | BOD5/COD |
|------------------------------|----------|-----|---------|----------|
| Potassium hydrogen phthalate | 877-24-7 | | -2,73 | |

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

United Kingdom (en) Page 10 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium hydrogen phthalate solution 200 mg CSB/l (0,170 g C₈H₅KO₄/l)

article number: 2055

SECTION 14: Transport information

14.1 UN number or ID number

ADRRID UN 3264
IMDG-Code UN 3264
ICAO-TI UN 3264

14.2 UN proper shipping name

ADRRID CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. IMDG-Code CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. ICAO-TI Corrosive liquid, acidic, inorganic, n.o.s.

Technical name (hazardous ingredients) SULPHURIC ACID

14.3 Transport hazard class(es)

ADRRID 8
IMDG-Code 8
ICAO-TI 8

14.4 Packing group

ADRRID III
IMDG-Code III
ICAO-TI III

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Particulars in the transport document UN3264, CORROSIVE LIQUID, ACIDIC, INORGAN-IC, N.O.S., (SULPHURIC ACID, solution), 8, III, (E)

Classification code C1
Danger label(s) 8



Special provisions (SP) 274
Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L

United Kingdom (en) Page 11 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium hydrogen phthalate solution 200 mg CSB/l (0,170 g C₈H₅KO₄/l)

article number: 2055

Transport category (TC) 3 Ε Tunnel restriction code (TRC) Hazard identification No 80 **Emergency Action Code** 2X

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional

information

Classification code C1 8 Danger label(s)



Special provisions (SP) 274 **Excepted quantities (EQ)** E1 Limited quantities (LQ) 5 L **Transport category (TC)** 3 **Hazard identification No** 80

International Maritime Dangerous Goods Code (IMDG) - Additional information

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. Proper shipping name

UN3264, CORROSIVE LIQUID, ACIDIC, INORGAN-Particulars in the shipper's declaration

IC, N.O.S., (SULPHURIC ACID, solution), 8, III

Marine pollutant 8

Danger label(s)



Special provisions (SP) 223, 274

E1 Excepted quantities (EQ) Limited quantities (LQ) 5 L

EmS F-A, S-B

Stowage category

Segregation group 1 - Acids

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Corrosive liquid, acidic, inorganic, n.o.s.

UN3264, Corrosive liquid, acidic, inorganic, n.o.s., Particulars in the shipper's declaration

(SULPHÚRIC ACID, solution), 8, ÍII

Danger label(s) 8



Special provisions (SP) А3 Excepted quantities (EQ) **E1**

United Kingdom (en) Page 12 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium hydrogen phthalate solution 200 mg CSB/l (0,170 g C₈H₅KO₄/l)

article number: 2055

Limited quantities (LQ)

1 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

| 2012/ | 18/EU (Seveso III) | | |
|-------|---------------------------------------|---|-------|
| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | Notes |
| | not assigned | | |

Deco-Paint Directive

| VOC content | 0 % 0 ⁹ / _I |
|-------------|--------------------------------------|
| | |

Industrial Emissions Directive (IED)

| VOC content | 0 % |
|--|-------------------------------|
| VOC content (Water content was discounted) | 0 ^g / _l |

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

| List of pollutants (WFD) | | | | |
|------------------------------|--|--------|-----------|---------|
| Name of substance | Name acc. to inventory | CAS No | Listed in | Remarks |
| Sulphuric acid | Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment | | a) | |
| Potassium hydrogen phthalate | Metals and their compounds | | a) | |

Legend

A) Indicative list of the main pollutants

United Kingdom (en) Page 13 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium hydrogen phthalate solution 200 mg CSB/l (0,170 g C₈H₅KO₄/l)

article number: 2055

Regulation on the marketing and use of explosives precursors

| Explosives precursors which are subject to restrictions | | | | | |
|---|-----------|----------------------|---------|----------------|---|
| Name of substance | CAS No | Type of registration | Remarks | Limit value | Upper limit value for the purpose of licensing under Article 5(3) |
| Sulphuric acid | 7664-93-9 | Annex I | | 15 % w/w | 40 % w/w |

Legend

annex I

Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below

Regulation on drug precursors

| Name of substance | CAS No | Classification | CN Code | Threshold level |
|-------------------|-----------|----------------|------------|--------------------|
| Sulphuric acid | 7664-93-9 | Category 3 | 2807 00 00 | |

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

UN Convention against Illicit Traffic in Narcotic Drugs and Psychotropic Substances

| Name of substance | CAS No | Listed in | HS code |
|-------------------|-----------|-----------|---------|
| Sulphuric acid | 7664-93-9 | Table II | 2807.00 |

National inventories

| Country | Inventory | Status |
|---------|------------|----------------------------|
| AU | AIIC | all ingredients are listed |
| CA | DSL | all ingredients are listed |
| CN | IECSC | all ingredients are listed |
| EU | ECSI | all ingredients are listed |
| EU | REACH Reg. | all ingredients are listed |
| JP | CSCL-ENCS | all ingredients are listed |
| KR | KECI | all ingredients are listed |
| MX | INSQ | all ingredients are listed |

United Kingdom (en) Page 14 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium hydrogen phthalate solution 200 mg CSB/l (0,170 g C₈H₅KO₄/l)

article number: 2055

| Country | Inventory | Status |
|---------|-----------|--------------------------------|
| NZ | NZIoC | all ingredients are listed |
| PH | PICCS | all ingredients are listed |
| TR | CICR | not all ingredients are listed |
| TW | TCSI | all ingredients are listed |
| US | TSCA | all ingredients are listed |

Legend

AIIC Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) CICR CSCL-ENCS DSL ECSI IECSC

Domestic Substances List (DSL)

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Korea Existing Chemicals Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS) INSO

NZIoC PICCS

REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation:

Restructuring: section 9, section 14

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|---|---|--------------------------|
| 2.1 | | Classification acc. to GHS: change in the listing (table) | yes |
| 2.2 | Labelling of packages where the contents do not exceed 125 ml: Signal word: Warning | | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.3 | Other hazards: There is no additional information. | Other hazards | yes |
| 2.3 | | Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB. | yes |

United Kingdom (en) Page 15 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium hydrogen phthalate solution 200 mg CSB/l (0,170 g $C_8H_5KO_4/l$)

article number: 2055

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-------------|--|
| 2009/161/EU | Commission Directive establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC |
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In land Waterways) |
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concern ing the International Carriage of Dangerous Goods by Road) |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BOD | Biochemical Oxygen Demand |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances |
| Ceiling-C | Ceiling value |
| CN Code | Combined Nomenclature |
| COD | Chemical oxygen demand |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |
| EH40/2005 | EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| Eye Dam. | Seriously damaging to the eye |
| Eye Irrit. | Irritant to the eye |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na tions |
| HS | Harmonized Commodity Description and Coding System (Harmonized System, drawn up by the World Customs Organisation) |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |

United Kingdom (en) Page 16 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)



Potassium hydrogen phthalate solution 200 mg CSB/l (0,170 g C₈H₅KO₄/l)

article number: 2055

| Abbr. | Descriptions of used abbreviations |
|-------------|---|
| IOELV | Indicative occupational exposure limit value |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| log KOW | n-Octanol/water |
| Met. Corr. | Substance or mixture corrosive to metals |
| NLP | No-Longer Polymer |
| NTP-RoC | National Toxicology Program: Report on Carcinogens |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| ppm | Parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |
| Skin Corr. | Corrosive to skin |
| Skin Irrit. | Irritant to skin |
| STEL | Short-term exposure limit |
| TWA | Time-weighted average |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |
| WEL | Workplace exposure limit |

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|--|
| H290 | May be corrosive to metals. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 17 / 17