

Page 1/8

EU -

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from

time to time

Printing date 12.06.2023

Version-No. 1

Revision: 01.04.2022

SECTION 1: Identification of the substance/mixture and of the com	pany/undertaking
· 1.1. Product identifier	
· Trade name / Article-No: KLEIBERIT 884.3	
 Component: A UFI: 2PSQ-600M-200C-JY35 1.2. Relevant identified uses of the substance / mixture or uses advised against For professional users only. Application of the substance / the mixture Adhesives 	
 1.3. Details of the supplier of the safety data sheet Manufacturer/Supplier: KLEIBERIT SE & Co. KG Max-Becker-Str. 4 76356 Weingarten Germany 	
 Further information obtainable from: phone: +49 (0) 7244 62-0 FAX: +49 (0) 7244 700-0 E-Mail: hse@kleiberit.com 1.4. Emergency telephone number: 	eferant Supplier: Roth GmbH + Co KG Roth GmbH + Co KG Schoemperlenstr. 3-5 Schoemperlenstr. 3-5 Schoemperlen
1	Schoelm Schoel Berger 6185 Karlsruhe, 600 6185
SECTION 2: Hazards identification	eicherheit
 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 - GHS/CLP 	<u> 910</u> .
Acute Tox. 4 H302 Harmful if swallowed.	
Acute Tox. 4 H312 Harmful in contact with skin.	
Acute Tox. 4 H332 Harmful if inhaled.	
STOT RE 2 H373 May cause damage to organs through prolonged or repeated expos	sure.
[·] 2.2. Label elements [·] Hazard pictograms	
GHS07 GHS08	
· Signal word Warning	
 Hazard-determining components of labelling: alkali hexafluorosilicates (Na, K, NH4) quartz Hazard statements H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled. H373 May cause damage to organs through prolonged or repeated expose Precautionary statements P260 Do not breathe dust. 	sure.
P264 Wash thoroughly after handling.	
	(Contd. on page 2)

time to time Version-No. 1

Printing date 12.06.2023

Revision: 01.04.2022

 Wear eye protection / face protection. Wear eye protection / face protection. P352 IF ON SKIN: Wash with plenty of water and soap. Other hazards Sults of PBT and vPvB assessment T: Not applicable. VB: Not applicable. CTION 3: Composition/information on ingredients 	(Contd. of pag
. Other hazards sults of PBT and vPvB assessment T: Not applicable. vB: Not applicable. CTION 3: Composition/information on ingredients	
T: Not applicable. /B: Not applicable. CTION 3: Composition/information on ingredients	
vB: Not applicable. CTION 3: Composition/information on ingredients	
Mixtures scription: Mixture of substances listed below with nonhazardous additions.	
ngerous components:	
Registry-No's Identification / Classification GHS-CLP	
Alkaline hexafluorosilicates (Na, K, NH4)	10-20
Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331	
308-60-7 quartz	70-80
STOT RE 2, H373	
ditional information: For the wording of the listed hazard phrases refer to section 16.	
CTION 4: First aid measures	
 ase of irregular breathing or respiratory arrest provide artificial respiration. er inhalation: oply fresh air or oxygen; call for doctor. case of unconsciousness place patient stably in side position for transportation. ke affected persons into fresh air and keep quiet. er skin contact: Generally the product does not irritate the skin. er eye contact: se opened eye for several minutes under running water. If symptoms persist, consult a doc er swallowing: Call for a doctor immediately. Most important symptoms and effects, both acute and delayed further relevant information available. Indication of any immediate medical attention and special treatment needed further relevant information available. 	tor.
CTION 5: Firefighting measures	
. Extinguishing media	
itable extinguishing agents:	available.
2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. . Special hazards arising from the substance or mixture No further relevant information	
2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.	

(Contd. on page 3)

time to time Version-No. 1

Printing date 12.06.2023

Revision: 01.04.2022

(Cond. of page 2) (Cond. of page 2) Use respiratory protective device against the effects of fumes/dust/aerosol. (Cond. of page 2)	3		
Use respiratory protective device against the effects of fumes/dust/aerosol. 6.2. Environmental precutions: Do not allow to enter surface or ground water. 6.3. Methods and material for containment and cleaning up: Dispose containnated material as waste according to section 13. Ensure adequate ventilation. 6.4. Reference to other sections See Section 7 for information on selfe handling. See Section 16 for information on selfe handling. See Section 16 for information on selfe handling. Therough dedusting. Firewart formation of dust. Open and handle receptacle with care. Information about fire - and explosion protection: Keep respiratory protective device available. 7.2. Conditions for safe handling any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Keep container tightly closed. Information about fire - and explosion protection: Keep respiratory protective device available. 7.3. Specific end use(s) No further relevant information available. SECTION 8: Exposure controls/personal protection 8.1. Control parameters Ingredients with limit values that require monitoring at the workplace: Ingredients with biological limit values: 16893-85-9 alkali hexafluorosilicates (Na, K, NH4) BGW (Germany) 7.0 mg/g Kreatinin Untersuchungsmaterial: Urin Probennahmezetipunkt vor machfolgender Schicht Paramete:: Fluorid 4.0 mg/g Kreatinin Untersuchungsmaterial: Win Probennahmezetipunkt vor machfolgender Schicht Paramete:: Fluorid 4.0 mg/g Kreatinin Untersuchungsmateria: Urin Probennahmezetipunkt vor machfolgender Schicht Paramete:: Fluorid K(Germany) alveolengängige Fraktion K(Germany) Long-term value: 0.1* mg/m ³ * respirable fraction K(Germany) Long-term value: 2.5 mg/m ³ as F	Trade name / Article	e-No: KLEIBERIT 884.3	
7.1. Precautions for safe handling Thorough dedusting. Prevent formation of dust. Open and handle receptacle with care. Information about fire - and explosion protection: Keep respiratory protective device available. 7.2. Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Keep container tightly closed. Information about storage in one common storage facility: Observe the national regulations. Further information about storage to none common storage facility: Observe the national regulations. Further information about storage conditions: None. 7.3. Specific end use(s) No further relevant information available. SECTION 8: Exposure controls/personal protection 8.1. Control parameters Ingredients with biological limit values: 16893-85-9 alkali hexafluorosilicates (Na, K, NH4) BGW (Germany) 7.0 mg/g Kreatinin Untersuchungsmaterial: Urin Probennahmezeitpunkt: Expositionsende bzw. Schichtende Parameter: Fluorid 4.0 mg/g Kreatinin Untersuchungsmaterial: Urin Probennahmezeitpunkt: vor nachfolgender Schicht Parameter: Fluorid 14808-80-7 quartz BOELV (INT) Long-term value: 0.1* mg/m³	6.2. Environmen 6.3. Methods an Dispose contami Ensure adequate 6.4. Reference t See Section 7 fo See Section 8 fo	ntal precautions: Do not allow to enter surface or ground water.id material for containment and cleaning up:nated material as waste according to section 13.e ventilation.o other sectionsr information on safe handling.r information on personal protection equipment.	(Contd. of page 2)
Through dedusting. Prevent formation of dust. Open and handle receptacle with care. Information about fire - and explosion protection: Keep respiratory protective device available. 7.2. Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Keep container tightly closed. Information about storage in one common storage facility: Observe the national regulations. Further information about storage conditions: None. 7.3. Specific end use(s) No further relevant information available. SECTION 8: Exposure controls/personal protection 8.1. Control parameters Ingredients with limit values that require monitoring at the workplace: Ingredients with <u>biological</u> limit values: 16893-85-9 alkali hexafluorosilicates (Na, K, NH4) BGW (Germany) 7.0 mg/g Kreatini Untersuchungsmaterial: Urin Probennahmezeitpunkt: Expositionsende bzw. Schichtende Parameter: Fluorid 4.0 mg/g Kreatini Untersuchungsmaterial: Urin Probennahmezeitpunkt: vor nachfolgender Schicht Parameter: Fluorid CAS No. Designation of material % Type Value Unit 14808-60-7 quartz BOELV (INT) Long-term value: 0.1* mg/m ^a	SECTION 7:	Handling and storage	
 Storage: Requirements to be met by storerooms and receptacles: Keep container tightly closed. Information about storage in one common storage facility: Observe the national regulations. Further information about storage conditions: None. 7.3. Specific end use(s) No further relevant information available. SECTION 8: Exposure controls/personal protection 8.1. Control parameters Ingredients with limit values that require monitoring at the workplace: Ingredients with biological limit values: 16893-85-9 alkali hexafluorosilicates (Na, K, NH4) BGW (Germany) 7.0 m/g Kreatinin Untersuchungsmaterial: Urin Probennahmezeitpunkt: Expositionsende bzw. Schichtende Parameter: Fluorid 4.0 mg/g Kreatinin Untersuchungsmaterial: Urin Probennahmezeitpunkt: vor nachfolgender Schicht Parameter: Fluorid CAS No. Designation of material % Type Value Unit 14808-60-7 quartz BOELV (INT) Long-term value: 0.1* mg/m³ "respirable fraction MAK (Germany) alveolengängige Fraktion 16893-85-9 alkali hexafluorosilicates (Na, K, NH4) IOELV (INT) Long-term value: 2.5 mg/m³ as F AGW (Germany) Long-term value: 1 E mg/m³ 4(II):als Fluor berechnet; EU, DFG, Y, H 32. Exposure controls Iimit the exposure to:	Thorough dedus Prevent formatio Open and handle	ting. n of dust. e receptacle with care.	vailable.
 8.1. Control parameters Ingredients with limit values that require monitoring at the workplace: Ingredients with <u>biological</u> limit values: 16893-85-9 alkali hexafluorosilicates (Na, K, NH4) BGW (Germany) 7.0 mg/g Kreatinin Untersuchungsmaterial: Urin Probennahmezeitpunkt: Expositionsende bzw. Schichtende Parameter: Fluorid 4.0 mg/g Kreatinin Untersuchungsmaterial: Urin Probennahmezeitpunkt: vor nachfolgender Schicht Parameter: Fluorid CAS No. Designation of material % Type Value Unit 14808-60-7 quartz BOELV (INT) Long-term value: 0.1* mg/m³ *respirable fraction MAK (Germany) alveolengängige Fraktion 16893-85-9 alkali hexafluorosilicates (Na, K, NH4) IOELV (INT) Long-term value: 2.5 mg/m³ as F AGW (Germany) Long-term value: 1 E mg/m³ 4(II);als Fluor berechnet; EU, DFG, Y, H 8.2. Exposure controls limit the exposure to: 	 Storage: Requirements t Information abo Further information 	o be met by storerooms and receptacles: Keep container tightly closed out storage in one common storage facility: Observe the national regu tion about storage conditions: None.	
Ingredients with limit values that require monitoring at the workplace: Ingredients with biological limit values: 16893-85-9 alkali hexafluorosilicates (Na, K, NH4) BGW (Germany) 7.0 mg/g Kreatinin Untersuchungsmaterial: Urin Probennahmezeitpunkt: Expositionsende bzw. Schichtende Parameter: Fluorid 4.0 mg/g Kreatinin Untersuchungsmaterial: Urin Probennahmezeitpunkt: vor nachfolgender Schicht Parameter: Fluorid CAS No. Designation of material % Type Value Unit 14808-60-7 quartz BOELV (INT) Long-term value: 0.1* mg/m³ *respirable fraction MAK (Germany) alveolengängige Fraktion 16893-85-9 alkali hexafluorosilicates (Na, K, NH4) IOELV (INT) Long-term value: 2.5 mg/m³ as F AGW (Germany) Long-term value: 1 E mg/m³ 4(II);als Fluor berechnet; EU, DFG, Y, H 8.2. Exposure controls limit the exposure to:		· · ·	
 Ingredients with biological limit values: 16893-85-9 alkali hexafluorosilicates (Na, K, NH4) BGW (Germany) 7.0 mg/g Kreatinin Untersuchungsmaterial: Urin Probennahmezeitpunkt: Expositionsende bzw. Schichtende Parameter: Fluorid 4.0 mg/g Kreatinin Untersuchungsmaterial: Urin Probennahmezeitpunkt: vor nachfolgender Schicht Parameter: Fluorid CAS No. Designation of material % Type Value Unit 14808-60-7 quartz BOELV (INT) Long-term value: 0.1* mg/m³ *respirable fraction MAK (Germany) alveolengängige Fraktion 16893-85-9 alkali hexafluorosilicates (Na, K, NH4) IOELV (INT) Long-term value: 2.5 mg/m³ as F AGW (Germany) Long-term value: 1 E mg/m³ 4(II);als Fluor berechnet; EU, DFG, Y, H 8.2. Exposure controls limit the exposure to: 	-		
16893-85-9 alkali hexafluorosilicates (Na, K, NH4) BGW (Germany) 7.0 mg/g Kreatinin Untersuchungsmaterial: Urin Probennahmezeitpunkt: Expositionsende bzw. Schichtende Parameter: Fluorid 4.0 mg/g Kreatinin Untersuchungsmaterial: Urin Probennahmezeitpunkt: vor nachfolgender Schicht Parameter: Fluorid • CAS No. Designation of material % Type Value Unit 14808-60-7 quartz BOELV (INT) Long-term value: 0.1* mg/m³ *respirable fraction MAK (Germany) alveolengängige Fraktion 16893-85-9 alkali hexafluorosilicates (Na, K, NH4) IOELV (INT) Long-term value: 2.5 mg/m³ as F AGW (Germany) Long-term value: 1 E mg/m³ 4(II);als Fluor berechnet; EU, DFG, Y, H 82. Exposure controls limit the exposure to:	-		
BGW (Germany) 7.0 mg/g Kreatinin Untersuchungsmaterial: Urin Probennahmezeitpunkt: Expositionsende bzw. Schichtende Parameter: Fluorid 4.0 mg/g Kreatinin Untersuchungsmaterial: Urin Probennahmezeitpunkt: vor nachfolgender Schicht Parameter: Fluorid CAS No. Designation of material % Type Value Unit 14808-60-7 quartz BOELV (INT) Long-term value: 0.1* mg/m³ *respirable fraction MAK (Germany) alveolengängige Fraktion 16893-85-9 alkali hexafluorosilicates (Na, K, NH4) IOELV (INT) Long-term value: 2.5 mg/m³ as F AGW (Germany) Long-term value: 1 E mg/m³ 4(II);als Fluor berechnet; EU, DFG, Y, H 8.2. Exposure controls limit the exposure to:	•		
Parameter: Fluorid CAS No. Designation of material % Type Value Unit 14808-60-7 quartz BOELV (INT) Long-term value: 0.1* mg/m³ *respirable fraction MAK (Germany) alveolengängige Fraktion 16893-85-9 alkali hexafluorosilicates (Na, K, NH4) IOELV (INT) Long-term value: 2.5 mg/m³ as F AGW (Germany) Long-term value: 1 E mg/m³ 4(II);als Fluor berechnet; EU, DFG, Y, H 8.2. Exposure controls limit the exposure to:		 7.0 mg/g Kreatinin Untersuchungsmaterial: Urin Probennahmezeitpunkt: Expositionsende bzw. Schichtende Parameter: Fluorid 4.0 mg/g Kreatinin 	
14808-60-7 quartz BOELV (INT) Long-term value: 0.1* mg/m³ *respirable fraction MAK (Germany) alveolengängige Fraktion 16893-85-9 alkali hexafluorosilicates (Na, K, NH4) IOELV (INT) Long-term value: 2.5 mg/m³ as F AGW (Germany) Long-term value: 1 E mg/m³ 4(II);als Fluor berechnet; EU, DFG, Y, H *8.2. Exposure controls limit the exposure to:		Parameter: Fluorid	
BOELV (INT) Long-term value: 0.1* mg/m³ *respirable fraction MAK (Germany) alveolengängige Fraktion 16893-85-9 alkali hexafluorosilicates (Na, K, NH4) IOELV (INT) Long-term value: 2.5 mg/m³ as F AGW (Germany) Long-term value: 1 E mg/m³ 4(II);als Fluor berechnet; EU, DFG, Y, H 8.2. Exposure controls limit the exposure to:			
MAK (Germany) alveolengängige Fraktion 16893-85-9 alkali hexafluorosilicates (Na, K, NH4) IOELV (INT) Long-term value: 2.5 mg/m ³ as F AGW (Germany) Long-term value: 1 E mg/m ³ 4(II);als Fluor berechnet; EU, DFG, Y, H 8.2. Exposure controls limit the exposure to:	•	Long-term value: 0.1* mg/m³	
IOELV (INT) Long-term value: 2.5 mg/m ³ as F AGW (Germany) Long-term value: 1 E mg/m ³ 4(II);als Fluor berechnet; EU, DFG, Y, H 8.2. Exposure controls limit the exposure to:	MAK (Germany)		
4(II);als Fluor berechnet; EU, DFG, Y, H 8.2. Exposure controls limit the exposure to:		Long-term value: 2.5 mg/m ³	
8.2. Exposure controls limit the exposure to:	AGW (Germany)		
		ontrols	
	limit the exposur	e to:	(Contd. on page 4)

Printing date 12.06.2023

Version-No. 1

Revision: 01.04.2022

de name / Article-No: KLEIBERIT 884.3	
8 hours	(Contd. of page
• Appropriate engineering controls No further data; s	see section 7.
 Individual protection measures, such as personal General protective and hygienic measures: 	protective equipment
The usual precautionary measures are to be adhered	to when handling chemicals
Respiratory protection: Filter A/P2 (EN 14387)	
Hand protection Protective gloves	
Material of gloves A Nitrile rubber - NBR: AlphaTec	℗ (> 0,4 mm)
Eye/face protection Safety glasses	
Body protection: Protective work clothing	
SECTION 9: Physical and chemical prope	rties
9.1. Information on basic physical and chemical p	roperties
General Information	
Physical state	Solid
Colour: Odour:	White Odourless
Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	ondetermined.
range	Undetermined.
Flammability	Not determined.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Auto-ignition temperature:	Not applicable.
Decomposition temperature:	Not determined.
pH Viscosity:	Not applicable.
viscosity. Kinematic viscosity	At room temperature: not applicable Not applicable.
Dynamic:	Not applicable.
Solubility	
water:	Insoluble.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not applicable.
 Density and/or relative density 	
Density at 20 °C:	ca. 2.75 g/cm ³
Relative density	Not determined.
Vapour density	Not applicable.
Particle characteristics See section 3.	
9.2. Other information	
Appearance:	
Form:	Powder
 Important information on protection of health and environment, and on safety. 	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	, , ,
Evaporation rate	Not applicable.
Information with regard to physical hazard classes	
	Void
· Explosives · Flammable gases	Void

Printing date 12.06.2023

Version-No. 1

Revision: 01.04.2022

Trade name / Article-No: KLEIBERIT 884.3

		(Contd. of page 4
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamma	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

10.1. Reactivity

see item 10.3

No further relevant information available.

• 10.2. Chemical stability Stable when stored and used properly.

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3. Possibility of hazardous reactions No dangerous reactions known.
- 10.4. Conditions to avoid No further relevant information available.
- **10.5. Incompatible materials:** No further relevant information available.
- · 10.6. Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Harmful if swallowed, in contact with skin or if inhaled.

LD/LC₅₀ values relevant for classification:

Oral LD₅₀ 1,388.889 mg/kg (rat) (Calculation (ATE))

Inhalative LC₅₀/4h_(dust,mist) 1.5 mg/l (rat) (Calculation (ATE))

16893-85-9 alkali hexafluorosilicates (Na, K, NH4)

Oral	LD_{50}	70 mg/kg	(mouse

125 mg/kg (rat)

Dermal LD₅₀ 300 mg/kg (ATE)

Inhalative LC_{50} /4 h 0.5 mg/l (ATE)

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.

· Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)

time to time

Printing date 12.06.2023

Version-No. 1

Revision: 01.04.2022

(Contd. of page 5)

EH

Trade name / Article-No: KLEIBERIT 884.3

11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1. Toxicity

Aquatic toxicity:

16893-85-9 alkali hexafluorosilicates (Na, K, NH4)

EC₅₀ 35.4 mg / I / 48h (water flea - daphnia)

- EC₅₀ 18.5 mg / I / 72h (algae)
- 12.2. Persistence and degradability No further relevant information available.
- **12.3. Bioaccumulative potential** No further relevant information available.
- **12.4. Mobility in soil** No further relevant information available.
- 12.5. Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Behaviour in sewage processing plants:
- · Remark:

At correct sewage disposal in small quantities to biological sewage plants failures of the activated sludge are not expected.

- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Danger to drinking water if even small quantities leak into the ground. Do not allow product to reach sewage system or any water course.

SECTION 13: Disposal considerations

· 13.1. Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

- · Uncleaned packaging:
- Recommendation:
- Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. Disposal must be made according to official regulations.

14.1. UN number or ID number		
ADR, IMDG, IATA	Void	
14.2. UN proper shipping name		
DOT, ADR, IMDG, IATA	Void	
14.3. Transport hazard class(es)		
Class	Void	
14.4. Packing group		
ADR, IMDG, IATA	Void	
14.5. Environmental hazards:	Not applicable.	
		(Contd. on page 1

Safety data sheet

according to Regulation (EC) No. 1907/2006 as amended from

time to time

Version-No. 1 Printing date 12.06.2023 Revision: 01.04.2022 Trade name / Article-No: KLEIBERIT 884.3 (Contd. of page 6) · 14.6. Special precautions for user Not applicable. · 14.7. Maritime transport in bulk according to IMO instruments Not applicable. **SECTION 15: Regulatory information** 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture See position no 2 - Hazards Identification · Directive 2012/18/EU - Seveso-III: Named dangerous substances - ANNEX I None of the ingredients is included. · Regulation (EU) No 649/2012 None of the ingredients is listed. DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II None of the ingredients is listed. REGULATION (EU) 2019/1148 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) None of the ingredients is listed. Annex II - REPORTABLE EXPLOSIVES PRECURSORS None of the ingredients is listed. Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed. • Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed. · National regulations: D: Waterhazard class Water hazard class 2 (Self-assessment): hazardous for water. • Other regulations, limitations and prohibitive regulations: For professional users only. • 15.2. Chemical safety assessment: A Chemical Safety Assessment has not been carried out. SECTION 16: Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Relevant phrases H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled. H373 May cause damage to organs through prolonged or repeated exposure. · Department issuing SDS: Safety & Environment · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent (Contd. on page 8) - FU -

Printing date 12.06.2023

Version-No. 1

Revision: 01.04.2022

Trade name / Article-No: KLEIBERIT 884.3

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 (Contd. of page 7)

- EU