acc. to Safe Work Australia - Code of Practice

Copper ≥99,9 %, p.a., as wire

article number: 215Y Version: GHS 2.0 en Revision: 2024-03-02

Replaces version of: 2023-07-25

Version: (GHS 1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance **Copper** ≥99,9 %, p.a., as wire

Article number 215Y

CAS number 7440-50-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

Details of the supplier of the safety data sheet 1.3

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

| Name | Street | Postal code/city | Telephone | Website |
|---|--------|-------------------------|-----------|---------|
| NSW Poisons Information Centre Hawkesbury Road Childrens Hospital | | 2145 West- mead, NSW | 131126 | |

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification acc. to GHS

This substance does not meet the criteria for classification.

Label elements 2.2

Labelling

not required

Page 1 / 11 Australia (en)



date of compilation: 2023-07-25

acc. to Safe Work Australia - Code of Practice

Copper ≥99,9 %, p.a., as wire

article number: 215Y



2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Copper

Molecular formula Cu

Molar mass 63.54 ^g/_{mol}

CAS No 7440-50-8

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

No special measures are necessary.

Following inhalation

There is no major dust generation possible.

Following skin contact

Brush off loose particles from skin.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

Australia (en) Page 2 / 11

acc. to Safe Work Australia - Code of Practice

Copper ≥99,9 %, p.a., as wire

article number: 215Y



SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

No special measures are necessary.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Australia (en) Page 3 / 11

acc. to Safe Work Australia - Code of Practice

Copper ≥99,9 %, p.a., as wire

article number: 215Y



SECTION 7: Handling and storage

Precautions for safe handling

No special measures are necessary.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Coun try | Name of agent | CAS No | Identifi- er | TWA [mg/ m³] | STEL [mg/ m³] | Ceil- ing-C [mg/ m³] | Nota- tion | Source |
|-------------|---------------|-----------|-----------------|--------------------|---------------------|-------------------------------|---------------|--------|
| AU | copper | 7440-50-8 | WES | 1 | | | dm | WES |
| AU | copper | 7440-50-8 | WES | 0.2 | | | fume | WES |

Notation

Ceiling-C dm

Ceiling value is a limit value above which exposure should not occur As dusts and mists

fume As fume

STEL

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 **TWA**

hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNELs and other threshold levels Endpoint Threshold Protection goal, **Used in Exposure time** level route of exposure **DNEL** 137 mg/kg bw/ human, dermal worker (industry) chronic - systemic effects day DNEL 273 mg/kg bw/ human, dermal worker (industry) acute - systemic effects day

Australia (en) Page 4 / 11

acc. to Safe Work Australia - Code of Practice

Copper ≥99,9 %, p.a., as wire

article number: 215Y



Environmental values

Relevant PNECs and other threshold levels

| End- point | Threshold level | Organism | Environmental com- partment | Exposure time |
|---------------|-----------------------------------|-----------------------|---------------------------------|------------------------------|
| PNEC | 7.8 ^{µg} / _l | aquatic organisms | freshwater | short-term (single instance) |
| PNEC | 5.2 ^{µg} / _l | aquatic organisms | marine water | short-term (single instance) |
| PNEC | 230 ^{µg} / _l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| PNEC | 87 ^{mg} / _{kg} | aquatic organisms | freshwater sediment | short-term (single instance) |
| PNEC | 676 ^{mg} / _{kg} | aquatic organisms | marine sediment | short-term (single instance) |
| PNEC | 65 ^{mg} / _{kg} | terrestrial organisms | soil | short-term (single instance) |

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Hand protection is not required.

Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80% of airborne particles, colour code: White). Usually no personal respirative protection necessary.

Environmental exposure controls

Keep away from drains, surface and ground water.

Australia (en) Page 5 / 11

acc. to Safe Work Australia - Code of Practice

Copper ≥99,9 %, p.a., as wire

article number: 215Y



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state solid

Form acc. to product description

Colour copper
Odour odourless

Melting point/freezing point 1,059 °C (ECHA)

Boiling point or initial boiling point and boiling 2,5

range

2,580 °C at 1,013 hPa

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not applicable
Auto-ignition temperature not determined
Decomposition temperature not relevant
pH (value) not applicable
Kinematic viscosity not relevant

Solubility(ies)

Water solubility not determined

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

Density and/or relative density

Density $8.78 \, {}^{9}/_{\text{cm}^3}$ at 20 °C (ECHA)

Relative vapour density Information on this property is not available.

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

Australia (en) Page 6 / 11

acc. to Safe Work Australia - Code of Practice

Copper ≥99,9 %, p.a., as wire

article number: 215Y



SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

This substance does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Australia (en) Page 7 / 11

acc. to Safe Work Australia - Code of Practice

Copper ≥99,9 %, p.a., as wire

article number: 215Y



Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

Liver and kidney damage, gastrointestinal complaints

• If in eyes

Data are not available.

If inhaled

Data are not available.

• If on skin

Data are not available.

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

SECTION 12: Ecological information

12.1 Toxicity

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

Recycling/reclamation of metals and metal compounds.

Sewage disposal-relevant information

Do not empty into drains.

Australia (en) Page 8 / 11

acc. to Safe Work Australia - Code of Practice

Copper ≥99,9 %, p.a., as wire

article number: 215Y



Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H11 Toxic (Delayed or chronic)

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

| 14.1 | UN number | not subject to transport regulations |
|------|-----------|--------------------------------------|
| | | |

14.2 UN proper shipping name not assigned
 14.3 Transport hazard class(es) not assigned
 14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

Not subject to transport regulations. UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Australia (en) Page 9 / 11

acc. to Safe Work Australia - Code of Practice

Copper ≥99,9 %, p.a., as wire

article number: 215Y



National inventories

| Country | Inventory | Status |
|---------|------------|------------------------------|
| AU | AIIC | substance is listed |
| CA | DSL | substance is listed |
| CN | IECSC | substance is listed |
| EU | ECSI | substance is listed |
| EU | REACH Reg. | substance is listed |
| KR | KECI | substance is listed |
| MX | INSQ | substance is listed |
| NZ | NZIoC | substance is listed |
| PH | PICCS | substance is listed |
| TR | CICR | substance is listed |
| TW | TCSI | substance is listed |
| US | TSCA | substance is listed (ACTIVE) |
| VN | NCI | substance is listed |

Legend

AIIC Australian Inventory of Industrial Chemicals
CICR Chemical Inventory and Control Regulation
DSL Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China
INSQ National Inventory of Chemical Substances
KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory

Taiwan Chemical Substance Inventory Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|--|---|--------------------------|
| 2.3 | Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%. | Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%. | yes |

Abbreviations and acronyms

Australia (en) Page 10 / 11

acc. to Safe Work Australia - Code of Practice

Copper ≥99,9 %, p.a., as wire

article number: 215Y



| Abbr. | Descriptions of used abbreviations |
|-----------|---|
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| ED | Endocrine disruptor |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods Code |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| STEL | Short-term exposure limit |
| TWA | Time-weighted average |
| UN RTDG | UN Recommendations on the Transport of Dangerous Good |
| vPvB | Very Persistent and very Bioaccumulative |
| WES | Safe Work Australia: Workplace exposure standards for airborne contaminants |

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 11 / 11