

# **Safety Data Sheet**

## according to Regulations REACh 1907/2006/EC

REF: 730845 Chromab. QuEChERS Mix XLVII (2.4 g) Page: 1/8 Printing date: 04.04.2023 Date of issue: 18.07.2022 Version: 2.2.2.2

## SECTION 1: Identification of the substance/mixture and of the company

1.1 **Product identifier** 

> REF 730845

Product name Chromab. QuEChERS Mix XLVII (2.4 g)

REACH Registration number(s): see SECTION 3.1/3.2 or

50 x 2.4 g Chromabond® QuEChERS Mix XLVII

A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, Germany

Phone: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 **Emergency telephone number** 

Information not necessary.

You find our current versions of SDS in Internet:

Lieferant | Supplier: Roth GmbH + Co KG <a href="http://www.mn-net.com/sDs>emperienstr.3-5">http://www.mn-net.com/sDs>emperienstr.3-5</a> . 76185 Karlsruhe, Germany

+49 721 5606 0 sicherheit@carlroth.de

### **SECTION 2: Hazard identification**

- 2.0 Classification of the complete product according to Regulation (EC) 1272/2008
- Classification of the substance or mixture according to Regulation (EC) 1272/2008 2.1

2.4 g Chromabond® QuEChERS Mix XLVII

Do not need labelling as hazardous

Signal word

No hazard class

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008

2.4 g Chromabond® QuEChERS Mix XLVII

Do not need labelling as hazardous Signal word: -

Label elements of the complete product

2.3 Other hazards

Possible hazards from physicochemical properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit. An individual package has considerably less hazardous potential.



Software: M2 V 6.1.1.5

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11 52355 Düren · Germany

www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# **Safety Data Sheet**

## according to Regulations REACh 1907/2006/EC

 REF: 730845
 Chromab. QuEChERS Mix XLVII (2.4 g)
 Page: 2/8

 Printing date: 04.04.2023
 Date of issue: 18.07.2022
 Version: 2.2.2.2

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

Possible endocrine disrupting effects

no data available

Other hazards

It is not possible to declare fine dust (< 12 µm) as dangerous or not. We recommend not to inhale product dust. Dust may cause damage of the inhalatory system if inhaled over a longer period.

### **SECTION 3: Composition / information on ingredients**

### 3.1 Substances or 3.2 Mixtures

### 2.4 g Chromabond® QuEChERS Mix XLVII

Substance name: silica CAS No.: 7631-86-9

Substance rating: No criteria for classification or naming of chemical not required

Formula: SiO 2

Pseudonym (de): Silicagel, Siliziumdioxyd REACH Reg. No.: 01-2119379499-16-0166

EC No.: 231-545-4 Concentration: 50 - <65 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

Substance name: magnesium sulfate

CAS No.: 7487-88-9

Substance rating: No criteria for classification or naming of chemical not required.

Formula: MgSO 4

REACH Reg. No.: 01-2119486789-11-xxxx

EC No.: 231-298-2 Concentration: 50 - <80 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.List of H and P phrases: see section 16.2.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately.

4.1.1 After SKIN Contact

Remove dust with wetted tissue.

4.1.2 After EYE Contact

Rub dust with teardrops from eyes

4.1.3 After INHALATION of vapours

After inhalation of dust fresh air should be inhaled. ---

4.1.4 After ORAL Intake

### 4.2 Most important symptoms and effects, both acute and delayed

## 4.3 Indication of any immediate medical attention and special treatment needed

No additionally recommendations. ---



Software: M2 V 6.1.1.5

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

.mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com

## CHEREY-NAGEI



# **Safety Data Sheet**

## according to Regulations REACh 1907/2006/EC

Chromab. QuEChERS Mix XLVII (2.4 g) RFF: 730845 Page: 3/8 Printing date: 04.04.2023 Date of issue: 18.07.2022 Version: 2.2.2.2

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### 5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media

no data available

#### 5.2 Special hazards arising from the substance or mixture

#### 5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

#### 5.4 Additional information

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid dusting. Do not breathe dust. .

#### 6.2 **Environmental precautions**

not necessary

#### 6.3 Methods and material for containment and cleaning up

Remove remaining dust with a vacuum cleaner. If there is no vacuum cleaner, wet dust well and remove mechanical (Inhalation protection). Clean working area with water. Flush used water into drains.

6.4 Reference to other sections

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Avoid dusting

#### 7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging . Storage class (German chemical industry): see chapter 12.1 Storage class (VCI): Water hazard class (DE):

#### Requirements for stock rooms and containers 7.2.1

Keep original product packages tightly closed during handling and storage.

#### 7.3 Specific end use(s)

Product for analytical use.

## **SECTION 8: Exposure controls /personal protection**

### 8.1 Control parameters

### 2.4 g Chromabond® QuEChERS Mix XLVII

CAS No.: 7631-86-9 Chemical: silica

DNFI · finhl 4 ma/m<sup>3</sup> DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): PNEC = Predicted No Effected Concentration

1,25 A / 4 E mg/m<sup>3</sup> TRGS 900 (DE):

Short-term exposure factor:

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 4 e mg/m<sup>3</sup>



MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany

www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com

## CHEREY-NAGEI



# **Safety Data Sheet**

## according to Regulations REACh 1907/2006/EC

REF: 730845 Chromab. QuEChERS Mix XLVII (2.4 g) Page: 4/8 Printing date: 04.04.2023 Date of issue: 18.07.2022 Version: 2.2.2.2

NIOSH:

Cocupational Carcinogen List yes; [TWA] 6 mg/m³.

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period.

OSHA: [TWA] 20 mppcf / 80 mg/m<sup>3</sup>

Chemical: magnesium sulfate CAS No.: 7487-88-9

[inh] 37.6 mg/m<sup>3</sup> DNEL = Derived No-Effect Level (for workers) DNEL: 0.68 mg/L (fresh water) : 0.68 mg/L PNEC = Predicted No Effected Concentration

#### 8.2 **Exposure controls**

Not necessary.

8.2.1 Respiratory protection

Not necessary. Use for regularly working with dry powders a dust mask or a dust protection filter, class P3.

solid

8.2.2 Skin protection / Hand protection

Not necessary, recommended for often use.

8.2.3 Eye / Face Protection

Not necessary.

8.2.4 Skin protection

Not necessary.

8.2.5 Personal hygiene

Information not necessary.

8.2.6 Thermal hazards

no data available

#### 8.3 Limitation and monitoring of environmental exposure

Information not necessary.

a) State of aggregation:

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

### 2.4 g Chromabond® QuEChERS Mix XLVII

b) Colour:	white
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	no data available
I) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (o/w):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1):	no data available
r) Particle size:	no data available

#### 9.2 Other information

Properties relevant to substance groups



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# **Safety Data Sheet**

## according to Regulations REACh 1907/2006/EC

 REF: 730845
 Chromab. QuEChERS Mix XLVII (2.4 g)
 Page: 5/8

 Printing date: 04.04.2023
 Date of issue: 18.07.2022
 Version: 2.2.2.2

### **SECTION 10: Stability and reactivity**

10.1 Reactivity

None

10.2 Chemical stability

no known instability.

10.3 Possibility of hazardous reactions

None.

10.4 Conditions to avoid

Not known.

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

## **SECTION 11: Toxicological information**

### 11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

2.4 g Chromabond® QuEChERS Mix XLVII

Chemical: silica CAS No.: 7631-86-9

TSCA Inventory: listed California Proposition 65 List: not listed

Exposure Routes: inhalation, skin and/or eye contact Target Organs: Eyes, respiratory system symptoms: irritation eyes, pneumoconiosis

Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required)

South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-31032
LD50 orl rat: 5000 mg/kg
LC50 ihl rat: 2,19-5,01 mg/L/4H

TRGS 905 (DE): R <sub>F</sub> C

Chemical: magnesium sulfate CAS No.: 7487-88-9

TSCA Inventory: listed Korea Exist.Chem.Inventory: KE-22752

### 11.2 Other hazards

Possible endocrine disrupting effects

no data available

Other information

no additional data available

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Following information is valid for pure substances.

2.4 g Chromabond® QuEChERS Mix XLVII

Chemical: silica CAS No.: 7631-86-9

PNEC (fresh water):
PNEC = Predicted No Effected Concentration

LC50 fish/96h: [4d] 1033-1289 mg/L EC50 daphnia/48h: 512; [4d] 2600 mg/L EC50 chlorella vulgaris/5d: [4d] 218 mg/L Water hazard class (DE): nwg WGK No.: 0849



MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com



CAS No.: 7487-88-9

# **Safety Data Sheet**

## according to Regulations REACh 1907/2006/EC

REF: 730845 Chromab. QuEChERS Mix XLVII (2.4 g) Page: 6/8 Date of issue: 18.07.2022 Printing date: 04.04.2023 Version: 2.2.2.2

> Storage class (VCI): 13

Chemical: magnesium sulfate

PNEC (fresh water):
PNEC = Predicted No Effected Concentration 0.68 mg/L

 $LC50\ pimephales\ promelas/96h$  : 680 MgX mg/L

[4d] 0.68; [48h] 0.72 mg/L LC50 fish/96h:

720 <sub>MgX</sub> mg/L [18d] 2700 mg/L EC50 daphnia/48h: EC50 chlorella vulgaris/5d : Water hazard class (DE):

Storage class (VCI): 12-13

#### 12.2 Persistence and degradability

not necessary

#### 12.3 Bioaccumulative potential

not necessary

### 12.4 Mobility in soil

not necessary

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

#### 12.6 **Endocrine disrupting properties**

no data available

#### 12.7 Other adverse effects

no additional data available

## **SECTION 13: Disposal considerations**

Not necessary.

#### 13.1 Waste treatment methods

GENERAL: Empty solids into municipal waste, empty liquids diluted into drains.

### **SECTION 14: Transport information**

14.1 - 14.4 Not necessary

#### 14.5 **Environmental hazards**

#### 14.6 Special precautions for user

not necessary

#### 14.7 Carriage in bulk by sea in accordance with IMO instruments

Not applicable.

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020 Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017 If necessary, observe other country-specific regulations.

### 15.2 Chemical safety assessment



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



# **Safety Data Sheet**

## according to Regulations REACh 1907/2006/EC

 REF: 730845
 Chromab. QuEChERS Mix XLVII (2.4 g)
 Page: 7/8

 Printing date: 04.04.2023
 Date of issue: 18.07.2022
 Version: 2.2.2.2

### **SECTION 16: Other information**

### 16.1 Changes compared to the last version

in preparation

### 16.2 List of H and P phrases

16.2.1 List of relevant H phrases

16.2.2 List of relevant P phrases

### 16.3 Recommended restriction on use

None

### 16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021

Directive 97/69/EG, mineral fibersDirective 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres

TRGS 521, German engineering regulations for rehabilitation, repair and demolition with old mineral wool, February 2008, TRGS 521 "Mineral fibres" in the new versionSUVA .CH, limit values in the air at work 2009, revised on 01/2009

Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)

Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG

TRGS 559, German technical rules for mineral dusts from July 2011 Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)

Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP) Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP) Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)

Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)

TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019

Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)

Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG

Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP) Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP) Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)

### revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary

2014-04 adjustment according Regulation 487/2013/EU 2016-03 adjustment according Regulation 1221/2015/EU

2017-11 adjustment according the ECHA registration dossier 2022-11 adjustment according Regulation 878/2020/EU

### 16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

### 16.6 Legend / Abbreviations

acc: according

ADR: Convention concerning the International Carriage of Dangerous Goods by Road Act: acute

BAT: biological workplace tolerance value

CAO: Cargo Aircraft Only

Carc: carcinogen

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging regulation

CMR: carcinogen, mutagen, reproduction toxic

Corr: corrosive

COD: chemical oxigen demand

CSCL: Chemical Substance Control Law (Jp)

Dam: damage

DNEL: Derived No-Effect Level (for workers)



MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany

www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

## CHEREY-NAGE



# **Safety Data Sheet**

## according to Regulations REACh 1907/2006/EC

REF: 730845 Chromab. QuEChERS Mix XLVII (2.4 g) Page: 8/8 Printing date: 04.04.2023 Date of issue: 18.07.2022 Version: 2.2.2.2

dermal derm: dog: dog

EC10: Concentration causing a toxic effect in 10% of the test organisms

**European Community** EC:

EC-Nr: Substance number of the EC substance inventory Guide to accident management measures on ships EmS:

EU: **European Union** fish: fish (not spezified)

GHS: Global Harmonized System of Classification and Labeling of Chemicals

gpg: ICAO: International Civil Aviation Organization

ihl: inhaled

IMDG: International Maritime Dangerous Goods Code

intrav: intravenous ipt: intraperitonaeal

İSHL: Industrial Safety and Health Law (Jp)

LC50: letale concentration 50% LD50: letale dosis 50%

leuciscus idus: fisch, ide, orfe MAK: maximum workplace concentration

Met: Metall mus. mouse Muta: mutagen

NIOSH: National Institute for Occupational Safety and Health (US)

NRD: Non-rapidly degradable

onchorhynchus mykiss: fish, rainbow trout

orl: oral

OSHA: Occupational Safety and Health Administration PAX: transport on passenger planes allowed PBT: persistent, bioaccumulating, toxic substance

pH: pH value

pimephales promelas: fish, fathead minnow Predicted No Effected Concentration **PNEC** PROC 15: Process category 'for laboratory use'

PRTR: Law for PRTR and Promotion of Chemical Management (Jp)

PVC: polyvinyl chloride quail: bird, quail rat rat. rht. rabbit RD:

rapidly degradable

RE: repeated

REACh: Registration, Evaluation, Authorisation and Restriction of Chemicals

REF: item number, reference number Reg.No.: rRegistration number Repr: harmful to reproduction

Resp: respiratory

RIP: **REACH Implementations Projects** 

scu: sub cutan SDS: safety data sheet sensitisation Sens

STEL: short term exposure limit STOT: Specific Target Organ Toxicity SVHC: Substance of Very High Concern

tons per year t/a:

TCCA: Toxic Chemicals Control Act (S. Korea)

Tox: toxic

TSCA: The Toxic Substances Control Act (US)

TWA: time weighted average TRGS: technical regulations (DE)

vPvB: very persistent, very bioaccumulating substance

### 16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



Software: M2 V 6.1.1.5

MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com