according to Regulation (EC) No. 1907/2006 (REACH)

## ROTI®Histofix 4,5 % formaldehyde, phosphate buffered, pH 7, ready-to-use

article number: **2213** Version: **1.0 en**  date of compilation: 2021-09-03

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Registration number (REACH)

2213

not relevant (mixture)

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

buffered, pH 7, ready-to-use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

ROTI®Histofix 4,5 % formaldehyde, phosphate

## **1.3** Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

## e-mail (competent person):

## sicherheit@carlroth.de

## 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	01 809 2166	https:// www.poisons.ie/

# **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.4S	Skin sensitisation	1	Skin Sens. 1	H317
3.5	Germ cell mutagenicity	2	Muta. 2	H341
3.6	Carcinogenicity	1B	Carc. 1B	H350

For full text of abbreviations: see SECTION 16



according to Regulation (EC) No. 1907/2006 (REACH)





#### article number: 2213

## 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

**Pictograms** 

GHS07, GHS08



## **Hazard statements**

H302	Harmful if swallowed
H317	May cause an allergic skin reaction
H341	Suspected of causing genetic defects
H350	May cause cancer

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P202	Do not handle until all safety precautions have been read and understood
P270	Do not eat, drink or smoke when using this product
P280	Wear protective gloves

## **Precautionary statements - response**

P302+P352	IF ON SKIN: Wash with plenty of soap and water
P308+P313	IF exposed or concerned: Get medical advice/attention

For professional users only

#### Hazardous ingredients for labelling:

Formaldehyde ... %, Methanol

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)



H317	May cause an allergic skin reaction.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
P202	Do not handle until all safety precautions have been read and understood.
P280	Wear protective gloves.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P308+P313	IF exposed or concerned: Get medical advice/attention.
contains:	Formaldehyde %, Methanol

## 2.3 Other hazards

This material is combustible, but will not ignite readily.

## Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTI®Histofix 4,5 % formaldehyde, phosphate buffered, pH 7, ready-to-use

## article number: 2213

# SECTION 3: Composition/information on ingredients

#### **Substances** 3.1

not relevant (mixture)

#### 3.2 **Mixtures**

## **Description of the mixture**

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Formaldehyde %	CAS No 50-00-0 EC No 200-001-8 Index No 605-001-00-5 REACH Reg. No 01-2119488953- 20-xxxx	4-<5	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 Skin Corr. 1B / H314 Eye Dam. 1 / H318 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1B / H350 STOT SE 3 / H335		B D GHS-HC IARC: 1 IOELV RoC "Known"
Methanol	CAS No 67-56-1 EC No 200-659-6 Index No 603-001-00-X REACH Reg. No 01-2119433307- 44-xxxx	<2	Flam. Liq. 2 / H225 Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 STOT SE 1 / H370		GHS-HC IOELV

#### Notes

- Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis. Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words 'non-stabilised'. B:
- D: substance followed by the words 'non-stabilised'. GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/

IARC: 1: IARC group 1: carcinogenic to humans (International Agency for Research on Cancer) IOELV: Substance with a community indicative occupational exposure limit value ROC NTP-RoC: Known To Be A Human Carcinogen

RoC "Known"

Name of sub- stance	Identifier	Specific Conc. Limits	<b>M-Factors</b>	ATE	Exposure route
Formaldehyde %	CAS No 50-00-0 EC No 200-001-8 Index No 605-001-00-5	Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 5 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 25 % Eye Irrit. 2; H319: 5 % ≤ C < 25 % Skin Sens. 1; H317: C ≥ 0,2 % STOT SE 3; H335: C ≥ 5 %	-	100 <sup>mg</sup> /kg 300 <sup>mg</sup> /kg 3 <sup>mg</sup> /l/4h	oral dermal inhalation: va- pour

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTI®Histofix 4,5 % formaldehyde, phosphate buffered, pH 7, ready-to-use

## article number: 2213

Name of sub- stance	Identifier	Specific Conc. Limits	<b>M-Factors</b>	ATE	Exposure route
Methanol	CAS No 67-56-1 EC No 200-659-6 Index No 603-001-00-X	STOT SE 1; H370: C ≥ 10 % STOT SE 2; H371: 3 % ≤ C < 10 %	-	100 <sup>mg</sup> / <sub>kg</sub> 300 <sup>mg/</sup> <sub>kg</sub> 3 <sup>mg</sup> / <sub>/</sub> /4h	oral dermal inhalation: va- pour

For full text of abbreviations: see SECTION 16

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



## **General notes**

Take off contaminated clothing.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Following ingestion**

Rinse mouth with water (only if the person is conscious). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### 4.2 Most important symptoms and effects, both acute and delayed

Vomiting, Allergic reactions, Headache, Vertigo, Dizziness, Unconsciousness, Spasms

## 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

## 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

® §ROTH

## ROTI®Histofix 4,5 % formaldehyde, phosphate buffered, pH 7, ready-to-use

## article number: 2213

## Unsuitable extinguishing media

water jet

## 5.2 Special hazards arising from the substance or mixture

Ingredients of the mixture combustible. The product itself does not burn. Vapours may form explosive mixtures with air.

## Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

## 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water.

## 6.3 Methods and material for containment and cleaning up

## Advice on how to contain a spill

Covering of drains.

## Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

## Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid exposure.

## Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

## Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTI®Histofix 4,5 % formaldehyde, phosphate buffered, pH 7, ready-to-use

article number: 2213

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. May cause decomposition by long-term light influence.

## Incompatible substances or mixtures

Observe hints for combined storage.

## Protect against external exposure, such as

high temperatures, direct light irradiation

## Consideration of other advice:

## Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

## 7.3 Specific end use(s)

No information available.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## National limit values

## **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	formaldehyde	50-00-0	IOELV	0,3	0,37	0,74	0,6			sect	2019/ 983/EU
EU	methanol	67-56-1	IOELV	200	260						2006/15/ EC
IE	formaldehyde	50-00-0	OELV	0,3	0,37	0,6	0,738				S.I. No. 619 of 2001
IE	methanol	67-56-1	OELV	200	260						S.I. No. 619 of 2001

## Notation

TWA

Ceiling-C Ceiling value is a limit value above which exposure should not occur

sect Limit value of 0,62 mg/m3 or 0,5 ppm for the health care, funeral and embalming sectors until 11 July 2024 STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture								
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time		
Formaldehyde %	50-00-0	DNEL	9 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects		
Formaldehyde %	50-00-0	DNEL	0,375 mg/ m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - local ef- fects		

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTI®Histofix 4,5 % formaldehyde, phosphate buffered, pH 7, ready-to-use

article number: 2213

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Formaldehyde %	50-00-0	DNEL	0,75 mg/ m <sup>3</sup>	human, inhalat- ory	worker (industry)	acute - local ef- fects
Formaldehyde %	50-00-0	DNEL	240 mg/kg bw/day	human, dermal	worker (industry)	chronic - system effects
Formaldehyde %	50-00-0	DNEL	37 µg/cm²	human, dermal	worker (industry)	chronic - local e fects
Methanol	67-56-1	DNEL	130 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - system effects
Methanol	67-56-1	DNEL	130 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	acute - systemi effects
Methanol	67-56-1	DNEL	130 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - local e fects
Methanol	67-56-1	DNEL	130 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	acute - local ef fects
Methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	chronic - system effects
Methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	acute - systemi effects

Relevant PNECS of components of the mixture							
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time	
Formaldehyde %	50-00-0	PNEC	0,44 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)	
Formaldehyde %	50-00-0	PNEC	0,44 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)	
Formaldehyde %	50-00-0	PNEC	0,19 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)	
Formaldehyde %	50-00-0	PNEC	2,3 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)	
Formaldehyde %	50-00-0	PNEC	2,3 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)	
Formaldehyde %	50-00-0	PNEC	0,2 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)	
Methanol	67-56-1	PNEC	20,8 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)	
Methanol	67-56-1	PNEC	2,08 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)	
Methanol	67-56-1	PNEC	100 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)	
Methanol	67-56-1	PNEC	77 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)	
Methanol	67-56-1	PNEC	7,7 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)	

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTI®Histofix 4,5 % formaldehyde, phosphate buffered, pH 7, ready-to-use

article number: 2213

Relevant PNECs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Methanol	67-56-1	PNEC	100 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)

## 8.2 Exposure controls

## Individual protection measures (personal protective equipment)

## Eye/face protection



Use safety goggle with side protection.

#### Skin protection



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

Butyl caoutchouc (butyl rubber)

#### material thickness

0,4 mm

## • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

## **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation. Type: ABEK (combined filters against gases and vapours, colour code: Brown/Grey/Yellow/Green).

## **Environmental exposure controls**

Keep away from drains, surface and ground water.

according to Regulation (EC) No. 1907/2006 (REACH)

## ROTI®Histofix 4,5 % formaldehyde, phosphate buffered, pH 7, ready-to-use

## article number: 2213

# SECTION 9: Physical and chemical properties

9.1	Information on basic physical and chemical pro	operties
	Physical state	liquid
	Colour	colourless
	Odour	characteristic
	Melting point/freezing point	-15 °C
	Boiling point or initial boiling point and boiling range	97 °C
	Flammability	non-combustible
	Lower and upper explosion limit	7 vol% - 72 vol% (anhydrous)
	Flash point	79 – 85 °C
	Auto-ignition temperature	not determined
	Decomposition temperature	not relevant
	pH (value)	7 (20 °C)
	Kinematic viscosity	not determined
	Solubility(ies)	
	Water solubility	miscible in any proportion
	water solubility	
	Partition coefficient	
	Partition coefficient n-octanol/water (log value):	this information is not available
	Vapour pressure	not determined
	Density	1 <sup>g</sup> / <sub>cm³</sub> at 20 °C
	Relative vapour density	information on this property is not available
	Particle characteristics	not relevant (liquid)
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
	Other safety characteristics:	
	Miscibility	completely miscible with water



according to Regulation (EC) No. 1907/2006 (REACH)



## ROTI®Histofix 4,5 % formaldehyde, phosphate buffered, pH 7, ready-to-use

#### article number: 2213

## SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Danger of polymerisation.

## If heated

Vapours may form explosive mixtures with air.

#### 10.2 Chemical stability

May cause decomposition by long-term light influence. To stabilise: Methanol.

## 10.3 Possibility of hazardous reactions

**Exothermic reaction with:** Alkalis, Permanganates, strong oxidiser, Aniline, **Violent reaction with:** Acids, Phenol, Nitric acid, Hydrogen peroxide, => Explosive properties

#### 10.4 Conditions to avoid

Direct light irradiation. Keep away from heat.

#### 10.5 Incompatible materials

different metals

## 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

## **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## Classification according to GHS (1272/2008/EC, CLP)

## Acute toxicity

Harmful if swallowed.

Acute toxicity estimate (ATE) of components of the mixture					
Name of substance	CAS No	Exposure route	ATE		
Formaldehyde %	50-00-0	oral	100 <sup>mg</sup> / <sub>kg</sub>		
Formaldehyde %	50-00-0	dermal	300 <sup>mg</sup> / <sub>kg</sub>		
Formaldehyde %	50-00-0	inhalation: vapour	3 <sup>mg</sup> / <sub>l</sub> /4h		
Methanol	67-56-1	oral	100 <sup>mg</sup> / <sub>kg</sub>		
Methanol	67-56-1	dermal	300 <sup>mg</sup> / <sub>kg</sub>		
Methanol	67-56-1	inhalation: vapour	3 <sup>mg</sup> / <sub>l</sub> /4h		

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTI®Histofix 4,5 % formaldehyde, phosphate buffered, pH 7, ready-to-use

article number: 2213

Acute toxicity of components of the mixture						
Name of substance	CAS No	Exposure route	Endpoint	Value	Species	
Methanol	67-56-1	inhalation: va- pour	LC50	131 <sup>mg</sup> / <sub>l</sub> /4h	rat	
Methanol	67-56-1	oral	LD50	5.628 <sup>mg</sup> / <sub>kg</sub>	rat	
Methanol	67-56-1	oral	LDLo	143 <sup>mg</sup> / <sub>kg</sub>	human	
Methanol	67-56-1	dermal	LD50	15.800 <sup>mg</sup> / <sub>kg</sub>	rabbit	

## Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

## Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

May cause an allergic skin reaction.

#### Germ cell mutagenicity

Suspected of causing genetic defects.

#### Carcinogenicity

May cause cancer.

## Reproductive toxicity

Shall not be classified as a reproductive toxicant.

## Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

## Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

## Symptoms related to the physical, chemical and toxicological characteristics

## • If swallowed

Data are not available.

#### • If in eyes

Data are not available.

## • If inhaled

vertigo, headache

## • If on skin

May produce an allergic reaction, pruritis, localised redness

#### Other information

Other adverse effects: Spasms, Blood pressure drop, Liver and kidney damage, Dizziness, Unconsciousness

according to Regulation (EC) No. 1907/2006 (REACH)

## ROTI®Histofix 4,5 % formaldehyde, phosphate buffered, pH 7, ready-to-use

article number: 2213

**11.2 Endocrine disrupting properties** None of the ingredients are listed.

## **11.3 Information on other hazards** There is no additional information.

There is no additional information.

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture							
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time		
Formaldehyde %	50-00-0	LC50	6,7 <sup>mg</sup> / <sub>l</sub>	fish	96 h		
Formaldehyde %	50-00-0	EC50	5,8 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h		
Formaldehyde %	50-00-0	ErC50	4,89 <sup>mg</sup> / <sub>l</sub>	algae	72 h		
Methanol	67-56-1	LC50	15.400 <sup>mg</sup> / <sub>l</sub>	fish	96 h		
Methanol	67-56-1	ErC50	22.000 <sup>mg</sup> / <sub>l</sub>	algae	96 h		

Aquatic toxicity (chronic) of components of the mixture						
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time	
Formaldehyde %	50-00-0	EC50	19 <sup>mg</sup> / <sub>l</sub>	microorganisms	3 h	

## Biodegradation

Data are not available.

## 12.2 Process of degradability

Process of degradability				
Process	Degradation rate	Time		
biotic/abiotic	97 %	5 d		

Degradability of components of the mixture							
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source	
Formaldehyde %	50-00-0	DOC removal	99 %	28 d		ECHA	
Methanol	67-56-1	biotic/abiotic	99 %	30 d			
Methanol	67-56-1	oxygen deple- tion	69 %	5 d		ECHA	

## 12.3 Bioaccumulative potential

Data are not available.



according to Regulation (EC) No. 1907/2006 (REACH)



## ROTI®Histofix 4,5 % formaldehyde, phosphate buffered, pH 7, ready-to-use

article number: 2213

Bioaccumulative potential of components of the mixture					
Name of substance	CAS No	BCF	Log KOW	BOD5/COD	
Methanol	67-56-1		-0,77		

#### 12.4 Mobility in soil

Data are not available.

# 12.5 Results of PBT and vPvB assessment

Data are not available.

## **12.6 Endocrine disrupting properties** None of the ingredients are listed.

## 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

## Sewage disposal-relevant information

Do not empty into drains.

## 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## **SECTION 14: Transport information**

14.1 UN number or ID number

- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards

not subject to transport regulations

not assigned

none

not assigned

non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

There is no additional information.

## **14.7** Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.



## ROTI®Histofix 4,5 % formaldehyde, phosphate buffered, pH 7, ready-to-use

article number: 2213

#### Information for each of the UN Model Regulations 14.8

## Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Not subject to ADR, RID and ADN.

## International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Not subject to ICAO-IATA.

## SECTION 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

Relevant provisions of the European Union (EU)

**Restrictions according to REACH, Annex XVII** 

angerous substances with restrictions (REACH, Annex XVII)						
Name of substance	Name acc. to inventory	CAS No	Restriction	Νο		
ROTI®Histofix	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3		
Formaldehyde %	formaldehyde	50-00-0	R72	72		
Formaldehyde %	carcinogenic		R28-30	28		
Formaldehyde %	substances in tattoo inks and perman- ent make-up		R75	75		
Methanol	methanol	67-56-1	R69	69		
Methanol	flammable / pyrophoric		R40	40		

#### Legend

R28-30 1. Shall not be placed on the market, or used,

- as substances - as constituents of other substances, or,

in mixtures

for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:

- either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or, - the relevant concentration specified in Directive 1999/45/EC where no specific concentration limit is set out in Part 3 of Annex VI to Regulation (EC) No 1272/2008.

Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:

Restricted to professional users'.
2. By way of derogation, paragraph 1 shall not apply to:
(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;
(b) cosmetic products as defined by Directive 76/768/EEC;

(c) the following fuels and oil products:

motor fuels which are covered by Directive 98/70/EC

- mineral oil products intended for use as fuel in mobile or fixed combustion plants,
- fuels sold in closed systems (e.g. liquid gas bottles);
(d) artists' paints covered by Directive 1999/45/EC;
(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date; (f) devices covered by Regulation (EU) 2017/745.

ROTI®Histofix 4,5 % formaldehyde, phosphate buffered, pH 7, ready-to-use

#### article number: 2213

#### Legend

R3

R40

R69

R72

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
2. Articles not complying with paragraph 1 shall not be placed on the market.
3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

can be used as fuel in decorative oil lamps for supply to the general public, and

present an aspiration hazard and are labelled with H304

4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and pack-aging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black

opaque containers not exceeding 1 litre by 1 December 2010.

1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following: - metallic glitter intended mainly for decoration, - artificial snow and frost,

- 'whoopee' cushions, silly string aerosols,
- imitation excrement,

horns for parties,
decorative flakes and foams,

artificial cobwebs,
 stink bombs.

2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:

'For professional users only'.

 By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
 The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

Shall not be placed on the market to the general public after 9 May 2019 in windscreen washing or defrosting fluids, in a concentration equal to or greater than 0,6 % by weight.

1. Shall not be placed on the market after 1 November 2020 in any of the following:

(a) clothing or related accessories;
(b) textiles other than clothing which, under normal or reasonably foreseeable conditions of use, come into contact with human skin to an extent similar to clothing;

(c) footwear; if the clothing, related accessory, textile other than clothing or footwear is for use by consumers and the substance is present in a concentration, measured in homogeneous material, equal to or greater than that specified for that sub-

 Stance in Appendix 12.
 By way of derogation, in relation to the placing on the market of formaldehyde [CAS No 50-00-0] in jackets, coats or upholstery, the relevant concentration for the purposes of paragraph 1 shall be 300 mg/kg during the period between 1 November 2020 and 1 November 2023. The concentration specified in Appendix 12 shall apply thereafter. 3. Paragraph 1 shall not apply to:

Paragraph 1 shall not apply to:

 (a) clothing, related accessories or footwear, or parts of clothing, related accessories or footwear, made exclusively of natural leather, fur or hide;
 (b) non-textile fasteners and non-textile decorative attachments;
 (c) second-hand clothing, related accessories, textiles other than clothing or footwear
 (d) wall-to-wall carpets and textile floor coverings for indoor use, rugs and runners.
 Paragraph 1 shall not apply to clothing, related accessories, textiles other than clothing, or footwear within the scope of Regulation (EU) 2016/425 of the European Parliament and of the Council (\*) or Regulation (EU) 2017/745 of the European Parliament and of the Council (\*).
 Paragraph 1(b) shall not apply to disposable textiles. 'Disposable textiles' means textiles that are designed to be used only once or for a limited time and are not intended for subsequent use for the same or a similar purpose.
 Paragraphs 1 and 2 shall apply without prejudice to the application of any stricter restrictions set out in this Annex or in other applicable Union legislation.
 The Commission shall review the exemption in paragraph 3(d) and, if appropriate, modify that point accordingly.

or in other applicable Union legislation. 7. The Commission shall review the exemption in paragraph 3(d) and, if appropriate, modify that point accordingly. (\*) Regulation (EU) 2016/425 of the European Parliament and of the Council of of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC (OJ L 81, 31.3.2016, p. 51). (\*\*) Regulation (EU) 2017/745 of the European Parliament and of the Council of 5 April 2017 on medical devices, amending Directive 2001/83/EC, Regulation (EC) No 178/2002 and Regulation (EC) No 1223/2009 and repealing Coun-cil Directives 90/385/EEC and 93/42/EEC (OJ L 117, 5.5.2017, p. 1).





## ROTI®Histofix 4,5 % formaldehyde, phosphate buffered, pH 7, ready-to-use

#### article number: 2213



8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

® §ROTH

## ROTI®Histofix 4,5 % formaldehyde, phosphate buffered, pH 7, ready-to-use

## article number: 2213

#### Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

## List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed. (Or Concentration of the substance in a mixture: <0.1 % Mass concentration)

## **Seveso Directive**

2012/18/EU (Seveso III)							
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes				
	not assigned						

#### **Deco-Paint Directive**

VOC content	5 – 10 % , 1.621 <sup>g</sup> / <sub>l</sub>

#### Industrial Emissions Directive (IED)

VOC content	5 – 10 %
VOC content Water content was discounted	1.621 <sup>g</sup> / <sub>l</sub>

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

## Water Framework Directive (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Formaldehyde %	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTI®Histofix 4,5 % formaldehyde, phosphate buffered, pH 7, ready-to-use

## article number: 2213

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Methanol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	

Legend A)

Indicative list of the main pollutants

#### Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

#### Regulation on drug precursors

none of the ingredients are listed

## Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

## Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

## **Regulation on persistent organic pollutants (POP)**

none of the ingredients are listed

## **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

## **National inventories**

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTI®Histofix 4,5 % formaldehyde, phosphate buffered, pH 7, ready-to-use

#### article number: 2213

Country	Inventory	Status
US	TSCA	all ingredients are listed
CSCL-ENCS DSL ECSI IECSC INSQ ISHA-ENCS KECI NZIOC PICCS	Domestic Substances List EC Substance Inventory (I Inventory of Existing Che National Inventory of Che Inventory of Existing and Korea Existing Chemicals New Zealand Inventory o	Control Regulation Chemical Substances (CSCL-ENCS) (DSL) EINECS, ELINCS, NLP) mical Substances Produced or Imported in China emical Substances New Chemical Substances (ISHA-ENCS) Inventory f Chemicals nemicals and Chemical Substances (PICCS) nces cce Inventory

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

## Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
2019/983/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protec- tion of workers from the risks related to exposure to carcinogens or mutagens at work
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTI®Histofix 4,5 % formaldehyde, phosphate buffered, pH 7, ready-to-use

## article number: 2213

Abbr.	Descriptions of used abbreviations
ELINCS	European List of Notified Chemical Substances
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
NTP-RoC	National Toxicology Program: Report on Carcinogens
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTI®Histofix 4,5 % formaldehyde, phosphate buffered, pH 7, ready-to-use

## article number: 2213

Abbr.	Descriptions of used abbreviations
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

## Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H370	Causes damage to organs.

## Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.