acc. to Safe Work Australia - Code of Practice



#### Sodium hydroxide solution 8 mol/l - 8 N, volumetric standard solution

#### article number: 221P Version: GHS 1.0 en

date of compilation: 2023-05-26

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

Identification of the substance

Article number

221P

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

metric standard solution

Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

Sodium hydroxide solution 8 mol/l - 8 N, volu-

#### **1.3** Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

#### sicherheit@carlroth.de

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### **Classification acc. to GHS**

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	1A	Skin Corr. 1A	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16

acc. to Safe Work Australia - Code of Practice



#### Sodium hydroxide solution 8 mol/l - 8 N, volumetric standard solution

#### article number: 221P

#### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

#### 2.2 Label elements

Labelling

<b>Signal word</b>	Danger
--------------------	--------

Pictograms

GHS05



#### **Hazard statements**

H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P260	Do not breathe dusts or mists
P280	Wear eye protection/face protection

#### **Precautionary statements - response**

P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P390	Absorb spillage to prevent material damage

#### **Precautionary statements - disposal**

P501 Dispose of contents/container to industrial combustion plant

#### Hazardous ingredients for labelling: Sodium hydroxide

#### 2.3 Other hazards

#### **Results of PBT and vPvB assessment**

Does not contain a PBT-/vPvB-substance in a concentration of  $\ge$  0,1%.

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (EDC) in a concentration of  $\ge 0,1\%$ .

acc. to Safe Work Australia - Code of Practice



### Sodium hydroxide solution 8 mol/l - 8 N, volumetric standard solution

article number: 221P

# SECTION 3: Composition/information on ingredients

#### 3.1 Substances

not relevant (mixture)

#### 3.2 Mixtures

#### Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Sodium hydroxide	CAS No 1310-73-2	25 - < 30	Met. Corr. 1 / H290 Skin Corr. 1A / H314 Eve Dam. 1 / H318		
	EC No 215-185-5			×	

For full text of abbreviations: see SECTION 16

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off immediately all contaminated clothing. Self-protection of the first aider.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

#### **Following ingestion**

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

#### 4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Cough, Breathing difficulties, Gastric perforation, Risk of serious damage to eyes, Risk of blindness

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

acc. to Safe Work Australia - Code of Practice

#### Sodium hydroxide solution 8 mol/l - 8 N, volumetric standard solution

article number: **221P** 

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



acc. to Safe Work Australia - Code of Practice

#### Sodium hydroxide solution 8 mol/l - 8 N, volumetric standard solution

article number: 221P

### **SECTION 7: Handling and storage**

**Precautions for safe handling** 7.1

Handle and open container with care. Clear contaminated areas thoroughly.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep only in original container.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### **Consideration of other advice:**

### Specific designs for storage rooms or vessels Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	sodium hydroxide	1310-73- 2	WES						2		WES

Notation

Ceiling-C STEL

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

#### 8.2 **Exposure controls**

#### Individual protection measures (personal protective equipment)

#### **Eye/face protection**



Use safety goggle with side protection. Wear face protection.

#### Skin protection





acc. to Safe Work Australia - Code of Practice

#### Sodium hydroxide solution 8 mol/l - 8 N, volumetric standard solution

#### article number: **221P**

#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### material thickness

≥0,3 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation. P2 (filters at least 94 % of airborne particles, colour code: White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	odourless
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	100 °C
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	14 (20 °C)
Kinematic viscosity	not determined



acc. to Safe Work Australia - Code of Practice

#### Sodium hydroxide solution 8 mol/l - 8 N, volumetric standard solution



#### article number: 221P

<u>Solubility(ies)</u> Water solubility	miscible in any proportion
Partition coefficient Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	23 hPa at 20 °C
Density and/or relative density	
Density	1.27 <sup>g</sup> / <sub>cm³</sub> at 20 °C
Relative vapour density	information on this property is not available
Particle characteristics	not relevant (liquid)
Other safety parameters	
Oxidising properties	none
Other information	
Information with regard to physical hazard classes:	
Corrosive to metals	category 1: corrosive to metals
Other safety characteristics:	
Miscibility	completely miscible with water

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

9.2

Substance or mixture corrosive to metals.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

**Exothermic reaction with:** Acids, **Violent reaction with:** Aluminium, Metals, Ammonium compounds, Nitriles, Nitro compound, Organic substances, Phenols, Strong acid

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.


#### **10.5** Incompatible materials

different plastics, metals, aluminium, zinc, tin

#### Release of flammable materials with

Metals, Light metals (due to the release of hydrogen in an acid/alkaline medium)

acc. to Safe Work Australia - Code of Practice



article number: 221P

#### **10.6 Hazardous decomposition products**

Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to GHS

#### Acute toxicity

Shall not be classified as acutely toxic.

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

#### • If in eyes

causes burns, Causes serious eye damage, risk of blindness

#### • If inhaled

cough, pain, choking, and breathing difficulties, irritant effects, pulmonary oedema

#### • If on skin

causes severe burns, causes poorly healing wounds



acc. to Safe Work Australia - Code of Practice

#### Sodium hydroxide solution 8 mol/l - 8 N, volumetric standard solution

article number: 221P

### Other information

Other adverse effects: Circulatory collapse

#### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0,1\%$ .

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Harmful to aquatic life.

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Sodium hydroxide	1310-73-2	LC50	<180 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Sodium hydroxide	1310-73-2	EC50	40.4 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h

#### Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Sodium hydroxide	1310-73-2	EC50	22 <sup>mg</sup> / <sub>l</sub>	microorganisms	15 min

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of  $\ge 0,1\%$ .

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\ge 0,1\%$ .

#### 12.7 Other adverse effects

Data are not available.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

acc. to Safe Work Australia - Code of Practice

#### Sodium hydroxide solution 8 mol/l - 8 N, volumetric standard solution

#### article number: 221P

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### Relevant provisions relating to waste(Basel Convention)

#### Properties of waste which render it hazardous

H8 Corrosives

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

### **SECTION 14: Transport information**

#### 14.1 UN number

	UN RTDG	UN 1824
	IMDG-Code	UN 1824
	ICAO-TI	UN 1824
14.2	UN proper shipping name	
	UN RTDG	SODIUM HYDROXIDE SOLUTION
	IMDG-Code	SODIUM HYDROXIDE SOLUTION
	ICAO-TI	Sodium hydroxide solution
14.3	Transport hazard class(es)	
	UN RTDG	8
	IMDG-Code	8
	ICAO-TI	8
14.4	Packing group	
	UN RTDG	II
	IMDG-Code	П
	ICAO-TI	II
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations
14.6	Special precautions for user	
	There is no additional information.	

### **14.7 Transport in bulk according to IMO instruments** The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations



acc. to Safe Work Australia - Code of Practice



### Sodium hydroxide solution 8 mol/l - 8 N, volumetric standard solution

article number: 221P

Transport informationNational regulationsAdditional information(UN RTDG)				
UN number	1824			
Class	8			
Packing group	II			
Danger label(s)	8			
Special provisions (SP)	- UN RTDG			
Excepted quantities (EQ)	E2 UN RTDG			
Limited quantities (LQ)	1 L UN RTDG			
Emergency Action Code	2R			
International Maritime Dangerous Goods Code (IMDG) - Additional information				
Proper shipping name	SODIUM HYDROXIDE SOLUTION			
Particulars in the shipper's declaration	UN1824, SODIUM HYDROXIDE SOLUTION, 8, II			
Marine pollutant	-			
Danger label(s)	8			
Special provisions (SP)	-			
Excepted quantities (EQ)	E2			
Limited quantities (LQ)	1 L			
EmS	F-A, S-B			
Stowage category	A			
Segregation group	18 - Alkalis			
International Civil Aviation Organization (I	CAO-IATA/DGR) - Additional information			
Proper shipping name	Sodium hydroxide solution			
Particulars in the shipper's declaration	UN1824, Sodium hydroxide solution, 8, II			
Danger label(s)	8			
Special provisions (SP)	A3			
Excepted quantities (EQ)	E2			
Limited quantities (LQ)	0,5 L			

acc. to Safe Work Australia - Code of Practice

#### Sodium hydroxide solution 8 mol/l - 8 N, volumetric standard solution

### article number: 221P

### **SECTION 15: Regulatory information**

# **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

#### National regulations(Australia)

#### Australian Inventory of Chemical Substances(AICS)

All ingredients are listed or exempt from listing.

#### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)

#### National inventories

#### Legend

AIICAustralian Inventory of Industrial ChemicalsCICRChemical Inventory and Control RegulationCSCL-ENCSList of Existing and New Chemical Substances (CSCL-ENCS)DSLDomestic Substances List (DSL)ECSIEC Substance Inventory (EINECS, ELINCS, NLP)IECSCInventory of Existing Chemical SubstancesISHA-ENCSInventory of Chemical SubstancesISHA-ENCSInventory of Existing and New Chemical Substances (ISHA-ENCS)KECIKorea Existing Chemicals InventoryNZIOCNew Zealand Inventory of ChemicalsPICCSPhilippine Inventory of Chemicals and Chemical Substances (PICCS)REACH Reg.REACH registered substancesTCSITaiwan Chemical Substance InventoryTSCAToxic Substance Control Act

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.



acc. to Safe Work Australia - Code of Practice

#### Sodium hydroxide solution 8 mol/l - 8 N, volumetric standard solution



#### article number: 221P

# **SECTION 16: Other information**

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
Met. Corr.	Substance or mixture corrosive to metals
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

Key literature references and sources for data

acc. to Safe Work Australia - Code of Practice



#### Sodium hydroxide solution 8 mol/l - 8 N, volumetric standard solution

#### article number: 221P

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.