

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.04.2023

Version number 2.0 (replaces version 1.0)

Revision: 05.01.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: deconex 16 PLUS**UFI:** 9SP6-1044-K00V-NSVK

1.2 Relevant identified uses of the substance or mixture and uses advised against

For industrial and commercial use only.

Application of the substance / the mixture Cleaning material/ Detergent

1.3 Details of the supplier of the safety data sheet

Manufacturer:

Borer Chemie AG

Gewerbestr. 13

CH-4528 Zuchwil

Schweiz

office@borer.ch

Telefon: +41 32 686 56 00

Telefax: +41 32 686 56 90

Supplier:

Borer Chemie Deutschland GmbH

Lützeltaler Str. 3

63868 Grosswallstadt

Germany

office@eu.borer.ch

Tel: +49 6022 26557-0

Fax: +49 6022 26557-21

Lieferant / Supplier:
Carl Roth GmbH + Co KG
Schoemperlenstr. 3-5
76185 Karlsruhe, Germany
+49 721 5606 0
sicherheit@carlroth.de

Further information obtainable from: product.safety@borer.ch

1.4 Emergency telephone number:

Giftnotruf der Charité, Berlin: 030/19240

Giftinformationszentrum-Nord der Länder Bremen, Hamburg, Niedersachsen und Schleswig-Holstein (GIZ-Nord) :0551/19 240

Informationszentrale gegen Vergiftungen Zentrum für Kinderheilkunde Universitätsklinikum Bonn: 0228/19240

Giftnotruf Erfurt Gemeinsames Giftinformationszentrum der Länder Mecklenburg-Vorpommern, Sachsen, Sachsen-Anhalt und Thüringen: 0361/730 730

Informations- und Beratungszentrum für Vergiftungsfälle Klinik für Kinder- und Jugendmedizin Universitätsklinikum des Saarlandes: 06841/19240

Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen - Klinische Toxikologie - Universitätsmedizin der Johannes Gutenberg-Universität Mainz: 06131/19240

Vergiftungs-Informations-Zentrale Zentrum für Kinder- und Jugendmedizin Universitätsklinikum: 0761/19240

Giftnotruf München Toxikologische Abteilung der II. Med. Klinik und Poliklinik: 089/19240

DE_EN

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.04.2023

Version number 2.0 (replaces version 1.0)

Revision: 05.01.2023

Trade name: **deconex 16 PLUS**

(Contd. of page 1)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Met. Corr.1 H290 May be corrosive to metals.

Eye Dam. 1 H318 Causes serious eye damage.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05

Signal word Danger

Hazard-determining components of labelling:

fatty alcohol ethoxylate

Fatty alcohol ether sulphate

Hazard statements

H290 May be corrosive to metals.

H318 Causes serious eye damage.

Precautionary statements

P234 Keep only in original packaging.

P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P390 Absorb spillage to prevent material damage.

P406 Store in a corrosion resistant container / container with a resistant inner liner.

2.3 Other hazards

The substances in the mixture do not meet PBT/vPvB criteria according to REACH Annex XIII.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

DE_EN

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.04.2023

Version number 2.0 (replaces version 1.0)

Revision: 05.01.2023

Trade name: deconex 16 PLUS

(Contd. of page 2)

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 9043-30-5 Reg.nr.: 02-2119492447-27	fatty alcohol ethoxylate Eye Dam. 1, H318; Acute Tox. 4, H302	≥15–<30%
CAS: 68891-38-3 NLP: 500-234-8 Reg.nr.: 01-2119488639-16	Fatty alcohol ether sulphate Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	≥1–<5%

Regulation (EC) No 648/2004 on detergents / Labelling for contents

non-ionic surfactants	≥15 - <30%
anionic surfactants, polycarboxylates, phosphonates	<5%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation: Supply fresh air.

After skin contact: Generally the product does not irritate the skin.

After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media The product does not burn

Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

Water spray

Foam

Fire-extinguishing powder

For safety reasons unsuitable extinguishing agents: Full water jet

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.04.2023

Version number 2.0 (replaces version 1.0)

Revision: 05.01.2023

Trade name: deconex 16 PLUS

(Contd. of page 3)

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Optimum storage temperature 20°C. For details, see the product label.

Storage class (TRGS 510): 8B

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs

CAS: 68891-38-3 Fatty alcohol ether sulphate

DNEL (Inhalation)	175 mg/m ³ (Employee)
-------------------	----------------------------------

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.04.2023

Version number 2.0 (replaces version 1.0)

Revision: 05.01.2023

Trade name: deconex 16 PLUS

(Contd. of page 4)

DNEL (Dermal contact)	2750 mg/kg (Employee)
PNECs	
CAS: 68891-38-3 Fatty alcohol ether sulphate	
PNEC	0,917 mg/kg (Freshwater sediment)
PNEC	0,024 mg/l (Sea water sediment)
	0,24 mg/l (Freshwater sediment)

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Control potential exposure through measures such as encapsulated or self-contained systems, properly designed and maintained installations and sufficient ventilation standards. Shut down systems and empty pipelines before opening the plant. Wherever possible, shut down and flush the plant before maintenance work. If there is potential for exposure: Ensure that key personnel have been informed regarding the nature of the exposure and basic methods for minimising exposure. Ensure that suitable personal protective equipment is available. In agreement with legal requirements, absorb any spills and dispose of waste. Monitor the effectiveness of control measures; consider the need for health monitoring; identify and implement corrective measures.

Appropriate engineering controls No further data; see item 7.

General protective and hygienic measures:

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

Respiratory protection: Not required.

Hand protection

The protective gloves to be used must satisfy the specification of EC Directive 89/686/EEC and the resulting EN374 standard.



Protective gloves

Material of gloves

Recommended thickness of the material: ≥ 0.7 mm
Nitrile rubber, NBR

Penetration time of glove material Penetration time: > 480 min.

Eye/face protection



Tightly sealed goggles

DE_EN

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.04.2023

Version number 2.0 (replaces version 1.0)

Revision: 05.01.2023

Trade name: deconex 16 PLUS

(Contd. of page 5)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state	Fluid
Colour:	Colourless to yellow
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Not relevant
Boiling point or initial boiling point and boiling range	100 °C
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not applicable.
Upper:	Not applicable.
Flash point:	Not relevant
Decomposition temperature:	>230 °C
pH at 20 °C	6,9
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density and/or relative density	
Density at 20 °C:	1,1 g/cm ³
Vapour density	Not relevant

9.2 Other information

Appearance:

Form: Fluid

Important information on protection of health and environment, and on safety.

Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Softening point/range	
Oxidising properties	Not relevant
Evaporation rate	Not relevant

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.04.2023

Version number 2.0 (replaces version 1.0)

Revision: 05.01.2023

Trade name: deconex 16 PLUS

(Contd. of page 6)

Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	May be corrosive to metals.
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: Thermal decomposition above 230 °C.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products:

Thermal decomposition can cause the release of irritant gases and vapours.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	2674 mg/kg
------	------	------------

Skin corrosion/irritation Based on available data, the classification criteria are not met.

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.04.2023

Version number 2.0 (replaces version 1.0)

Revision: 05.01.2023

Trade name: deconex 16 PLUS

(Contd. of page 7)

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

CAS: 68891-38-3 Fatty alcohol ether sulphate

LC50	>1–10 mg/l (Fish)
EC50/48h	>1–10 mg/l (Daphnia)
EC50/72h	>10–100 mg/l (Algae)
NOEC/72h	0,93 mg/l (Algae)
NOEC/21d	0,27 mg/l (Daphnia)
NOEC/28d	0,14 mg/l (Fish)

12.2 Persistence and degradability

Biodegradability according to OECD >90 %

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment No further relevant information available.

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

COD-value: 481,00 g/kg

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.04.2023

Version number 2.0 (replaces version 1.0)

Revision: 05.01.2023

Trade name: deconex 16 PLUS

(Contd. of page 8)

Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

HP4	Irritant - skin irritation and eye damage
-----	---

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA UN1760

14.2 UN proper shipping name

ADR 1760 CORROSIVE LIQUID, N.O.S. (Sodium methylglycine diacetate)

IMDG CORROSIVE LIQUID, N.O.S. (Sodium methylglycine diacetate)

IATA Corrosive liquid, n.o.s. (Sodium methylglycine diacetate)

14.3 Transport hazard class(es)

ADR, IMDG, IATA



Class 8 Corrosive substances.

Label 8

14.4 Packing group

ADR, IMDG, IATA III

14.5 Environmental hazards: Not applicable.

14.6 Special precautions for user Warning: Corrosive substances.

Hazard identification number (Kemler code): 80

EMS Number: F-A,S-B

Segregation groups (SGG1) Acids

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 14.04.2023

Version number 2.0 (replaces version 1.0)

Revision: 05.01.2023

Trade name: deconex 16 PLUS

(Contd. of page 9)

Stowage Category A
Stowage Code SW2 Clear of living quarters.
14.7 Maritime transport in bulk according to IMO instruments Not applicable.

Transport/Additional information:

ADR

Limited quantities (LQ) 5L
Excepted quantities (EQ) Code: E1
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 1000 ml
Transport category 3
Tunnel restriction code E

IMDG

Limited quantities (LQ) 5L
Excepted quantities (EQ) Code: E1
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation": UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM METHYLGLYCINE DIACETATE), 8, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

REGULATION (EC) No 1005/2009 on substances that deplete the ozone layer – ANNEX I (Ozone- depleting potential)

Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information in this safety data sheet is correct to the best of our knowledge at the time of printing. The information is intended to provide you with reference points for the safe handling of the product specified in this safety data sheet when storing, processing, transporting and disposing of it. The information is not transferable to other products. Insofar as the product is mixed or processed with other materials, or is subject to processing, the information in this safety data sheet, unless

(Contd. on page 11)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.04.2023

Version number 2.0 (replaces version 1.0)

Revision: 05.01.2023

Trade name: deconex 16 PLUS

(Contd. of page 10)

expressly indicated otherwise, cannot be transferred to the resulting new material.

Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Department issuing SDS: product.safety@borer.ch**Contact:** product.safety@borer.ch**Date of previous version:** 10.03.2022**Version number of previous version:** 1.0**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr. 1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

*** Data compared to the previous version altered.**