acc. to Safe Work Australia - Code of Practice

ROTI®Mark WESTERN PLUS, ready-to-use, prestained

article number: 2245 date of compilation: 2020-01-14 Version: GHS 2.0 en Revision: 2022-07-05

Replaces version of: 2020-01-14

Version: (GHS 1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance ROTI®Mark WESTERN PLUS, ready-to-use, pres-

tained

Article number 2245

Relevant identified uses of the substance or mixture and uses advised against 1.2

Relevant identified uses: Laboratory and analytical use

Laboratory chemical

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

sicherheit@carlroth.de e-mail (competent person):

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

This mixture does not meet the criteria for classification.

2.2 **Label elements**

Labelling

not required

Australia (en) Page 1 / 14



acc. to Safe Work Australia - Code of Practice

ROTI®Mark WESTERN PLUS, ready-to-use, prestained

article number: 2245



SECTION 3: Composition/information on ingredients

Substances

not relevant (mixture)

3.2 **Mixtures**

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Sodium dodecyl sulph- ate	CAS No 151-21-3	<5	Flam. Sol. 2 / H228 Acute Tox. 4 / H302 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 STOT SE 3 / H335	(!)	

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

Description of first aid measures 4.1



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

Australia (en) Page 2 / 14



2.3

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

acc. to Safe Work Australia - Code of Practice

ROTI®Mark WESTERN PLUS, ready-to-use, prestained

article number: 2245



SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Ingredients of the mixture combustible. The product itself does not burn.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

No special measures are necessary.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Australia (en) Page 3 / 14

acc. to Safe Work Australia - Code of Practice

ROTI®Mark WESTERN PLUS, ready-to-use, prestained

article number: 2245



SECTION 7: Handling and storage

Precautions for safe handling

No special measures are necessary.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: -20 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	glycerine	56-81-5	WES		10					mist	WES

Notation

Ceiling value is a limit value above which exposure should not occur Ceiling-C

mist STEL

As mists
Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
The weighted exposure (long-term exposure limit): measured or calculated in relation to a reference period (long-term exposure limit): measured or calculated in relation to a reference period (long-term exposure limit): measured or calculated in relation to a reference period (long-term exposure limit): measured or calculated in relation to a reference period (long-term exposure limit): measured or calculated in relation to a reference period (long-term exposure limit): measured or calculated in relation to a reference period (long-term exposure limit): measured or calculated in relation to a reference period (long-term exposure limit): measured or calculated in relation to a reference period (long-term exposure limit): measured or calculated in relation to a reference period (long-term exposure limit): measured or calculated in relation to a reference period (long-term exposure limit): measured or calculated in relation to a reference period (long-term exposure limit): measured or calculated in relation to a reference period (long-term exposure limit): measured or calculated in relation to a reference period (long-term exposure limit): measured or calculated in relation to a reference period (long-term exposure limit): measured or calculated in relation to a reference period (long-term exposure limit): measured or calculated in relation to a reference period (long-term exposure limit): measured or calculated in relation to a reference period (long-term exposure limit): Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 **TWA**

hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Sodium dodecyl sulphate	151-21-3	DNEL	285 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Sodium dodecyl sulphate	151-21-3	DNEL	4,060 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Australia (en) Page 4 / 14

acc. to Safe Work Australia - Code of Practice



article number: 2245



Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Sodium dodecyl sulphate	151-21-3	PNEC	0.176 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Sodium dodecyl sulphate	151-21-3	PNEC	0.018 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Sodium dodecyl sulphate	151-21-3	PNEC	1.35 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Sodium dodecyl sulphate	151-21-3	PNEC	6.97 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Sodium dodecyl sulphate	151-21-3	PNEC	0.697 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (single instance)
Sodium dodecyl sulphate	151-21-3	PNEC	1.29 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

• type of material

NBR (Nitrile rubber)

• material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Australia (en) Page 5 / 14

acc. to Safe Work Australia - Code of Practice

ROTI®Mark WESTERN PLUS, ready-to-use, prestained

article number: 2245

Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid
Colour blue

Odour faintly perceptible
Melting point/freezing point not determined
Boiling point or initial boiling point and boiling not determined

range

Flammability

Lower and upper explosion limit

Flash point

Auto-ignition temperature

Decomposition temperature

pH (value)

7.5 (25 °C)

Kinematic viscosity

non-combustible

not determined

not determined

not relevant

7.5 (25 °C)

not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure not determined

Density and/or relative density

Density $\sim 1 \, {\rm g}/{\rm cm}^3$ at 20 °C

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard hazard classes acc. to GHS (physical hazards): not relevant

Australia (en) Page 6 / 14

acc. to Safe Work Australia - Code of Practice

ROTI®Mark WESTERN PLUS, ready-to-use, prestained

article number: 2245

Other safety characteristics:

Miscibility completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

This mixture does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Sodium dodecyl sulphate	151-21-3	oral	1,200 ^{mg} / _{kg}
Sodium dodecyl sulphate	151-21-3	inhalation: dust/mist	3.9 ^{mg} / _l /4h

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Sodium dodecyl sulphate	151-21-3	oral	LD50	1,200 ^{mg} / _{kg}	rat
Sodium dodecyl sulphate	151-21-3	dermal	LD50	>2,000 ^{mg} / _{kg}	rat

Australia (en) Page 7 / 14



acc. to Safe Work Australia - Code of Practice

ROTI®Mark WESTERN PLUS, ready-to-use, prestained

article number: 2245



Shall not be classified as seriously damaging to the eye or eye irritant.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Data are not available.

• If inhaled

Data are not available.

• If on skin

Frequently or prolonged contact with skin may cause dermal irritation

none

11.2 Endocrine disrupting properties

None of the ingredients are listed.

SECTION 12: Ecological information

12.1 Toxicity

Australia (en) Page 8 / 14



Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Reproductive toxicity

Specific target organ toxicity - repeated exposure

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

• If in eyes

slightly irritant but not relevant for classification

Other information

acc. to Safe Work Australia - Code of Practice



ROTI®Mark WESTERN PLUS, ready-to-use, prestained

article number: 2245

Aquatic toxicity (acute) of components of the mixture

Name of sub	CACNIC	Englasias	Value	Cuacias	Evene
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Sodium dodecyl sulph- ate	151-21-3	LC50	29 ^{mg} / _l	fish	96 h
Sodium dodecyl sulph- ate	151-21-3	ErC50	>120 ^{mg} / _l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Sodium dodecyl sulph- ate	151-21-3	EC50	135 ^{mg} / _l	microorganisms	3 h

Biodegradation

Data are not available.

12.2 Process of degradability

Degradability of components of the mixture

Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Sodium do- decyl sulphate	151-21-3	biotic/abiotic	90 %	28 d		
Sodium do- decyl sulphate	151-21-3	carbon dioxide generation	95 %	28 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Sodium dodecyl sulphate	151-21-3		≤-2.03 (20 °C)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

Australia (en) Page 9 / 14

acc. to Safe Work Australia - Code of Practice

ROTI®Mark WESTERN PLUS, ready-to-use, prestained

article number: 2245



SECTION 13: Disposal considerations

13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

Sewage disposal-relevant information

Do not empty into drains.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H11 Toxic (Delayed or chronic)

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

17.1 ON HUILDEL	14.1	UN number	not subject to transport regulation
-----------------	------	-----------	-------------------------------------

14.2 UN proper shipping name not assigned
 14.3 Transport hazard class(es) not assigned
 14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

Not subject to transport regulations. UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

Australia (en) Page 10 / 14

acc. to Safe Work Australia - Code of Practice

ROTI®Mark WESTERN PLUS, ready-to-use, prestained

article number: 2245



SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	not all ingredients are listed
CA	DSL	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	not all ingredients are listed

Legend

Australian Inventory of Industrial Chemicals
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Korea Existing Chemicals Inventory AIIC CICR CSCL-ENCS DSL ECSI

IECSC

INSQ Korea Existing Chémicals Inventory

NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory

TSCA **Toxic Substance Control Act**

15.2 **Chemical Safety Assessment**

Chemical safety assessments for substances in this mixture were not carried out.

Australia (en) Page 11 / 14

acc. to Safe Work Australia - Code of Practice

ROTI®Mark WESTERN PLUS, ready-to-use, prestained

article number: 2245



SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Globally Harmonized System of Classification and Labelling of Chemicals

("Purple book").

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1	Classification acc. to GHS: This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC. This mixture does not meet the criteria for classification.	Classification acc. to GHS: This mixture does not meet the criteria for classification.	yes
2.2	Signal word: not required		yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Sol.	Flammable solid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association

Australia (en) Page 12 / 14

acc. to Safe Work Australia - Code of Practice

ROTI®Mark WESTERN PLUS, ready-to-use, prestained

article number: 2245



Abbr.	Descriptions of used abbreviations
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H228	Flammable solid.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

Australia (en) Page 13 / 14

acc. to Safe Work Australia - Code of Practice



ROTI®Mark WESTERN PLUS, ready-to-use, prestained

article number: 2245

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 14 / 14