acc. to Safe Work Australia - Code of Practice



## N,N-Dimethyl lactamid SOLVAGREEN® ≥98 %, for synthesis

article number: 22L0 date of compilation: 2023-07-17 Version: GHS 2.0 en Revision: 2024-03-02

Replaces version of: 2023-07-17

Version: (GHS 1)

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance N,N-Dimethyl lactamid SOLVAGREEN® ≥98 %,

for synthesis

Article number 22L0

CAS number 35123-06-9

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory and analytical use

Laboratory chemical

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

e-mail (competent person): sicherheit@carlroth.de

#### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification acc. to GHS

This substance does not meet the criteria for classification.

#### **Label elements** 2.2

#### Labelling

not required

Page 1 / 11 Australia (en)

acc. to Safe Work Australia - Code of Practice



## N,N-Dimethyl lactamid SOLVAGREEN® ≥98 %, for synthesis

article number: 22L0

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

## **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance N,N-Dimethyl lactamid

Molecular formula  $C_5H_{11}NO_2$  Molar mass  $117.1 \, ^{9}I_{mol}$  CAS No 35123-06-9

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

## Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

## Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

## Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

## 4.3 Indication of any immediate medical attention and special treatment needed

none

Australia (en) Page 2 / 11

acc. to Safe Work Australia - Code of Practice



## N,N-Dimethyl lactamid SOLVAGREEN® ≥98 %, for synthesis

article number: 22L0

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media



## Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

## Unsuitable extinguishing media

water jet

## 5.2 Special hazards arising from the substance or mixture

Combustible.

## **Hazardous combustion products**

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

## 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures



## For non-emergency personnel

No special measures are necessary.

## 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

## 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

## Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

## 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Australia (en) Page 3 / 11

acc. to Safe Work Australia - Code of Practice

# ROTH

## N,N-Dimethyl lactamid SOLVAGREEN® ≥98 %, for synthesis

article number: 22L0

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Provision of sufficient ventilation.

## Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

## **Incompatible substances or mixtures**

Observe hints for combined storage.

Consideration of other advice:

## Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

## 7.3 Specific end use(s)

No information available.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

**National limit values** 

## **Occupational exposure limit values (Workplace Exposure Limits)**

This information is not available.

#### **Human health values**

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	78.4 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	11.11 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

#### **Environmental values**

#### Relevant PNECs and other threshold levels End-**Threshold Organism Exposure time Environmental com**point level partment **PNEC** $0.24 \frac{mg}{I}$ aquatic organisms freshwater short-term (single instance) **PNEC** $0.024 \, \text{mg/}_{\text{I}}$ aquatic organisms marine water short-term (single instance) 54 <sup>mg</sup>/<sub>I</sub> **PNEC** aquatic organisms sewage treatment plant short-term (single instance) (STP) **PNEC** 0.192 mg/kg freshwater sediment aquatic organisms short-term (single instance) $0.019 \, \text{mg/}_{\text{kg}}$ **PNEC** aquatic organisms marine sediment short-term (single instance) 6.25 mg/kg **PNEC** terrestrial organisms soil short-term (single instance)

Australia (en) Page 4 / 11

acc. to Safe Work Australia - Code of Practice



## N,N-Dimethyl lactamid SOLVAGREEN® ≥98 %, for synthesis

article number: 22L0

## 8.2 Exposure controls

## Individual protection measures (personal protective equipment)

## **Eye/face protection**





Use safety goggle with side protection.

## Skin protection





## hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

## type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

## • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

## **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown). Usually no personal respirative protection necessary.

## **Environmental exposure controls**

Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state liquid

Colour clear - light yellow

Odour characteristic

Melting point/freezing point  $\geq -11 - \leq 2$  °C at 1,013 hPa (ECHA)

Boiling point or initial boiling point and boiling ≥224 °C at 1,031 hPa (ECHA)

range

Australia (en) Page 5 / 11

acc. to Safe Work Australia - Code of Practice

# ROTH

## N,N-Dimethyl lactamid SOLVAGREEN® ≥98 %, for synthesis

article number: 22L0

Flammability this material is combustible, but will not ignite

readily

Lower and upper explosion limit not determined

Flash point 109.5 °C at 1,013 hPa (ECHA) Auto-ignition temperature 410 °C at 1,032 hPa (ECHA) Decomposition temperature  $\geq$  224 °C at 1,031 hPa (ECHA)

pH (value) not determined
Kinematic viscosity not determined

Dynamic viscosity 754 mPa s at 70 °C

Solubility(ies)

Water solubility  $>5,000 \, ^{9}/_{1}$  at 20 °C (ECHA)

Partition coefficient

Partition coefficient n-octanol/water (log value): -0.94 (pH value: 7.6, 23 °C) (ECHA)

Soil organic carbon/water (log KOC) <1.25 (ECHA)

Vapour pressure ≤12 Pa at 20 °C

Density and/or relative density

Density  $1.046 \, {}^{9}/_{cm^3}$  at 20  ${}^{\circ}\text{C}$ 

Relative vapour density Information on this property is not available.

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard classes acc. to GHS classes: hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics:

Surface tension  $70.2 \,^{\text{mN}}/_{\text{m}} (22 \,^{\circ}\text{C}) (ECHA)$ 

Australia (en) Page 6 / 11

acc. to Safe Work Australia - Code of Practice

## N,N-Dimethyl lactamid SOLVAGREEN® ≥98 %, for synthesis

article number: 22L0

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### If heated

Vapours may form explosive mixtures with air.

## 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

## 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

## 10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: ≥224 °C at 1,031 hPa.

## 10.5 Incompatible materials

There is no additional information.

## 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## Classification acc. to GHS

This substance does not meet the criteria for classification.

## **Acute toxicity**

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful in contact with skin or if inhaled.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
inhalation: dust/ mist	LC50	5.004 <sup>mg</sup> / <sub>l</sub> /4h	rat		ECHA
dermal	LD50	>2,000 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA

## Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

## Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

## **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

## Carcinogenicity

Australia (en) Page 7 / 11

acc. to Safe Work Australia - Code of Practice

# ROTH

## N,N-Dimethyl lactamid SOLVAGREEN® ≥98 %, for synthesis

article number: 22L0

Shall not be classified as carcinogenic.

## **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

## **Specific target organ toxicity - single exposure**

Shall not be classified as a specific target organ toxicant (single exposure).

## Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

## **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

## Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

Data are not available.

## • If in eyes

Data are not available.

#### If inhaled

Data are not available.

## • If on skin

Data are not available.

#### Other information

Health effects are not known.

## 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq$  0,1%.

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	>100 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h
EC50	>100 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h
ErC50	>800 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	72 h

Aquatic toxicity (chronic)				
Endpoint	Value	Species	Source	Exposure time
EC50	>1,000 <sup>mg</sup> / <sub>l</sub>	microorganisms	ECHA	3 h

Australia (en) Page 8 / 11

acc. to Safe Work Australia - Code of Practice



## N,N-Dimethyl lactamid SOLVAGREEN® ≥98 %, for synthesis

article number: 22L0

## 12.2 Persistence and degradability

Theoretical Oxygen Demand (without nitrification): 1.639 <sup>mg</sup>/<sub>mg</sub> Theoretical Oxygen Demand (with nitrification): 2.185 <sup>mg</sup>/<sub>mg</sub>

Theoretical Carbon Dioxide: 1.878 mg/mg

## Biodegradation

The substance is readily biodegradable.

## **Process of degradability**

Process	Degradation rate	Time
carbon dioxide generation	86.8 %	28 d

## 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	-0.94 (pH value: 7.6, 23 °C) (ECHA)

#### 12.4 Mobility in soil

The Organic Carbon normalised adsorption coefficient	<1.25 (ECHA)
--	--------------

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

## 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0.1\%$ .

## 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

## Sewage disposal-relevant information

Do not empty into drains.

## Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

Australia (en) Page 9 / 11

acc. to Safe Work Australia - Code of Practice



## N,N-Dimethyl lactamid SOLVAGREEN® ≥98 %, for synthesis

article number: 22L0

## **SECTION 14: Transport information**

14.1 UN number not subject to transport regulations

14.2 UN proper shipping name not assigned
 14.3 Transport hazard class(es) not assigned
 14.4 Packing group not assigned

**14.5 Environmental hazards** non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

Not subject to transport regulations. UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

## **SECTION 15: Regulatory information**

**15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

## **National inventories**

Country	Inventory	Status	
CA	NDSL	substance is listed	
EU	REACH Reg.	substance is listed	
KR	KECI	substance is listed	
TW	TCSI	substance is listed	
VN	NCI	substance is listed	
US	TSCA	substance is listed (ACTIVE)	

Legend

KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory
NDSL Non-domestic Substances List (NDSL)
REACH Reg.
REACH registered substances
TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control

Australia (en) Page 10 / 11

acc. to Safe Work Australia - Code of Practice



## N,N-Dimethyl lactamid SOLVAGREEN® ≥98 %, for synthesis

article number: 22L0

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

## **SECTION 16: Other information**

## **Indication of changes (revised safety data sheet)**

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes

## **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
ED	Endocrine disruptor	
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na tions	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
UN RTDG	UN Recommendations on the Transport of Dangerous Good	
vPvB	Very Persistent and very Bioaccumulative	

## Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 11 / 11