

#### N,N-Dimethyl lactamid SOLVAGREEN® ≥98 %, for synthesis

article number: **22L0** Version: **2.0 en** Replaces version of: 2023-07-17 Version: (1) date of compilation: 2023-07-17 Revision: 2024-03-02

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

Identification of the substance

Article number

Registration number (REACH)

EC number

CAS number

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Laboratory and analytical use Laboratory chemical

for synthesis

609-066-0

35123-06-9

01-2119977083-33-xxxx

22L0

Uses advised against:

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

N,N-Dimethyl lactamid SOLVAGREEN® ≥98 %,

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

#### e-mail (competent person):

## 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	+353 1 809 2166	https:// www.poisons.ie/

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 (CLP)

This substance does not meet the criteria for classification in accordance with Regulation No 1272/ 2008/EC.

sicherheit@carlroth.de



### N,N-Dimethyl lactamid SOLVAGREEN® ≥98 %, for synthesis

article number: 22L0

#### 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008 (CLP)

not required

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance	N,N-Dimethyl lactamid
Molecular formula	C <sub>5</sub> H <sub>11</sub> NO <sub>2</sub>
Molar mass	117,1 <sup>g</sup> / <sub>mol</sub>
REACH Reg. No	01-2119977083-33-xxxx
CAS No	35123-06-9
EC No	609-066-0

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Following ingestion**

Rinse mouth. Call a doctor if you feel unwell.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

# **4.3 Indication of any immediate medical attention and special treatment needed** none



N,N-Dimethyl lactamid SOLVAGREEN® ≥98 %, for synthesis

article number: 22L0

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible.

#### Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

No special measures are necessary.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



### N,N-Dimethyl lactamid SOLVAGREEN® ≥98 %, for synthesis

article number: 22L0

## **SECTION 7: Handling and storage**

**7.1 Precautions for safe handling** Provision of sufficient ventilation.

> **Advice on general occupational hygiene** Keep away from food, drink and animal feedingstuffs.

**7.2 Conditions for safe storage, including any incompatibilities** Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**

This information is not available.

#### Human health values

Relevant DNE	Ls and other t	hreshold levels	

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	78,4 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	11,11 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

#### **Environmental values**

Relevant	Relevant PNECs and other threshold levels					
End- point	Threshold level	Organism	Environmental com- partment	Exposure time		
PNEC	0,24 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)		
PNEC	0,024 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)		
PNEC	54 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)		
PNEC	0,192 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)		
PNEC	0,019 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)		



#### article number: 22L0

Relevant	Relevant PNECs and other threshold levels					
End- point	Threshold level	Organism	Environmental com- partment	Exposure time		
PNEC	6,25 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)		

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.

#### **Skin protection**



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

#### • type of material

NBR (Nitrile rubber)

#### • material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65  $^{\circ}$ C, colour code: Brown). Usually no personal respirative protection necessary.

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.



## N,N-Dimethyl lactamid SOLVAGREEN® ≥98 %, for synthesis

article number: 22L0

SEC	TION 9: Physical and chemical proper	ties					
9.1	Information on basic physical and chemical properties						
	Physical state	liquid					
	Colour	clear - light yellow					
	Odour	characteristic					
	Melting point/freezing point	≥-11 – ≤2 °C at 1.013 hPa (ECHA)					
	Boiling point or initial boiling point and boiling range	≥224 °C at 1.031 hPa (ECHA)					
	Flammability	this material is combustible, but will not ignite readily					
	Lower and upper explosion limit	not determined					
	Flash point	109,5 °C at 1.013 hPa (ECHA)					
	Auto-ignition temperature	410 °C at 1.032 hPa (ECHA)					
	Decomposition temperature	≥224 °C at 1.031 hPa (ECHA)					
	pH (value)	not determined					
	Kinematic viscosity	not determined					
	Dynamic viscosity	754 mPa s at 70 °C					
	Solubility(ies)						
	Water solubility	>5.000 <sup>g</sup> / <sub>l</sub> at 20 °C (ECHA)					
	Partition coefficient						
	Partition coefficient n-octanol/water (log value):	-0,94 (pH value: 7,6, 23 °C) (ECHA)					
	Soil organic carbon/water (log KOC)	<1,25 (ECHA)					
	Vapour pressure	≤12 Pa at 20 °C					
	Density and/or relative density						
	Density	1,046 <sup>g</sup> / <sub>cm³</sub> at 20 °C					
	Relative vapour density	Information on this property is not available.					
	Particle characteristics	not relevant (liquid)					
	Other safety parameters						
	Oxidising properties	none					
9.2	Other information						
	Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant					



### N,N-Dimethyl lactamid SOLVAGREEN® ≥98 %, for synthesis

#### article number: 22L0

Other safety characteristics:

Surface tension

Temperature class (EU, acc. to ATEX)

70,2 <sup>mN</sup>/<sub>m</sub> (22 °C) (ECHA)

T2 Maximum permissible surface temperature on the equipment: 300°C

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### If heated

Vapours may form explosive mixtures with air.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### **10.3** Possibility of hazardous reactions

Violent reaction with: strong oxidiser

#### 10.4 Conditions to avoid

Keep away from heat. Decompositon takes place from temperatures above: ≥224 °C at 1.031 hPa.

#### **10.5** Incompatible materials

There is no additional information.

**10.6** Hazardous decomposition products

Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Classification according to GHS (1272/2008/EC, CLP)

This substance does not meet the criteria for classification in accordance with Regulation No 1272/ 2008/EC.

#### Acute toxicity

Shall not be classified as acutely toxic.

#### Acute toxicity

Exposure route	Endpoint	Value	Species	Method	Source
inhalation: dust/ mist	LC50	5,004 <sup>mg</sup> / <sub>l</sub> /4h	rat		ECHA
dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.



### N,N-Dimethyl lactamid SOLVAGREEN® ≥98 %, for synthesis

article number: 22L0

## Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

## Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

Data are not available.

• If in eyes

Data are not available.

• If inhaled

Data are not available.

#### • If on skin

Data are not available.

#### • Other information

Health effects are not known.

#### **11.2** Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

#### **11.3** Information on other hazards

There is no additional information.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.



#### article number: 22L0

Aquatic toxicity (acute)					
Endpoint	Value	Species	Source	Exposure time	
LC50	>100 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h	
EC50	>100 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h	
ErC50	>800 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	72 h	

#### Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
EC50	>1.000 <sup>mg</sup> / <sub>l</sub>	microorganisms	ECHA	3 h

#### 12.2 Persistence and degradability

Theoretical Oxygen Demand (without nitrification): 1,639 <sup>mg</sup>/<sub>mg</sub> Theoretical Oxygen Demand (with nitrification): 2,185 <sup>mg</sup>/<sub>mg</sub> Theoretical Carbon Dioxide: 1,878 <sup>mg</sup>/<sub>mg</sub>

#### **Biodegradation**

The substance is readily biodegradable.

Process of degradability				
Process	Degradation rate	Time		
carbon dioxide generation	86,8 %	28 d		

#### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	-0,94 (pH value: 7,6, 23 °C) (ECHA)
---------------------------	-------------------------------------

#### 12.4 Mobility in soil

The Organic Carbon normalised adsorption coefficient	<1,25 (ECHA)
--	--------------

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

#### 12.7 Other adverse effects

Data are not available.



N,N-Dimethyl lactamid SOLVAGREEN® ≥98 %, for synthesis

article number: 22L0

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

#### **SECTION 14: Transport information**

14.1 UN number or ID number

- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards

14.6 Special precautions for user

There is no additional information.

## **14.7** Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

**International Maritime Dangerous Goods Code (IMDG) - Additional information** Not subject to IMDG.

**International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information** Not subject to ICAO-IATA.

not subject to transport regulations

not assigned

none

not assigned

non-environmentally hazardous acc. to the dangerous goods regulations



article number: 22L0

## SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**Relevant provisions of the European Union (EU)** 

Restrictions according to REACH, Annex XVII

not listed

**List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list** Not listed.

#### **Seveso Directive**

2012/18/EU (Seveso III)			
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes
	not assigned		

#### **Deco-Paint Directive**

VOC content	100 %
VOC content	1.046 <sup>g</sup> / <sub>l</sub>

#### **Industrial Emissions Directive (IED)**

VOC content	100 %
VOC content	1.046 <sup>g</sup> / <sub>l</sub>

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

#### Water Framework Directive (WFD)

not listed

Regulation on the marketing and use of explosives precursors

not listed

#### Regulation on drug precursors

not listed

#### Regulation on substances that deplete the ozone layer (ODS)

not listed

#### **Regulation concerning the export and import of hazardous chemicals (PIC)**

not listed

#### **Regulation on persistent organic pollutants (POP)**

not listed



article number: 22L0

#### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### National inventories

Country	Inventory	Status
CA	NDSL	substance is listed
EU	REACH Reg.	substance is listed
KR	KECI	substance is listed
TW	TCSI	substance is listed
VN	NCI	substance is listed
US	TSCA	substance is listed (ACTIVE)

#### Legend

KECI	Korea Exi
NCI	National
NDSL	Non-dom
REACH Reg.	REACH re
TCSI	Taiwan C
TSCA	Toxic Sub

kisting Chemicals Inventory Chemical Inventory nestic Substances List (NDSL) egistered substances hemical Substance Inventory bstance Control Act

#### 15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

## **SECTION 16: Other information**

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)



### N,N-Dimethyl lactamid SOLVAGREEN® ≥98 %, for synthesis

#### article number: 22L0

Abbr.	Descriptions of used abbreviations
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
SVHC	Substance of Very High Concern
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.