acc. to Regulation (EC) No. 1907/2006 (REACH)

Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l K

article number: **2327** Version: **3.0 en** Replaces version of: 2020-06-29 Version: (2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l K

2327

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319

For full text of abbreviations: see SECTION 16



date of compilation: 2016-09-27 Revision: 2022-05-24

acc. to Regulation (EC) No. 1907/2006 (REACH)



Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l K

article number: 2327

2.2 Label elements

Labelling

Signal word Warning

Pictograms

GHS05



Hazard statements

H290	May be corrosive to metals
H315	Causes skin irritation
H319	Causes serious eye irritation

Precautionary statements

Precautionary statements - prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection

2.3 **Other hazards**

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2	2	Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 EUH071		B(a) GHS-HC IOELV

Notes

B(a): The classification refers to an aqueous solution GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI) IOELV:

Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ΑΤΕ	Exposure route
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2	Ox. Liq. 3; H272: C ≥ 65 % Skin Corr. 1A; H314: C ≥ 20 % Skin Corr. 1B; H314: 5 % ≤ C < 20 %	-	2,65 ^{mg} /ı/4h	inhalation: va- pour

acc. to Regulation (EC) No. 1907/2006 (REACH)

Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l K

article number: **2327**

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

- **4.2 Most important symptoms and effects, both acute and delayed** Irritation
- **4.3 Indication of any immediate medical attention and special treatment needed** none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.



acc. to Regulation (EC) No. 1907/2006 (REACH)

Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l K



article number: 2327

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures are necessary.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l K

article number: 2327

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	nitric acid	7697-37- 2	IOELV			1	2,6				2006/15/ EC
GB	nitric acid	7697-37- 2	WEL			1	2,6				EH40/ 2005

Notation

STEL

TWA

Ceiling-C Ceiling value is a limit value above which exposure should not occur

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

acc. to Regulation (EC) No. 1907/2006 (REACH)

Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l K

article number: 2327

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation.

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	odourless
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	<2 (20 °C)
Kinematic viscosity	not determined
Solubility(ies)	
Water solubility	miscible in any proportion
Partition coefficient	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	23 hPa at 20 °C
Density and/or relative density	
Density	~1 ^g / _{cm³} at 20 °C
Relative vapour density	information on this property is not available



acc. to Regulation (EC) No. 1907/2006 (REACH)

Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l K

article number: 2327

	Particle characteristics	not relevant (liquid)
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	
	Corrosive to metals	category 1: corrosive to metals
	Other safety characteristics:	
	Miscibility	completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Ammonia (NH3), Bases, Metals, Reducing agents, Strong alkali, Organic solvents

10.4 Conditions to avoid

Keep away from heat.

10.5 Incompatible materials

different metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture					
Name of substance	CAS No	Exposure route	ΑΤΕ		
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: vapour	2,65 ^{mg} / _l /4h		



acc. to Regulation (EC) No. 1907/2006 (REACH)



Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l K

article number: 2327

Acute toxicity of components of the mixture						
Name of substance	CAS No	Exposure route	Endpoint	Value	Species	
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: va- pour	LC50	>2,65 ^{mg} /ı/4h	rat	

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

• If in eyes

Causes serious eye irritation

• If inhaled

Data are not available.

• If on skin

causes skin irritation

• Other information

This information is based upon the present state of our knowledge.

11.2 Endocrine disrupting properties

None of the ingredients are listed.

11.3 Information on other hazards

There is no additional information.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l K

article number: 2327

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

- **12.2 Process of degradability** Data are not available.
- **12.3 Bioaccumulative potential** Data are not available.
- 12.4 Mobility in soil
 - Data are not available.
- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l K



Singl	Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l K					
article	e number: 2327					
SEC	TION 14: Transport information					
14.1	UN number or ID number					
	ADRRID	UN 3264				
	IMDG-Code	UN 3264				
	ICAO-TI	UN 3264				
14.2	UN proper shipping name					
	ADRRID	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.				
	IMDG-Code	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.				
	ICAO-TI	Corrosive liquid, acidic, inorganic, n.o.s.				
	Technical name (hazardous ingredients)	Nitric acid% [C ≤ 70 %], Potassium nitrate				
14.3	Transport hazard class(es)					
	ADRRID	8				
	IMDG-Code	8				
	ICAO-TI	8				
14.4	Packing group					
	ADRRID	III				
	IMDG-Code	III				
	ICAO-TI	III				
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations				
14.6	Special precautions for user					
	Provisions for dangerous goods (ADR) should be o	complied within the premises.				
14.7	Maritime transport in bulk according to IMO in	struments				
	The cargo is not intended to be carried in bulk.					
14.8	Information for each of the UN Model Regulati	ons				
	Transport of dangerous goods by road, rail and information	l inland waterway (ADR/RID/ADN) - Additional				
	Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.				
	Particulars in the transport document	UN3264, CORROSIVE LIQUID, ACIDIC, INORGAN- IC, N.O.S., (contains: Nitric acid% [C ≤ 70 %], Po- tassium nitrate), 8, III, (E)				
	Classification code	C1				
	Danger label(s)	8				
	Special provisions (SP)	274				
	Excepted quantities (EQ)	E1				

Safety data sheet Safety data sheet acc. to Regulation (EC) No. 1907/2006 (REACH)



Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	E
Hazard identification No	80
Emergency Action Code	2X
Regulations concerning the Internationa information	al Carriage of Dangerous Goods by Rail (RID)Additi
Classification code	C1
Danger label(s)	8
Special provisions (SP)	274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Hazard identification No 80	
International Maritime Dangerous Good	s Code (IMDG) - Additional information
Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N
Particulars in the shipper's declaration	UN3264, CORROSIVE LIQUID, ACIDIC, INOR IC, N.O.S., (contains: Nitric acid% [C ≤ 70 9 tassium nitrate), 8, III
Marine pollutant	-
Danger label(s)	8
Special provisions (SP)	223, 274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-B
Stowage category	A
Segregation group	1 - Acids
International Civil Aviation Organization	n (ICAO-IATA/DGR) - Additional information
Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s.
Particulars in the shipper's declaration	UN3264, Corrosive liquid, acidic, inorganic, (contains: Nitric acid% [C ≤ 70 %], Potassi trate), 8, III
Danger label(s)	8

acc. to Regulation (EC) No. 1907/2006 (REACH)



Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l K

Special provisions (SP)	A3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	1 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/	2012/18/EU (Seveso III)					
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes			
	not assigned					

Deco-Paint Directive

VOC content	0 % 0 ^g / _l
-------------	--------------------------------------

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content (Water content was discounted)	0 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Regulation on the marketing and use of explosives precursors

Explosives precursors which are subject to restrictions					
Name of substance	CAS No	Type of registration	Remarks	Limit value	Upper limit value for the pur- pose of licensing under Article 5(3)
Nitric acid% [C ≤ 70 %]	7697-37-2	Annex I		3 % w/w	10 % w/w

Legend annex I

Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below

acc. to Regulation (EC) No. 1907/2006 (REACH)

Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l K

article number: 2327

Additional statements

If the product is passed on to third parties, in accordance with Article 7 "Notification of the supply chain" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on restricted and regulated raw materials.

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations(GB)

Restrictions according to GB REACH, Annex 17

none of the ingredients are listed

Dangerous substances with restrictions (GB REACH, Annex 17)

Name of substance	Name acc. to inventory	CAS No	Νο
Potassium AAS Standard Solution ROTI®Star 1 000 mg/l K	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status	
AU	AIIC	all ingredients are listed	
CA	DSL	all ingredients are listed	
CN	IECSC	all ingredients are listed	
EU	ECSI	all ingredients are listed	
EU	REACH Reg.	all ingredients are listed	
JP	CSCL-ENCS	all ingredients are listed	
KR	KECI	all ingredients are listed	
MX	INSQ	all ingredients are listed	
NZ	NZIoC	all ingredients are listed	
PH	PICCS	all ingredients are listed	
TR	CICR	not all ingredients are listed	
TW	TCSI	all ingredients are listed	
US	TSCA	all ingredients are listed	



acc. to Regulation (EC) No. 1907/2006 (REACH)



Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l K

article number: 2327

Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) Domestic Substances List (DSL) EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances Korea Existing Chemicals Inventory New Zealand Inventory of Chemicals Philippine Inventory of Chemicals and Chemical Substances (PICCS) . REACH registered Substances
. REACH registered substances Taiwan Chemical Substance Inventory Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Restructuring: section 9, section 14

Section	Former entry (text/value) Actual entry (text/value)		Safety- relev- ant	
2.1		Classification acc. to GHS: change in the listing (table)	yes	
2.2		Precautionary statements - prevention: change in the listing (table)	yes	
2.2	Precautionary statements - response		yes	
2.2		Precautionary statements - response: change in the listing (table)	yes	
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Warning		yes	
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes	
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes	
2.3	Other hazards: There is no additional information.	Other hazards	yes	
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes	

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
Acute Tox.	Acute toxicity

acc. to Regulation (EC) No. 1907/2006 (REACH)



Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l K

article number: 2327

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
Met. Corr.	Substance or mixture corrosive to metals
NLP	No-Longer Polymer
Ox. Liq.	Oxidising liquid
РВТ	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin

acc. to Regulation (EC) No. 1907/2006 (REACH)



Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l K

article number: **2327**

Abbr.	Descriptions of used abbreviations
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.