

article number: **2346** Version: **2.0 en** Replaces version of: 07.09.2016 Version: (1)

date of compilation: 07.09.2016 Revision: 19.01.2022

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Hg

2346

Registration number (REACH)

not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373

according to Regulation (EC) No. 1907/2006 (REACH)

Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Hg

article number: 2346

Supplemental hazard information					
	Code	Supplemental hazard information			
	EUH071	corrosive to the respiratory tract			

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS05, GHS08



Hazard statements

H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H373	May cause damage to organs through prolonged or repeated exposure

Precautionary statements

Precautionary statements - prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection

Supplemental hazard information

EUH071 Corrosive to the respiratory tract.

Hazardous ingredients for labelling:

Nitric acid ...% [C ≤ 70 %], Mercury(II) nitrate

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger



H314	Causes severe skin burns and eye damage.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
EUH071 contains:	Corrosive to the respiratory tract. Nitric acid% [C ≤ 70 %], Mercury(II) nitrate



according to Regulation (EC) No. 1907/2006 (REACH)

Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Hg

article number: 2346

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

not relevant (mixture)

3.2 **Mixtures**

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2 Index No 007-030-00-3 REACH Reg. No 01-2119487297- 23-xxxx	>5-<20	Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 EUH071		B(a) GHS-HC IOELV
Mercury(II) nitrate	CAS No 10045-94-0 EC No 233-152-3 Index No 080-002-00-6	>0,1-<0,2 5	Acute Tox. 2 / H300 Acute Tox. 1 / H310 Acute Tox. 2 / H330 STOT RE 2 / H373 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		1(a) A(a) GHS-HC

Notes

1(a): The concentration stated is the percentage by weight of the metallic element calculated with reference to the total weight of the mixture
 A(a): The name of substance is a general description. It is required that the correct name is stated on the label
 B(a): The classification refers to an aqueous solution
 GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/

2008/EC, Annex VI) Substance with a community indicative occupational exposure limit value

IOELV:

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2 Index No 007-030-00-3	Ox. Liq. 3; H272: C ≥ 65 % Skin Corr. 1A; H314: C ≥ 20 % Skin Corr. 1B; H314: 5 % ≤ C < 20 %	-	2,65 ^{mg} / _l /4h	inhalation: va- pour
Mercury(II) ni- trate	CAS No 10045-94-0 EC No 233-152-3 Index No 080-002-00-6	STOT RE 2; H373: C ≥ 0,1 %	-	5 mg/ _{kg} 5 mg/ _{kg} 0,05 ^{mg} / _l /4h	oral dermal inhalation: dust/ mist

For full text of abbreviations: see SECTION 16



according to Regulation (EC) No. 1907/2006 (REACH)



Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Hg

article number: 2346

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Risk of blindness, Gastric perforation, Risk of serious damage to eyes

4.3 Indication of any immediate medical attention and special treatment needed none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

according to Regulation (EC) No. 1907/2006 (REACH)



Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Hg

article number: 2346

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handle and open container with care. Clear contaminated areas thoroughly.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

according to Regulation (EC) No. 1907/2006 (REACH)



Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Hg

article number: 2346

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	nitric acid	7697-37- 2	IOELV			1	2,6				2006/15/ EC
MT	nitric acid	7697-37- 2	OELV			1	2,6				CAP. 424

Notation

TWA

Ceiling-C Ceiling value is a limit value above which exposure should not occur STEL Short-term exposure limit: a limit value above which exposure shoul

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

® §ROTH

Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Hg

article number: 2346

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: Hg (against mercury vapour, colour code: Red).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	•
Physical state	liquid
Colour	colourless
Odour	odourless
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	(unknown) not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	<1 (20 °C)
Kinematic viscosity	not determined
<u>Solubility(ies)</u> Water solubility	miscible in any proportion
Partition coefficient	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	not determined
Density and/or relative density	
Density	1,059 ^g / _{cm³} at 20 °C
Particle characteristics	not relevant (liquid)

according to Regulation (EC) No. 1907/2006 (REACH)

Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Hg

article number: 2346

	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	
	Corrosive to metals	category 1: corrosive to metals
	Other safety characteristics:	
	Miscibility	completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Strong alkali, Alkali (lye), Ammonia (NH3), Metals, Organic substances, Acids, Strong oxidisers

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

plastic and rubber, different metals

Release of flammable materials with

Metals, Light metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.



according to Regulation (EC) No. 1907/2006 (REACH)



Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Hg

article number: 2346

Acute toxicity estimate (ATE) of components of the mixture							
Name of substance	CAS No	Exposure route	ATE				
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: vapour	2,65 ^{mg} / _l /4h				
Mercury(II) nitrate	10045-94-0	oral	5 ^{mg} / _{kg}				
Mercury(II) nitrate	10045-94-0	dermal	5 ^{mg} / _{kg}				
Mercury(II) nitrate	10045-94-0	inhalation: dust/mist	0,05 ^{mg} / _l /4h				

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: va- pour	LC50	>2,65 ^{mg} / _l /4h	rat

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

• If inhaled

corrosive to the respiratory tract, cough, Dyspnoea

article number: 2346

• If on skin

causes severe burns, causes poorly healing wounds

• Other information

Circulatory collapse, Cardiac arrhythmias, Dyspnoea

11.2 Endocrine disrupting properties

None of the ingredients are listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

- **12.2 Process of degradability** Data are not available.
- **12.3 Bioaccumulative potential** Data are not available.
- **12.4 Mobility in soil** Data are not available.
- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** None of the ingredients are listed.
- 12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the



according to Regulation (EC) No. 1907/2006 (REACH)



Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Hg

article number: 2346

EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number or ID number	
	ADR/RID/ADN	UN 2031
	IMDG-Code	UN 2031
	ICAO-TI	UN 2031
14.2	UN proper shipping name	
	ADR/RID/ADN	NITRIC ACID
	IMDG-Code	NITRIC ACID
	ICAO-TI	Nitric acid
14.3	Transport hazard class(es)	
	ADR/RID/ADN	8
	IMDG-Code	8
	ICAO-TI	8
14.4	Packing group	
	ADR/RID/ADN	II
	IMDG-Code	II
	ICAO-TI	II
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations
14 6	Special precautions for user	

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information
momation

Proper shipping name	NITRIC ACID
Particulars in the transport document	UN2031, NITRIC ACID, 8, II, (E)
Classification code	C1
Danger label(s)	8
Excepted quantities (EQ)	E2

according to Regulation (EC) No. 1907/2006 (REACH)



Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Hg

article number: 2346	
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	80
International Maritime Dangerous Goods	Code (IMDG) - Additional information
Proper shipping name	NITRIC ACID
Particulars in the shipper's declaration	UN2031, NITRIC ACID, 8, II
Marine pollutant	-
Danger label(s)	8
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-A, S-B
Stowage category	D
Segregation group	1 - Acids
International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information
Proper shipping name	Nitric acid
Particulars in the shipper's declaration	UN2031, Nitric acid, 8, II
Danger label(s)	8
Excepted quantities (EQ)	E2
Limited quantities (LQ)	0,5 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

angerous substances with	gerous substances with restrictions (REACH, Annex XVII)					
Name of substance	Name acc. to inventory	CAS No	Restriction	No		
Single-Element	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3		
Mercury(II) nitrate	mercury compounds		R18	18		
Nitric acid% [C ≤ 70 %]	substances in tattoo inks and perman- ent make-up		R75	75		

Legend

R18 Shall not be placed on the market, or used, as substances or in mixtures where the substance or mixture is intended

article number: 2346

Legend

R3

for use: (a) to prevent the fouling by micro-organisms, plants or animals of:
 the hulls of boats,

- cages, floats, nets and any other appliances or equipment used for fish or shellfish farming,

- any totally or partly submerged appliances or equipment;(b) in the preservation of wood;
- (c) in the impregnation of heavy-duty industrial textiles and yarn intended for their manufacture;
 (d) in the treatment of industrial waters, irrespective of their use.
- 1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

tricks and jokes,

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
Articles not complying with paragraph 1 shall not be placed on the market.
Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

a can be used as fuel in decorative oil lamps for supply to the general public, and
 a present an aspiration hazard and are labelled with H304.
 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN).
5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

ments are met: (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage"; (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage'; (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';





article number: 2346



8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used fo tattooing purposes.





article number: 2346

Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed.

Seveso Directive

2012/18/EU (Seveso III)					
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes		
	not assigned				

Deco-Paint Directive

VOC content	0 % , 0 ^g /l
	, 1

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content Water content was discounted	0 ^g /l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

t of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Mercury(II) nitrate	mercury compounds		B)	HAZ
Mercury(II) nitrate	mercury compounds	7439-97-6	C)	
Mercury(II) nitrate	Substances which contribute to eutrophication (in particular, ni- trates and phosphates)		A)	

according to Regulation (EC) No. 1907/2006 (REACH)



Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Hg

article number: 2346

ist of pollutants (WFD)						
Name of substance	Name acc. to inventory	CAS No	Listed in	Remark		
Mercury(II) nitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)			
Mercury(II) nitrate	Metals and their compounds		A)			

A) B) C) HAZ

Indicative list of the main pollutants List of priority substances in the field of water policy

Environmental Quality Standards for Priority Substances and certain other pollutants Identified as priority hazardous substance

Regulation on the marketing and use of explosives precursors

Explosives precursors which are subject to restrictions					
Name of substance	CAS No	Type of registration	Remarks	Limit value	Upper limit value for the pur- pose of licensing under Article 5(3)
Nitric acid% [C ≤ 70 %]	7697-37-2	Annex I		3 % w/w	10 % w/w

Legend

annex I Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below

Additional statements

If the product is passed on to third parties, in accordance with Article 7 "Notification of the supply chain" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on restricted and regulated raw materials.

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

Name of substance	Name acc. to inventory	CAS No	Category / subcategory	Use limita- tion
Mercury(II) nitrate	mercury(II) nitrate	10045-94- 0		

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

article number: 2346

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status	
AU	AICS	all ingredients are listed	
CA	DSL	all ingredients are listed	
CN	IECSC	all ingredients are listed	
EU	ECSI	all ingredients are listed	
EU	REACH Reg.	not all ingredients are listed	
JP	CSCL-ENCS	not all ingredients are listed	
JP	ISHA-ENCS	not all ingredients are listed	
KR	KECI	all ingredients are listed	
MX	INSQ	all ingredients are listed	
NZ	NZIoC	all ingredients are listed	
РН	PICCS	all ingredients are listed	
TR	CICR	not all ingredients are listed	
TW	TCSI	all ingredients are listed	
US	TSCA	all ingredients are listed	

Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

according to Regulation (EC) No. 1907/2006 (REACH)



Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Hg

article number: 2346

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.1		Supplemental hazard information: change in the listing (table)	yes
2.1	Remarks: For full text of Hazard- and EU Hazard-state- ments: see SECTION 16.		yes
2.1		The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible dam- age to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure.	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2	Precautionary statements - response		yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2	Hazardous ingredients for labelling: Nitric acid, Mercury(II) nitrate	Hazardous ingredients for labelling: Nitric acid% [C ≤ 70 %], Mercury(II) nitrate	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: Nitric acid, Mercury(II) nitrate	contains: Nitric acid% [C ≤ 70 %], Mercury(II) nitrate	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard

according to Regulation (EC) No. 1907/2006 (REACH)



article number: 2346

Abbr.	Descriptions of used abbreviations
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
CAP. 424	Occupational Health and Safety Authority Act (CAP. 424)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
Met. Corr.	Substance or mixture corrosive to metals
NLP	No-Longer Polymer
Ox. Liq.	Oxidising liquid
РВТ	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit



according to Regulation (EC) No. 1907/2006 (REACH)



Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Hg

article number: **2346**

Abbr.	Descriptions of used abbreviations
STOT RE	Specific target organ toxicity - repeated exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.