

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985014	NANOCOLOR Cadmium 2	Page: 1/11
Printing date: 27.09.2023	Date of issue: 06.07.2023	Version: 2.2.2.3

## SECTION 1: Identification of the substance/mixture and of the company

### 1.1 Product identifier

REF 985014  
 Product name NANOCOLOR Cadmium 2

REACH Registration number(s): see SECTION 3.1/3.2 or  
 A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

20 x 1.2 mL Cadmium 2 (R1) UFI: JR3U-M3N2-Q20W-PVYH  
 1 x 5 mL Cadmium 2 (R2)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses**  
 Product for analytical use.  
 Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0  
 The exposure scenario is integrated into sections 1-16.

**Uses advised against**  
 not described

### 1.3 Details of the supplier of the safety data sheet

**Manufactured by:**  
 MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11, 52355 Düren, Germany  
 Phone: +49 2421 969 0

E-mail: [sds@mn-net.com](mailto:sds@mn-net.com) ([msds@mn-net.com](mailto:msds@mn-net.com))

### 1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.  
 DE: Gemeinsames Gif tinformat ionszentrum (GGIZ)  
 99089 Erfurt tel. +49 361 730 730, <<https://www.ggiz-erfurt.de>>

You find our current versions of SDS in Internet: <<http://www.mn-net.com/SDS>>

*Lieferant / Supplier*  
*Carl Roth GmbH + Co KG*  
*Schoemperlenstr. 3-5*  
*76185 Karlsruhe, Germany*  
*+49 721 5606 0*  
*sicherheit@carlroth.de*

## SECTION 2: Hazard identification

### 2.0 Classification of the complete product according to Regulation (EC) 1272/2008



GHS08

Signal word DANGER

Hazard identification	Hazard classes/categories
H360FD	Repr. 1 B

### 2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

1.2 mL Cadmium 2 (R1)



GHS08



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
 CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
 FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
 US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985014	NANOCOLOR Cadmium 2	Page: 2/11
Printing date: 27.09.2023	Date of issue: 06.07.2023	Version: 2.2.2.3

Signal word	DANGER
<b>Hazard identification</b>	<b>Hazard classes/categories</b>
H360FD	Repr. 1 B

**5 mL Cadmium 2 (R2)**

Signal word	Do not need labelling as hazardous
No hazard class	-

List of H phrases: see section 16.2

**2.2 Label elements according regulation (EC) 1272/2008**

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2). Inner packages up to 10 mL need max. 2 symbols (Annex I - 1.5.2.4.1 / 2).

**1.2 mL Cadmium 2 (R1)**



GHS08

Signal word: DANGER  
 H360FD  
 May damage fertility. May damage the unborn child.  
 P201, P202, P280sh, P308+313, P405, P501  
 Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/eye protection. IF exposed or concerned: Get medical advice/attention. Store locked up. Dispose of contents/container to regulated waste treatment.

**5 mL Cadmium 2 (R2)**

Do not need labelling as hazardous  
 Signal word: -

**Label elements of the complete product**



GHS08

Signal word: DANGER  
 H360FD  
 May damage fertility. May damage the unborn child.  
 P201, P202, P280sh, P308+313, P405, P501  
 Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/eye protection. IF exposed or concerned: Get medical advice/attention. Store locked up. Dispose of contents/container to regulated waste treatment.

**2.3 Other hazards**

**Possible hazards from physicochemical properties**

**Information pertaining to particular risks to human and possible symptoms**

May damage fertility. May damage the unborn child.

**Information pertaining to particular risks to the environment**

**PBT:** not applicable  
**vPvB:** not applicable



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985014

NANOCOLOR Cadmium 2

Page: 3/11

Printing date: 27.09.2023

Date of issue: 06.07.2023

Version: 2.2.2.3

**Possible endocrine disrupting effects**  
no data available

## SECTION 3: Composition / information on ingredients

### 3.1 Substances or 3.2 Mixtures

#### 5 mL Cadmium 2 (R2)

Substance name: *dimethyl sulfoxide*  
CAS No.: 67-68-5

Substance rating: No criteria for classification or naming of chemical not required.  
Formula: C<sub>2</sub>H<sub>6</sub>OS  
Pseudonym (de): DMSO  
REACH Reg. No.: 01-2119431362-50-xxxx  
EC No.: 200-664-3  
Concentration: 80 - <100 %  
acc. CLP (GHS): The criteria for classification are not fulfilled.

#### 1.2 mL Cadmium 2 (R1)

Substance name: *boric acid*  
CAS No.: 10043-35-3

Substance rating: H360FD, Repr. 1 B  
Formula: H<sub>3</sub>BO<sub>3</sub>  
Pseudonym (de): Orthoborsäure, E284  
REACH Reg. No.: 01-2119486683-25-0024  
**SVHC listed: listed (18/06/2010) Cand. Lst. REACH Art59(10)**  
EC No.: 233-139-2  
Concentration: 0,5 - <5,5 %  
acc. CLP (GHS): H360FD, Repr. 1 B

Indice No.: 005-007-00-2

Substance name: *citrate buffer solution*  
CAS No.: -

Substance rating: No criteria for classification or naming of chemical not required.  
Concentration: 1 - <10 %  
acc. CLP (GHS): The criteria for classification are not fulfilled.

### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%. List of H and P phrases: see section 16.2.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

#### 4.1.1 After SKIN Contact

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.

#### 4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

#### 4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. ---

#### 4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested.

### 4.2 Most important symptoms and effects, both acute and delayed



MACHEREY-NAGEL GmbH & Co. KG  
Valencienner Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985014

NANOCOLOR Cadmium 2

Page: 4/11

Printing date: 27.09.2023

Date of issue: 06.07.2023

Version: 2.2.2.3

CMR Effekte:

## 4.3 Indication of any immediate medical attention and special treatment needed

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### 5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

#### 5.1.2 Unsuitable extinguishing media

no data available

### 5.2 Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible.

### 5.3 Advice for firefighters

Product package burns like paper or plastic.

### 5.4 Additional information

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

### 6.2 Environmental precautions

PBT: not applicable

vPvB: not applicable

### 6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains.

### 6.4 Reference to other sections

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use a safety bottle when shaking test tubes.

### 7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging. Products which are also classified as toxic must be kept under lock and key. Storage class (German chemical industry): see chapter 12.1

Storage class (VCI): 6.1D

Water hazard class (DE): 1

#### 7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage, so that they are not immediately accessible to outside parties.

### 7.3 Specific end use(s)

Product for analytical use.



# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985014

NANOCOLOR Cadmium 2

Page: 5/11

Printing date: 27.09.2023

Date of issue: 06.07.2023

Version: 2.2.2.3

## SECTION 8: Exposure controls /personal protection

### 8.1 Control parameters

#### 5 mL Cadmium 2 (R2)

Chemical: *dimethyl sulfoxide*

CAS No.: 67-68-5

DNEL: 394 inh mg/m<sup>3</sup>  
DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 17 mg/L  
PNEC = Predicted No Effect Concentration

TRGS 900 (DE): 50 ppm / 160 mg/m<sup>3</sup>  
E/e respirable

Short-term exposure factor: 2 (I), H, Z  
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 50 ppm / 160 mg/m<sup>3</sup>

#### 1.2 mL Cadmium 2 (R1)

Chemical: *boric acid*

CAS No.: 10043-35-3

DNEL: [derm] 392 mg/kg bw/day; [inh] 8.3 mg/m<sup>3</sup>  
DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 2.9 mg/L  
PNEC = Predicted No Effect Concentration

TRGS 900 (DE): 0.5 E mg/m<sup>3</sup>  
E/e respirable

Short-term exposure factor: 2 (I), Y  
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: [Bor][MAK] 1,8e/[STEL] 1,8e mg/m<sup>3</sup>

NIOSH: not listed

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

Chemical: *citrate buffer solution*

CAS No.: -

### 8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

#### 8.2.1 Respiratory protection

No additional recommendations.

#### 8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

#### 8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

#### 8.2.4 Skin protection

Recommended to avoid contamination with these hazards.

#### 8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

#### 8.2.6 Thermal hazards

no data available

### 8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### 5 mL Cadmium 2 (R2)

- |                          |                   |
|--------------------------|-------------------|
| a) State of aggregation: | liquid            |
| b) Colour:               | red               |
| c) Odor:                 | fusty, mouldy     |
| d) Melting point:        | no data available |
| e) Boiling point:        | no data available |



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985014

NANOCOLOR Cadmium 2

Page: 6/11

Printing date: 27.09.2023

Date of issue: 06.07.2023

Version: 2.2.2.3

f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	95 °C
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	6-8
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	1,1 g/cm <sup>3</sup>
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available

### 1.2 mL Cadmium 2 (R1)

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	aminic
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	7-9
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (o/w) :	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1) :	no data available
r) Particle size:	no data available

## 9.2 Other information

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.

**Properties relevant to substance groups**

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

no further data available.

### 10.2 Chemical stability

no known instability.

### 10.3 Possibility of hazardous reactions

No further data available.

### 10.4 Conditions to avoid

Observe the storage temperature printed on it. No more required.

### 10.5 Incompatible materials

no additional data available

### 10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.



# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985014

NANOCOLOR Cadmium 2

Page: 7/11

Printing date: 27.09.2023

Date of issue: 06.07.2023

Version: 2.2.2.3

## SECTION 11: Toxicological information

### 11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

#### 5 mL Cadmium 2 (R2)

Chemical: *dimethyl sulfoxide* CAS No.: 67-68-5  
 TSCA Inventory: listed  
 Korea Exist.Chem.Inventory: KE-32367  
 LD50 orl rat : 14500 mg/kg

#### 1.2 mL Cadmium 2 (R1)

Chemical: *boric acid* CAS No.: 10043-35-3  
 TSCA Inventory: listed California Proposition 65 List: not listed  
 Australia NICNAS: not listed Canada CEPA 1999: DSL yes  
 Japan CSCL/PRTR: PRTR: ≥1,0%B class I, Japan PDSCL: not listed  
 Japan ISHL: not listed  
 South Korea TCCA: not listed  
 Korea Exist.Chem.Inventory: KE-03499  
 LD50 orl rat : > 3765 mg/kg  
 LC50 ihl rat : 2,12 mg/L/4H

Carcinogenic Effects: May damage fertility. May damage the unborn child.

EU carcinogen: R D 1B, R F 1B  
 TRGS 905 (DE): R E 2, R F 2

Chemical: *citrate buffer solution* CAS No.: -  
 TSCA Inventory: all listed  
 Korea Exist.Chem.Inventory: listed

### 11.2 Other hazards

#### Possible endocrine disrupting effects

no data available

#### Other information

no additional data available

## SECTION 12: Ecological information

### 12.1 Toxicity

Following information is valid for pure substances.

#### 5 mL Cadmium 2 (R2)

Chemical: *dimethyl sulfoxide* CAS No.: 67-68-5  
 PNEC (fresh water) : 17 mg/L  
 PNEC = Predicted No Effect Concentration  
 LC50 fish/96h : 38.5 g/L  
 EC50 daphnia/48h : 24.6 g/L  
 EC10 pseudomonas putita/16h : EC/16h: 7100 mg/L  
 Water hazard class (DE): 1 WGK No.: 5050  
 Dispersion coefficient (o/w) : -1,35  
 Storage class (VCI): 12

#### 1.2 mL Cadmium 2 (R1)

Chemical: *boric acid* CAS No.: 10043-35-3  
 PNEC (fresh water) : 2.9 mg/L  
 PNEC = Predicted No Effect Concentration  
 LC50 fish/96h : [4d] 79.7 mg/L  
 EC50 daphnia/48h : 91-165 mg/L  
 IC50 scenedesmus quadricauda/72h : [72h] 52.4 mg/L  
 EC10 pseudomonas putita/16h : [EC10] 10 mg/L  
 Water hazard class (DE): 1 WGK No.: 0315  
 Dispersion coefficient (o/w) : -1,09  
 Storage class (VCI): 6.1 D





# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985014

NANOCOLOR Cadmium 2

Page: 8/11

Printing date: 27.09.2023

Date of issue: 06.07.2023

Version: 2.2.2.3

Chemical: *citrate buffer solution*  
 Water hazard class (DE): 0  
 Storage class (VCI): 12

CAS No.: -

## 12.2 Persistence and degradability

not necessary

## 12.3 Bioaccumulative potential

not necessary

## 12.4 Mobility in soil

not necessary

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

## 12.6 Endocrine disrupting properties

no data available

## 12.7 Other adverse effects

no additional data available

## SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06). Close container tightly.

### 13.1 Waste treatment methods

Not necessary, see above.

## SECTION 14: Transport information

14.1 - 14.4 Not necessary

### 14.5 Environmental hazards

none, contains only small quantities of hazardous substances

### 14.6 Special precautions for user

not necessary

### 14.7 Carriage in bulk by sea in accordance with IMO instruments

Not applicable.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemicals Prohibition Ordinance - (DE: ChemVerbotsV), aktualisiert Jan 2017

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020

Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017

TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017

TRGS 220, National aspects when preparing safety data sheets, Jan 2017

TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017

BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012

Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016

MN leaflet/instructions for use, also at [www.mn-net.com](http://www.mn-net.com)

If necessary, observe other country-specific regulations.

### 15.2 Chemical safety assessment

not necessary for these small amounts



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciener Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
 CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
 FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
 US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)



# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985014

NANOCOLOR Cadmium 2

Page: 9/11

Printing date: 27.09.2023

Date of issue: 06.07.2023

Version: 2.2.2.3

## SECTION 16: Other information

### 16.1 Changes compared to the last version

Between versions 2.2.2.3 and 2.2.2.2 following changes were applied: - 1 substance data corrected

### 16.2 List of H and P phrases

#### 16.2.1 List of relevant H phrases

H360FD May damage fertility. May damage the unborn child.

#### 16.2.2 List of relevant P phrases

P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P280sh Wear protective gloves/eye protection.  
 P308+313 IF exposed or concerned: Get medical advice/attention.  
 P405 Store locked up.  
 P501 Dispose of contents/container to regulated waste treatment.

### 16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!

Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!

An individual package of this product or test kit has a moderate hazardous potential.

### 16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres

Directive 2004/37/EC on the protection of workers from the risk of carcinogens or mutagens at work SUVA .CH, limit values in the air at work 2009, revised on 01/2009

Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)

Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG

Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)

Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)

Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

TRGS 905, German rules of technology for carcinogenic and mutagenic substances, as of March 18, 2016

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progress (11th ATP)

Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)

Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)

TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019

Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)

Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG

Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP)

Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)

Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)

Regulation 692/2022/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (18th ATP)

#### revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary

2014-04 adjustment according Regulation 487/2013/EU

2016-03 adjustment according Regulation 1221/2015/EU

2017-11 adjustment according the ECHA registration dossier

2022-11 adjustment according Regulation 878/2020/EU

### 16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

### 16.6 Legend / Abbreviations

acc: according  
 ADR: Convention concerning the International Carriage of Dangerous Goods by Road  
 Act: acute  
 BAT: biological workplace tolerance value



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
 CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
 FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
 US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985014

NANOCOLOR Cadmium 2

Page: 10/11

Printing date: 27.09.2023

Date of issue: 06.07.2023

Version: 2.2.2.3

CAO: Cargo Aircraft Only  
 Carc: carcinogen  
 CAS: Chemical Abstracts Service  
 CLP: Classification, Labelling and Packaging regulation  
 CMR: carcinogen, mutagen, reproduction toxic  
 Corr: corrosive  
 COD: chemical oxygen demand  
 CSCL: Chemical Substance Control Law (Jp)  
 Dam: damage  
 DNEL: Derived No-Effect Level (for workers)  
 derm: dermal  
 dog: dog  
 EC10: Concentration causing a toxic effect in 10% of the test organisms  
 EC: European Community  
 EC-Nr: Substance number of the EC substance inventory  
 EmS: Guide to accident management measures on ships  
 EU: European Union  
 fish: fish (not specified)  
 GHS: Global Harmonized System of Classification and Labeling of Chemicals  
 gpg: guinea pig  
 ICAO: International Civil Aviation Organization  
 ihl: inhaled  
 IMDG: International Maritime Dangerous Goods Code  
 intrav: intravenous  
 ipt: intraperitoneal  
 ISHL: Industrial Safety and Health Law (Jp)  
 LC50: letale concentration 50%  
 LD50: letale dosis 50%  
 leuciscus idus: fisch, ide, orfe  
 MAK: maximum workplace concentration  
 Met: Metall  
 mus: mouse  
 Muta: mutagen  
 NIOSH: National Institute for Occupational Safety and Health (US)  
 NRD: Non-rapidly degradable  
 onchorhynchus mykiss: fisch, rainbow trout  
 orl: oral  
 OSHA: Occupational Safety and Health Administration  
 PAX: transport on passenger planes allowed  
 PBT: persistent, bioaccumulating, toxic substance  
 pH: pH value  
 pimephales promelas: fisch, fathead minnow  
 PNEC: Predicted No Effect Concentration  
 PROC 15: Process category 'for laboratory use'  
 PRTR: Law for PRTR and Promotion of Chemical Management (Jp)  
 PVC: polyvinyl chloride  
 quail: bird, quail  
 rat: rat  
 rbt: rabbit  
 RD: rapidly degradable  
 RE: repeated  
 REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals  
 REF: item number, reference number  
 Reg.No.: rRegistration number  
 Repr: harmful to reproduction  
 Resp: respiratory  
 RIP: REACH Implementations Projects  
 scu: sub cutan  
 SDS: safety data sheet  
 Sens: sensitisation  
 STEL: short term exposure limit  
 STOT: Specific Target Organ Toxicity  
 SVHC: Substance of Very High Concern  
 t/a: tons per year  
 TCCA: Toxic Chemicals Control Act (S. Korea)  
 Tox: toxic  
 TSCA: The Toxic Substances Control Act (US)  
 TWA: time weighted average  
 TRGS: technical regulations (DE)



MACHEREY-NAGEL GmbH & Co. KG  
 Valenciener Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
 CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
 FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
 US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985014	NANOCOLOR Cadmium 2	Page: 11/11
Printing date: 27.09.2023	Date of issue: 06.07.2023	Version: 2.2.2.3

vPvB: very persistent, very bioaccumulating substance

## 16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



MACHEREY-NAGEL GmbH & Co. KG  
 Valencienner Str. 11  
 52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 info@mn-net.com  
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com  
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com  
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com