

### Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Sb

article number: **2489** Version: **2.0 en** Replaces version of: 2022-02-24 Version: (1)

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

## 1.1 Product identifier

Identification of the substance

Article number

**Single-Element** ICP - Standard Solution ROTI®Star 10 000 mg/l Sb

2489

Registration number (REACH)

not relevant (mixture)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

#### **1.3** Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

#### e-mail (competent person):

### sicherheit@carlroth.de

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	01 809 2166	https:// www.poisons.ie/

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319

date of compilation: 2022-02-24 Revision: 2022-10-10

according to Regulation (EC) No. 1907/2006 (REACH)



#### article number: 2489

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.8R	Specific target organ toxicity - single exposure (respirat- ory tract irritation)	3	STOT SE 3	H335

For full text of abbreviations: see SECTION 16

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP)

#### Signal word Warning

## Pictograms

GHS05, GHS07



#### Hazard statements

H290	May be corrosive to metals
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P280 Wear protective gloves/protective clothing/eye protection/face protection

#### Hazardous ingredients for labelling:

Hydrochloric acid .... %

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Symbol(s)



Hydrochloric acid .... %

## contains: 2.3 Other hazards

#### **Results of PBT and vPvB assessment**

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

not relevant (mixture)

3.2 Mixtures



according to Regulation (EC) No. 1907/2006 (REACH)



### Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Sb

article number: 2489

Description of the mixture							
Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes		
Hydrochloric acid %	CAS No 7647-01-0 EC No 231-595-7 Index No 017-002-01-X	20	Met. Corr. 1 / H290 Skin Corr. 1B / H314 Eye Dam. 1 / H318 STOT SE 3 / H335		B(a) GHS-HC IOELV		

#### Notes

B(a): The classification refers to an aqueous solution GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI)

IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	<b>M-Factors</b>	ATE	Exposure route
Hydrochloric acid %	CAS No 7647-01-0 EC No 231-595-7 Index No 017-002-01-X	Met. Corr. 1; H290: C ≥ 0,1 % Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 %	-	-	

For full text of abbreviations: see SECTION 16

## **SECTION 4: First aid measures**

#### 4.1 **Description of first aid measures**



#### **General notes**

Take off contaminated clothing.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

#### **Following ingestion**

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Irritation, Cough, Dyspnoea

4.3 Indication of any immediate medical attention and special treatment needed none

according to Regulation (EC) No. 1907/2006 (REACH)





article number: 2489

## SECTION 5: Firefighting measures

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

according to Regulation (EC) No. 1907/2006 (REACH)

#### Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Sb

article number: 2489

## **SECTION 7: Handling and storage**

**Precautions for safe handling** 7.1

Provision of sufficient ventilation.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage.

**Consideration of other advice:** 

# Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

#### National limit values

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	hydrogen chloride	7647-01- 0	IOELV	5	8	10	15				2000/39/ EC
IE	antimony	7440-36- 0	OELV		0,5						S.I. No. 619 of 2001
IE	hydrogen chloride	7647-01- 0	OELV	5	8	10	15				S.I. No. 619 of 2001

#### Notation

STEL TWA

Ceiling-C Ceiling value is a limit value above which exposure should not occur

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture							
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time	
Hydrochloric acid %	7647-01-0	DNEL	8 mg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects	
Hydrochloric acid %	7647-01-0	DNEL	15 mg/m³	human, inhalat- ory	worker (industry)	acute - local ef- fects	



according to Regulation (EC) No. 1907/2006 (REACH)

#### Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Sb

article number: 2489

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.

#### Skin protection



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### • material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation.

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.



according to Regulation (EC) No. 1907/2006 (REACH)

## Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Sb

## article number: 2489

# SECTION 9: Physical and chemical properties

9.1	I Information on basic physical and chemical properties						
	Physical state	liquid					
	Colour	colourless					
	Odour	characteristic					
	Melting point/freezing point	0 °C at 1.013 mPa					
	Boiling point or initial boiling point and boiling range	100 °C at 1.013 hPa					
	Flammability	non-combustible					
	Lower and upper explosion limit	not determined					
	Flash point	not determined					
	Auto-ignition temperature	not determined					
	Decomposition temperature	not relevant					
	pH (value)	<2 (20 °C)					
	Kinematic viscosity	not determined					
	Solubility(ies)						
	Water solubility	miscible in any proportion					
	Partition coefficient						
	Partition coefficient n-octanol/water (log value):	not relevant (inorganic)					
	Vapour pressure	23 hPa at 20 °C					
	Density and/or relative density						
	Density	~ 1,094 <sup>g</sup> / <sub>cm³</sub> at 20 °C					
	Relative vapour density	information on this property is not available					
	Particle characteristics	not relevant (liquid)					
	Other safety parameters						
	Oxidising properties	none					
9.2	Other information						
	Information with regard to physical hazard classes:						
	Corrosive to metals	category 1: corrosive to metals					
	Other safety characteristics:						
	Miscibility	completely miscible with water					



according to Regulation (EC) No. 1907/2006 (REACH)



### Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Sb

article number: 2489

## SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Substance or mixture corrosive to metals.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

**Violent reaction with:** Ammonia (NH3), Bases, Metals, Reducing agents, Strong alkali, Organic solvents

10.4 Conditions to avoid

Keep away from heat.

**10.5** Incompatible materials

different metals (due to the release of hydrogen in an acid/alkaline medium)

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

#### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Shall not be classified as acutely toxic.

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### **Respiratory or skin sensitisation**

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

May cause respiratory irritation.

according to Regulation (EC) No. 1907/2006 (REACH)



#### Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Sb

#### article number: 2489

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

Data are not available.

#### • If in eyes

Causes serious eye irritation

#### • If inhaled

Irritation to respiratory tract, cough, Dyspnoea

#### • If on skin

causes skin irritation

#### • Other information

This information is based upon the present state of our knowledge.

#### **11.2** Endocrine disrupting properties

None of the ingredients are listed.

### 11.3 Information on other hazards

There is no additional information.

## SECTION 12: Ecological information

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

#### **Biodegradation**

The methods for determining the biological degradability are not applicable to inorganic substances.

**12.2 Process of degradability** Data are not available.

**12.3 Bioaccumulative potential** Data are not available.

## 12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** None of the ingredients are listed.

#### 12.7 Other adverse effects

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH)





#### article number: 2489

## **SECTION 13: Disposal considerations**

#### Waste treatment methods 13.1



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

- HP 4
- irritant skin irritation and eye damage specific target organ toxicity (STOT)/aspiration toxicity HP 5
- HP 8 corrosive

#### 13.3 Remarks

14.

14.

14.

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

• •		
	ADRRID	UN 1789
	IMDG-Code	UN 1789
	ICAO-TI	UN 1789
.2	UN proper shipping name	
	ADRRID	HYDROCHLORIC ACID
	IMDG-Code	HYDROCHLORIC ACID
	ICAO-TI	Hydrochloric acid
.3	Transport hazard class(es)	
	ADRRID	8
	IMDG-Code	8
	ICAO-TI	8
.4	Packing group	
	ADRRID	II
	IMDG-Code	II
	ICAO-TI	II

according to Regulation (EC) No. 1907/2006 (REACH)



non-environmentally hazardous acc. to the dan-

## Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Sb

article number: 2489

14.5 Environmental hazards

14.5	Environmental nazards	gerous goods regulations				
14.6	Special precautions for user					
	Provisions for dangerous goods (ADR) should be co	omplied within the premises.				
14.7	Maritime transport in bulk according to IMO instruments					
	The cargo is not intended to be carried in bulk.					
14.8	Information for each of the UN Model Regulation	ons				
	Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information					
	Proper shipping name	HYDROCHLORIC ACID				
	Particulars in the transport document	UN1789, HYDROCHLORIC ACID, 8, II, (E)				
	Classification code	C1				
	Danger label(s)	8				
	Special provisions (SP) 520					
	Excepted quantities (EQ)	E2				
	Limited quantities (LQ)	1 L				
	Transport category (TC)	2				
	Tunnel restriction code (TRC)	E				
	Hazard identification No	80				
	Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Addition information					
	Classification code	C1				
	Danger label(s)	8				
	Special provisions (SP)	520				
	Excepted quantities (EQ)	E2				
	Limited quantities (LQ)	1 L				
	Transport category (TC)	2				
	Hazard identification No	80				
	International Maritime Dangerous Goods Code (IMDG) - Additional information					
	Proper shipping name	HYDROCHLORIC ACID				
	Particulars in the shipper's declaration	UN1789, HYDROCHLORIC ACID, 8, II				
	Marine pollutant	-				
	Danger label(s)	8				

according to Regulation (EC) No. 1907/2006 (REACH)

#### Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Sb

article number: 2489 

Excepted quantities (EQ)	E2					
Limited quantities (LQ)	1 L					
EmS	F-A, S-B					
Stowage category	С					
Segregation group	1 - Acids					
International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information						
Proper shipping name	Hydrochloric acid					
Particulars in the shipper's declaration	UN1789, Hydrochloric acid, 8, II					
Danger label(s)	8					
Special provisions (SP)	A3					
Excepted quantities (EQ)	E2					
Limited quantities (LQ)	0,5 L					

## SECTION 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

**Relevant provisions of the European Union (EU)** 

#### **Restrictions according to REACH, Annex XVII**

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Antimony ICP Standard Solution ROTI®Star 10 000 mg/l Sb	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Hydrochloric acid %	substances in tattoo inks and perman- ent make-up		R75	75

Legend

R3

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,

Articles not complying with paragraph 1 shall not be placed on the market.
 Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume,

or both. if they

can be used as fuel in decorative oil lamps for supply to the general public, and
present an aspiration hazard and are labelled with H304.
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and pack-aging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following require-

aging of substances and mixtures, suppliers shall ensue, see a public are visibly, legibly and indelibly marked as (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage"; (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';



according to Regulation (EC) No. 1907/2006 (REACH)



### Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Sb

#### article number: 2489

#### Legend

(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';



### Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Sb

#### article number: 2489



8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

according to Regulation (EC) No. 1907/2006 (REACH)



## Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Sb

#### article number: 2489

#### Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

#### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed.

#### **Seveso Directive**

2012/	2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes		
	not assigned				

#### **Deco-Paint Directive**

0 <sup>g</sup> /l	VOC content	0 % 0 9/1	
-------------------	-------------	--------------	--

#### **Industrial Emissions Directive (IED)**

VOC content	0 %
VOC content (Water content was discounted)	0 <sup>g</sup> / <sub>1</sub>

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

#### Water Framework Directive (WFD)

none of the ingredients are listed

#### Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

#### **Regulation on drug precursors**

Name of substance	CAS No	Wt%	Classification	CN Code	Threshold level
Hydrochloric acid %	7647-01-0	20	Category 3	2806 10 00	

#### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

according to Regulation (EC) No. 1907/2006 (REACH)

#### Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Sb

article number: 2489

#### **Regulation on persistent organic pollutants (POP)**

none of the ingredients are listed

#### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### UN Convention against Illicit Traffic in Narcotic Drugs and Psychotropic Substances

Name of substance	CAS No	Listed in	HS code
Hydrochloric acid %	7647-01-0	Table II	2806.10

#### National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

#### Legend

AIICAustralian Inventory of Industrial ChemicalsCICRChemical Inventory and Control RegulationCSCL-ENCSList of Existing and New Chemical Substances (CSCL-ENCS)DSLDomestic Substances List (DSL)ECSIEC Substance Inventory (EINECS, ELINCS, NLP)IECSCInventory of Existing Chemical SubstancesINSQNational Inventory of Chemical SubstancesKECIKorea Existing Chemicals InventoryNZIoCNew Zealand Inventory of Chemicals and Chemical Substances (PICCS)REACH Reg.REACH registered substancesTCSITaiwan Chemical Substance InventoryTSCAToxic Substance Control Act

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.



according to Regulation (EC) No. 1907/2006 (REACH)

#### Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Sb



## **SECTION 16: Other information**

#### Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

#### Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.1	The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible dam- age to the skin; namely, visible necrosis through the epidermis and into the dermis.		yes
2.2	Signal word: Danger	Signal word: Warning	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2	Hazardous ingredients for labelling: Hydrochloric acid %, Antimony(III) chloride	Hazardous ingredients for labelling: Hydrochloric acid %	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger	Labelling of packages where the contents do not exceed 125 ml: Signal word: Warning	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: Hydrochloric acid %, Antimony(III) chloride	contains: Hydrochloric acid %	yes

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CN Code	Combined Nomenclature
DGR	Dangerous Goods Regulations (see IATA/DGR)



according to Regulation (EC) No. 1907/2006 (REACH)



## Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Sb

## article number: 2489

Abbr.	Descriptions of used abbreviations
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
HS	Harmonized Commodity Description and Coding System (Harmonized System, drawn up by the World Customs Organisation)
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
Met. Corr.	Substance or mixture corrosive to metals
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

according to Regulation (EC) No. 1907/2006 (REACH)



#### Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Sb

#### article number: 2489

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text	
H290	May be corrosive to metals.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.