acc. to Safe Work Australia - Code of Practice

Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

date of compilation: 2016-09-08 Revision: 2022-01-17

article number: 2496 Version: GHS 2.1 en Replaces version of: 2022-01-13

Version: (GHS 2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance **Single-Element** ICP - Standard Solution

ROTI®Star 10 000 mg/l Be

2496 Article number

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for squirting or spraying. Do not use

for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private

purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

Emergency telephone number 1.4

| Name | Street | Postal code/city | Telephone | Website |
|--|-----------------|-------------------------|-----------|---------|
| NSW Poisons Information Centre Childrens Hospital | Hawkesbury Road | 2145 West- mead, NSW | 131126 | |

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1

Classification acc. to GHS

| Section | Hazard class | Cat- egory | Hazard class and category | Hazard statement |
|---------|--|---------------|---------------------------|---------------------|
| 2.16 | Substance or mixture corrosive to metals | 1 | Met. Corr. 1 | H290 |
| 3.10 | Acute toxicity (oral) | 4 | Acute Tox. 4 | H302 |
| 3.1D | Acute toxicity (dermal) | 3 | Acute Tox. 3 | H311 |
| 3.1I | Acute toxicity (inhal.) | 4 | Acute Tox. 4 | H332 |

Australia (en) Page 1 / 18

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

article number: 2496

| Section | Hazard class | Cat- egory | Hazard class and category | Hazard statement |
|---------|--|---------------|---------------------------|---------------------|
| 3.2 | Skin corrosion/irritation | 1B | Skin Corr. 1B | H314 |
| 3.3 | Serious eye damage/eye irritation | 1 | Eye Dam. 1 | H318 |
| 3.45 | Skin sensitisation | 1 | Skin Sens. 1 | H317 |
| 3.6 | Carcinogenicity | 1B | Carc. 1B | H350 |
| 3.8 | Specific target organ toxicity - single exposure | 2 | STOT SE 2 | H371 |
| 3.9 | Specific target organ toxicity - repeated exposure | 2 | STOT RE 2 | H373 |

Supplemental hazard information

| Code | Supplemental hazard information |
|--------|------------------------------------|
| EUH071 | corrosive to the respiratory tract |

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS05, GHS06, GHS08







Hazard statements

| H290 | May be corrosive to metals |
|-----------|---|
| H302+H332 | Harmful if swallowed or if inhaled |
| H311 | Toxic in contact with skin |
| H314 | Causes severe skin burns and eye damage |
| H317 | May cause an allergic skin reaction |
| H350 | May cause cancer |
| H371 | May cause damage to organs |
| H373 | May cause damage to organs through prolonged or repeated exposure |

Precautionary statements

Precautionary statements - prevention

| P260 | Do not breathe dusts or mists |
|------|--|
| P280 | Wear protective gloves/protective clot |

Australia (en) Page 2 / 18

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

article number: 2496

Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water or shower

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

Wash contaminated clothing before reuse P363 Absorb spillage to prevent material damage P390

Precautionary statements - disposal

Dispose of contents/container to industrial combustion plant

For professional users only

Hazardous ingredients for labelling: Beryllium oxide, Hydrofluoric acid ... %, Nitric acid

...% [C ≤ 70 %]

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

Substances 3.1

not relevant (mixture)

3.2 **Mixtures**

Description of the mixture

| Name of sub- stance | Identifier | Wt% | Classification acc. to GHS | Pictograms | Notes |
|----------------------------|---------------------|-----------|--|------------|---------------|
| Nitric acid% [C ≤ 70 %] | CAS No 7697-37-2 | 5 | Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 EUH071 | | B(a) |
| beryllium oxide | CAS No 1304-56-9 | 2.5 - < 3 | Acute Tox. 3 / H301 Acute Tox. 2 / H330 Skin Irrit. 2 / H315 Eye Irrit. 2A / H319 Skin Sens. 1 / H317 Carc. 1B / H350 Repr. 2 / H361 STOT SE 1 / H370 STOT SE 3 / H335 STOT RE 1 / H372 | | |
| Hydrofluoric acid % | CAS No 7664-39-3 | 1 | Acute Tox. 2 / H300 Acute Tox. 1 / H310 Acute Tox. 2 / H330 Skin Corr. 1A / H314 Eye Dam. 1 / H318 | | B(a) IOELV |

Notes

B(a): The classification refers to an aqueous solution IOELV: Substance with a community indicative occupational exposure limit value

For full text of abbreviations: see SECTION 16

Australia (en) Page 3 / 18

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

article number: 2496

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Medical treatment necessary.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure. Rub with a gel containing calcium gluconate. In case of skin reactions, consult a physician.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Rinse copiously with a calcium gluconate solution.

4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Vomiting, Risk of blindness, Gastric perforation, Risk of serious damage to eyes, Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Australia (en) Page 4 / 18

acc. to Safe Work Australia - Code of Practice

ROTH

Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

article number: 2496

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory). Handle and open container with care. Avoid exposure. Clear contaminated areas thoroughly.

Advice on general occupational hygiene

Thorough skin-cleansing after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

Australia (en) Page 5 / 18

acc. to Safe Work Australia - Code of Practice

Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

article number: 2496

Specific designs for storage rooms or vessels Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| cou ntr y | Name of agent | CAS No | Identi- fier | TW A [pp m] | TWA [mg/ m³] | STE L [pp m] | STEL [mg/ m³] | Ceil ing- C [pp m] | Ceil- ing-C [mg/ m³] | Nota- tion | Source |
|-----------------|--------------------------|---------------|-----------------|----------------------|--------------------|-----------------------|---------------------|--------------------------------|-------------------------------|---------------|--------|
| AU | beryllium com- pounds | 1304-56- 9 | WES | | 0.002 | | | | | Be | WES |
| AU | hydrogen fluoride | 7664-39- 3 | WES | | | | | 3 | 2.6 | F | WES |
| AU | nitric acid | 7697-37- 2 | WES | 2 | 5.2 | 4 | 10 | | | | WES |

Notation

Calculated as Be (beryllium)

Ceiling-C

Calculated as Be (beryllidiff)
Ceiling value is a limit value above which exposure should not occur
Calculated as F (fluorine)
Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified) STEL

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

| Name of sub- stance | CAS No | End- point | Threshol d level | Protection goal, route of exposure | Used in | Exposure time |
|------------------------|-----------|---------------|-----------------------|--|-------------------|-------------------------------|
| Hydrofluoric acid % | 7664-39-3 | DNEL | 1.5 mg/m ³ | human, inhalat- ory | worker (industry) | chronic - systemic effects |
| Hydrofluoric acid % | 7664-39-3 | DNEL | 2.5 mg/m ³ | human, inhalat- ory | worker (industry) | acute - systemic effects |
| Hydrofluoric acid % | 7664-39-3 | DNEL | 1.5 µg/m³ | human, inhalat- ory | worker (industry) | chronic - local ef- fects |
| Hydrofluoric acid % | 7664-39-3 | DNEL | 2.5 mg/m ³ | human, inhalat- ory | worker (industry) | acute - local ef- fects |

Relevant PNECs of components of the mixture

| Name of sub- stance | CAS No | End- point | Threshol d level | Organism | Environmental compartment | Exposure time | |
|------------------------|-----------|---------------|----------------------------------|------------------------|---------------------------|---------------------------------|--|
| Hydrofluoric acid % | 7664-39-3 | PNEC | 0.9 ^{mg} / _l | aquatic organ- isms | freshwater | short-term (single instance) | |
| Hydrofluoric acid % | 7664-39-3 | PNEC | 0.9 ^{mg} / _l | aquatic organ- isms | marine water | short-term (single instance) | |

Australia (en) Page 6 / 18

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

article number: 2496

Relevant PNECs of components of the mixture Name of sub-**CAS No** End-**Threshol Organism Environmental Exposure time** d level stance point compartment 51 mg/1 Hydrofluoric acid ... 7664-39-3 **PNEC** aquatic organsewage treatment short-term (single isms plant (STP) instance) 11 ^{mg}/_{kg} Hydrofluoric acid ... 7664-39-3 **PNEC** short-term (single terrestrial organsoil isms instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection. Wear face protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

>0.11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation.

Australia (en) Page 7 / 18

acc. to Safe Work Australia - Code of Practice

Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

article number: 2496

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid
Colour colourless
Odour stinging

Melting point/freezing point not determined

Boiling point or initial boiling point and boiling (unknown) not determined

range

Flammability non-combustible
Lower and upper explosion limit not determined

Flash point not determined

Auto-ignition temperature not determined

Decomposition temperature not relevant pH (value) <2 (acidic)

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

Density and/or relative density

Density $\sim 1 \, {\rm g/_{cm^3}}$ at 20 °C

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

Corrosive to metals category 1: corrosive to metals

Australia (en) Page 8 / 18

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

article number: 2496

Other safety characteristics:

Miscibility completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Strong alkali, Alkali hydroxide (caustic alkali), Alkali metals, Fluorine, Metals, Phosphorus oxides, Strong alkali

10.4 Conditions to avoid

Keep away from heat.

10.5 Incompatible materials

different metals

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Harmful if swallowed. Toxic in contact with skin. Harmful if inhaled.

Acute toxicity estimate (ATE) of components of the mixture

| Name of substance | CAS No | Exposure route | ATE |
|-------------------------|-----------|-----------------------|--|
| Nitric acid% [C ≤ 70 %] | 7697-37-2 | inhalation: vapour | >2.65 ^{mg} / _l /4h |
| beryllium oxide | 1304-56-9 | oral | 100 ^{mg} / _{kg} |
| beryllium oxide | 1304-56-9 | inhalation: dust/mist | 0.05 ^{mg} / _l /4h |
| Hydrofluoric acid % | 7664-39-3 | oral | 5 ^{mg} / _{kg} |
| Hydrofluoric acid % | 7664-39-3 | dermal | 5 ^{mg} / _{kg} |
| Hydrofluoric acid % | 7664-39-3 | inhalation: gas | 100 ^{ppmV} / _{4h} |
| Hydrofluoric acid % | 7664-39-3 | inhalation: vapour | 0.5 ^{mg} / _l /4h |

Australia (en) Page 9 / 18

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

article number: 2496

| Name of substance | CAS No | Exposure route | Endpoint | Value | Species |
|-------------------------|-----------|-------------------------|----------|--|---------|
| Nitric acid% [C ≤ 70 %] | 7697-37-2 | inhalation: va- pour | LC50 | >2.65 ^{mg} / _l /4h | rat |

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

May cause cancer.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause damage to organs.

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

If inhaled

corrosive to the respiratory tract, cough, Dyspnoea

• If on skin

causes severe burns, causes poorly healing wounds, May produce an allergic reaction, pruritis, localised redness

Other information

none

11.2 Endocrine disrupting properties

None of the ingredients are listed.

Australia (en) Page 10 / 18

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

article number: 2496

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

| Aquatic toxicity (acute) of components of the mixture | | | | | |
|---|-----------|----------|---------------------------------|-----------------------|------------------|
| Name of sub- stance | CAS No | Endpoint | Value | Species | Exposure time |
| Hydrofluoric acid % | 7664-39-3 | EC50 | 48 ^{mg} / _l | aquatic invertebrates | 96 h |

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

| Bioaccumulative potential of components of the mixture | | | | |
|--|-----------|---------|---------|----------|
| Name of substance | CAS No | BCF | Log KOW | BOD5/COD |
| Hydrofluoric acid % | 7664-39-3 | 53 - 58 | | |

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

Australia (en) Page 11 / 18

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

article number: 2496

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H8 Corrosives

H11 Toxic (Delayed or chronic)

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number

UN RTDG UN 2922

IMDG-Code UN 2922 ICAO-TI UN 2922

14.2 UN proper shipping name

UN RTDGCORROSIVE LIQUID, TOXIC, N.O.S.IMDG-CodeCORROSIVE LIQUID, TOXIC, N.O.S.

ICAO-TI Corrosive liquid, toxic, n.o.s.

Technical name (hazardous ingredients) Hydrofluoric acid ... %, Beryllium oxide

14.3 Transport hazard class(es)

UN RTDG 8

(6.1)

IMDG-Code 8 (6.1)

ICAO-TI 8 (6.1)

14.4 Packing group

UN RTDG II
IMDG-Code II
ICAO-TI II

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Australia (en) Page 12 / 18

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

article number: 2496

Transport informationNational regulationsAdditional information(UN RTDG)

UN number 2922
Class 8
Subsidiary risk(s) 6.1
Packing group II
Danger label(s) 8+6.1

Special provisions (SP) 274

UN RTDG

Excepted quantities (EQ)

E2 UN RTDG

Limited quantities (LQ)

UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name CORROSIVE LIQUID, TOXIC, N.O.S.

Particulars in the shipper's declaration UN2922, CORROSIVE LIQUID, TOXIC, N.O.S., (con-

tains: Hydrofluoric acid ... %, beryllium oxide), 8

(6.1), II

Marine pollutant

Danger label(s) 8+6.1





Special provisions (SP) 274

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 L

EmS F-A, S-B

Stowage category B

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Corrosive liquid, toxic, n.o.s.

Particulars in the shipper's declaration UN2922, Corrosive liquid, toxic, n.o.s., (contains:

Hydrofluoric acid ... %, beryllium oxide), 8 (6.1), II

Danger label(s) 8+6.1





Special provisions (SP) A3
Excepted quantities (EQ) E2
Limited quantities (LQ) 0,5 L

Australia (en) Page 13 / 18

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

article number: 2496

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

All ingredients are listed or exempt from listing.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

| Country | Inventory | Status |
|---------|------------|--------------------------------|
| AU | AICS | all ingredients are listed |
| CA | DSL | not all ingredients are listed |
| CA | NDSL | not all ingredients are listed |
| CN | IECSC | all ingredients are listed |
| EU | ECSI | all ingredients are listed |
| EU | REACH Reg. | all ingredients are listed |
| JP | CSCL-ENCS | all ingredients are listed |
| JP | ISHA-ENCS | not all ingredients are listed |
| KR | KECI | all ingredients are listed |
| MX | INSQ | all ingredients are listed |
| NZ | NZIoC | all ingredients are listed |
| PH | PICCS | not all ingredients are listed |
| TR | CICR | not all ingredients are listed |
| TW | TCSI | all ingredients are listed |
| US | TSCA | all ingredients are listed |

Legend

Australian Inventory of Chemical Substances
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Inventory of Existing and New Chemical Substances (ISHA-ENCS) AICS CICR CSCL-ENCS DSL ECSI IECSC

INSQ

ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)

KECI Korea Existing Chemicals Inventory
NDSL Non-domestic Substances List (NDSL)
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSL Talwar Chemical Substances Inventory

Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

Australia (en) Page 14 / 18

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

article number: 2496

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Globally Harmonized System of Classification and Labelling of Chemicals

("Purple book").

Restructuring: section 9, section 14

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|--|---|--------------------------|
| 2.1 | | Classification acc. to GHS: change in the listing (table) | yes |
| 2.1 | | Supplemental hazard information: change in the listing (table) | yes |
| 2.1 | Remarks: For full text of Hazard- and EU Hazard-state- ments: see SECTION 16. | | yes |
| 2.1 | | The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. | yes |
| 2.2 | | Pictograms: change in the listing (table) | yes |
| 2.2 | | Hazard statements: change in the listing (table) | yes |
| 2.2 | | Precautionary statements - prevention: change in the listing (table) | yes |
| 2.2 | | Precautionary statements - response: change in the listing (table) | yes |
| 2.2 | Supplemental hazard information | | yes |
| 2.2 | | Supplemental hazard information: change in the listing (table) | yes |
| 2.2 | | Precautionary statements - disposal | yes |
| 2.2 | | Precautionary statements - disposal: change in the listing (table) | yes |
| 2.2 | Hazardous ingredients for labelling: beryllium oxide, Hydrogen fluoride, Nitric acid | Hazardous ingredients for labelling: Beryllium oxide, Hydrofluoric acid %, Nitric acid% [C ≤ 70 %] | yes |
| 2.2 | Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger | | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |

Australia (en) Page 15 / 18

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

article number: 2496

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|--|---|--------------------------|
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.2 | contains: Beryllium oxide, Hydrogen fluoride, Nitric acid | | yes |
| 2.3 | Other hazards: There is no additional information. | Other hazards | yes |
| 2.3 | | Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB. | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|------------|---|
| Acute Tox. | Acute toxicity |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BOD | Biochemical Oxygen Demand |
| Carc. | Carcinogenicity |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substance |
| Ceiling-C | Ceiling value |
| COD | Chemical oxygen demand |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causin 50 % changes in response (e.g. on growth) during a specified time interval |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| Eye Dam. | Seriously damaging to the eye |
| Eye Irrit. | Irritant to the eye |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United N tions |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |

Australia (en) Page 16 / 18

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

article number: 2496

| Abbr. | Descriptions of used abbreviations |
|-------------|---|
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| log KOW | n-Octanol/water |
| MARPOL | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant") |
| Met. Corr. | Substance or mixture corrosive to metals |
| NLP | No-Longer Polymer |
| Ox. Liq. | Oxidising liquid |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| ppm | Parts per million |
| Repr. | Reproductive toxicity |
| Skin Corr. | Corrosive to skin |
| Skin Irrit. | Irritant to skin |
| Skin Sens. | Skin sensitisation |
| STEL | Short-term exposure limit |
| STOT RE | Specific target organ toxicity - repeated exposure |
| STOT SE | Specific target organ toxicity - single exposure |
| TWA | Time-weighted average |
| UN RTDG | UN Recommendations on the Transport of Dangerous Good |
| vPvB | Very Persistent and very Bioaccumulative |
| WES | Safe Work Australia: Workplace exposure standards for airborne contaminants |

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Text |
|-------------------------------|
| May intensify fire; oxidiser. |
| May be corrosive to metals. |
| Fatal if swallowed. |
| Toxic if swallowed. |
| Harmful if swallowed. |
| |

Australia (en) Page 17 / 18

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

article number: 2496

| Code | Text |
|------|--|
| H310 | Fatal in contact with skin. |
| H311 | Toxic in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H330 | Fatal if inhaled. |
| H331 | Toxic if inhaled. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |
| H350 | May cause cancer. |
| H361 | Suspected of damaging fertility or the unborn child. |
| H370 | Causes damage to organs. |
| H371 | May cause damage to organs. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 18 / 18