

date of compilation: 2016-09-08

Revision: 2022-01-17

#### Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

article number: **2496** Version: **3.0 en** Replaces version of: 2022-01-13 Version: (2)

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

Identification of the substance

Registration number (REACH)

Article number

**Single-Element** ICP - Standard Solution ROTI®Star 10 000 mg/l Be

2496

not relevant (mixture)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

#### e-mail (competent person):

#### sicherheit@carlroth.de

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	01 809 2166	https:// www.poisons.ie/

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

according to Regulation (EC) No. 1907/2006 (REACH)



### Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

article number: 2496

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1D	Acute toxicity (dermal)	3	Acute Tox. 3	H311
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.4S	Skin sensitisation	1	Skin Sens. 1	H317
3.6	Carcinogenicity	1B	Carc. 1B	H350i
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373

#### Supplemental hazard information

Code	Supplemental hazard information
EUH071	corrosive to the respiratory tract

For full text of abbreviations: see SECTION 16

#### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

#### **Pictograms**



# GHS08

GHS05, GHS06,

#### Hazard statements

H290	May be corrosive to metals
H302+H332	Harmful if swallowed or if inhaled
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H350i	May cause cancer by inhalation
H373	May cause damage to organs through prolonged or repeated exposure

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P280

Wear protective gloves/protective clothing/eye protection/face protection

according to Regulation (EC) No. 1907/2006 (REACH)



article number: 2496

EUH071



#### Supplemental hazard information

Corrosive to the respiratory tract.

Hazardous ingredients for labelling:

Beryllium oxide, Hydrofluoric acid ... %, Nitric acid ...% [C  $\leq$  70 %]

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)



H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H350i	May cause cancer by inhalation.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
EUH071	Corrosive to the respiratory tract.
contains:	Beryllium oxide, Hydrofluoric acid %, Nitric acid% [C ≤ 70 %]

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

not relevant (mixture)

#### 3.2 Mixtures

#### Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2 Index No 007-030-00-3 REACH Reg. No 01-2119487297- 23-xxxx	5	Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 EUH071		B(a) GHS-HC IOELV
beryllium oxide	CAS No 1304-56-9 EC No 215-133-1 Index No 004-003-00-8	2,5 - < 3	Acute Tox. 3 / H301 Acute Tox. 2 / H330 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Carc. 1B / H350i STOT SE 3 / H335 STOT RE 1 / H372		GHS-HC IOELV



according to Regulation (EC) No. 1907/2006 (REACH)



#### Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

#### article number: 2496

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Hydrofluoric acid %	CAS No 7664-39-3 EC No 231-634-8 Index No 009-003-00-1 REACH Reg. No 01-2119458860- 33-xxxx	1	Acute Tox. 2 / H300 Acute Tox. 1 / H310 Acute Tox. 2 / H330 Skin Corr. 1A / H314 Eye Dam. 1 / H318		B(a) GHS-HC IOELV

#### Notes

B(a): The classification refers to an aqueous solution GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI)

IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	<b>M-Factors</b>	ATE	Exposure route
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2	Ox. Liq. 3; H272: C ≥ 65 % Skin Corr. 1A; H314: C ≥ 20 %	-	2,65 <sup>mg</sup> / <sub>l</sub> /4h	inhalation: va- pour
	EC No 231-714-2	Skin Corr. 1B; H314: 5 % ≤ C < 20 %			
	Index No 007-030-00-3				
beryllium oxide	CAS No 1304-56-9	-	-	100 <sup>mg</sup> / <sub>kg</sub> 0,05 <sup>mg</sup> / <sub>l</sub> /4h	oral inhalation: dust/ mist
	EC No 215-133-1				mst
	Index No 004-003-00-8				
Hydrofluoric acid %	CAS No 7664-39-3	Skin Corr. 1A; H314: C ≥ 7 % Skin Corr. 1B; H314: 1 % ≤ C < 7 % Eye Dam. 1; H318: C ≥ 1 %	-	5 <sup>mg</sup> / <sub>kg</sub> 5 <sup>mg</sup> / <sub>kg</sub> 100 <sup>ppmV</sup> / <sub>4h</sub>	oral dermal inhalation: gas
	EC No 231-634-8	Eye Irrit. 2; H319: 0,1 % ≤ C < 1 %		0,5 <sup>mg</sup> / <sub>l</sub> /4h	inhalation: va- pour
	Index No 009-003-00-1				

For full text of abbreviations: see SECTION 16

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off immediately all contaminated clothing. Self-protection of the first aider.



#### Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

#### article number: 2496

#### **Following inhalation**

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Medical treatment necessary.

#### Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure. Rub with a gel containing calcium gluconate. In case of skin reactions, consult a physician.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

#### **Following ingestion**

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Rinse copiously with a calcium gluconate solution.

#### 4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Vomiting, Risk of blindness, Gastric perforation, Risk of serious damage to eyes, Allergic reactions

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

according to Regulation (EC) No. 1907/2006 (REACH)



#### Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

article number: 2496

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Use extractor hood (laboratory). Handle and open container with care. Avoid exposure. Clear contaminated areas thoroughly.

#### Advice on general occupational hygiene

Thorough skin-cleansing after handling the product.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice:

Store locked up.

#### Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

according to Regulation (EC) No. 1907/2006 (REACH)



#### Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

#### article number: 2496

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 **Control parameters**

#### National limit values

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	beryllium, inorganic compounds	1304-56- 9	IOELV		0,0002					i, Be- limit	2019/ 983/EU
EU	hydrogen fluoride	7664-39- 3	IOELV	1,8	1,5	3	2,5				2000/39/ EC
EU	nitric acid	7697-37- 2	IOELV			1	2,6				2006/15/ EC
IE	beryllium, inorganic compounds	1304-56- 9	OELV		0,0002					Be, i	S.I. No. 619 of 2001
IE	hydrogen fluoride	7664-39- 3	OELV	1,8	1,5	3	2,5			F	S.I. No. 619 of 2001
IE	nitric acid	7697-37- 2	OELV			1	2,6				S.I. No. 619 of 2001

#### Notation

ſ

Be Calculated as Be (beryllium)

Be-limit

Ceiling value 0,0006 mg/m3 until 11 July 2026 Ceiling value is a limit value above which exposure should not occur Calculated as F (fluorine) Ceiling-C

STEL

Inhalable fraction Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

Relevant DNELs	of compone	ents of th	e mixture			
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Hydrofluoric acid %	7664-39-3	DNEL	1,5 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Hydrofluoric acid %	7664-39-3	DNEL	2,5 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	acute - systemic effects
Hydrofluoric acid %	7664-39-3	DNEL	1,5 µg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Hydrofluoric acid %	7664-39-3	DNEL	2,5 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	acute - local ef- fects

٦

according to Regulation (EC) No. 1907/2006 (REACH)



#### Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

article number: 2496

Relevant PNECs	of compone	nts of th	e mixture			
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Hydrofluoric acid %	7664-39-3	PNEC	0,9 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Hydrofluoric acid %	7664-39-3	PNEC	0,9 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Hydrofluoric acid %	7664-39-3	PNEC	51 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Hydrofluoric acid %	7664-39-3	PNEC	11 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection. Wear face protection.

#### Skin protection



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

according to Regulation (EC) No. 1907/2006 (REACH)

#### Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

article number: 2496

#### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation.

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	stinging
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	(unknown) not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	<2 (acidic)
Kinematic viscosity	not determined
Solubility(ies)	
Water solubility	miscible in any proportion
Partition coefficient	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	not determined
Density and/or relative density	
Density	~ 1 <sup>g</sup> / <sub>cm³</sub> at 20 °C
Relative vapour density	information on this property is not available
Particle characteristics	not relevant (liquid)
Other safety parameters	



according to Regulation (EC) No. 1907/2006 (REACH)



#### Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

#### article number: 2496

Oxidising properties

#### 9.2 Other information

Information with regard to physical hazard classes:

Corrosive to metals

Other safety characteristics:

Miscibility

category 1: corrosive to metals

completely miscible with water

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Substance or mixture corrosive to metals.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

none

#### **10.3** Possibility of hazardous reactions

**Violent reaction with:** Strong alkali, Alkali hydroxide (caustic alkali), Alkali metals, Fluorine, Metals, Phosphorus oxides, Strong alkali

#### 10.4 Conditions to avoid

Keep away from heat.

- **10.5 Incompatible materials** different metals
- 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

#### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Harmful if swallowed. Toxic in contact with skin. Harmful if inhaled.

cute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: vapour	2,65 <sup>mg</sup> / <sub>ا</sub> /4h
beryllium oxide	1304-56-9	oral	100 <sup>mg</sup> / <sub>kg</sub>
beryllium oxide	1304-56-9	inhalation: dust/mist	0,05 <sup>mg</sup> / <sub>l</sub> /4h
Hydrofluoric acid %	7664-39-3	oral	5 <sup>mg</sup> / <sub>kg</sub>

according to Regulation (EC) No. 1907/2006 (REACH)



## Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

#### article number: 2496

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
Hydrofluoric acid %	7664-39-3	dermal	5 <sup>mg</sup> / <sub>kg</sub>
Hydrofluoric acid %	7664-39-3	inhalation: gas	100 <sup>ppmV</sup> / <sub>4h</sub>
Hydrofluoric acid %	7664-39-3	inhalation: vapour	0,5 <sup>mg</sup> /ı/4h

#### Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: va- pour	LC50	>2,65 <sup>mg</sup> / <sub>l</sub> /4h	rat

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### **Respiratory or skin sensitisation**

May cause an allergic skin reaction.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

May cause cancer by inhalation.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

#### • If in eyes

causes burns, Causes serious eye damage, risk of blindness

#### • If inhaled

corrosive to the respiratory tract, cough, Dyspnoea

#### • If on skin

causes severe burns, causes poorly healing wounds, May produce an allergic reaction, pruritis, localised redness

#### Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

article number: 2496

#### Other information

#### none

- **11.2 Endocrine disrupting properties** None of the ingredients are listed.
- 11.3 Information on other hazards

There is no additional information.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture					
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Hydrofluoric acid %	7664-39-3	EC50	48 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	96 h

#### **Biodegradation**

The methods for determining the biological degradability are not applicable to inorganic substances.

#### 12.2 Process of degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Hydrofluoric acid %	7664-39-3	53 - 58		

#### 12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** None of the ingredients are listed.

#### 12.7 Other adverse effects

Data are not available.



according to Regulation (EC) No. 1907/2006 (REACH)



#### Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

article number: 2496

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## **SECTION 14: Transport information**

14.1	UN number or ID number	
	ADR/RID/ADN	UN 2922
	IMDG-Code	UN 2922
	ICAO-TI	UN 2922
14.2	UN proper shipping name	
	ADR/RID/ADN	CORROSIVE LIQUID, TOXIC, N.O.S.
	IMDG-Code	CORROSIVE LIQUID, TOXIC, N.O.S.
	ICAO-TI	Corrosive liquid, toxic, n.o.s.
	Technical name (hazardous ingredients)	Hydrofluoric acid %, Beryllium oxide
14.3	Transport hazard class(es)	
	ADR/RID/ADN	8 (6.1)
	IMDG-Code	8 (6.1)
	ICAO-TI	8 (6.1)
14.4	Packing group	
	ADR/RID/ADN	II
	IMDG-Code	II
	ICAO-TI	II
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations

according to Regulation (EC) No. 1907/2006 (REACH)



#### Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

article number: 2496

## **14.6** Special precautions for user Provisions for dangerous goods (ADR) should be complied within the premises.

#### **14.7** Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

# Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name	CORROSIVE LIQUID, TOXIC, N.O.S.
Particulars in the transport document	UN2922, CORROSIVE LIQUID, TOXIC, N.O.S., (con- tains: Hydrofluoric acid %, beryllium oxide), 8 (6.1), II, (E)
Classification code	CT1
Danger label(s)	8+6.1
Special provisions (SP)	274, 802(ADN)
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	86
International Maritime Dangerous Goods Code	(IMDG) - Additional information
International Maritime Dangerous Goods Code Proper shipping name	(IMDG) - Additional information CORROSIVE LIQUID, TOXIC, N.O.S.
-	
Proper shipping name	CORROSIVE LIQUID, TOXIC, N.O.S. UN2922, CORROSIVE LIQUID, TOXIC, N.O.S., (con- tains: Hydrofluoric acid %, beryllium oxide), 8
Proper shipping name Particulars in the shipper's declaration	CORROSIVE LIQUID, TOXIC, N.O.S. UN2922, CORROSIVE LIQUID, TOXIC, N.O.S., (con- tains: Hydrofluoric acid %, beryllium oxide), 8
Proper shipping name Particulars in the shipper's declaration Marine pollutant	CORROSIVE LIQUID, TOXIC, N.O.S. UN2922, CORROSIVE LIQUID, TOXIC, N.O.S., (con- tains: Hydrofluoric acid %, beryllium oxide), 8 (6.1), II
Proper shipping name Particulars in the shipper's declaration Marine pollutant	CORROSIVE LIQUID, TOXIC, N.O.S. UN2922, CORROSIVE LIQUID, TOXIC, N.O.S., (con- tains: Hydrofluoric acid %, beryllium oxide), 8 (6.1), II
Proper shipping name Particulars in the shipper's declaration Marine pollutant Danger label(s)	CORROSIVE LIQUID, TOXIC, N.O.S. UN2922, CORROSIVE LIQUID, TOXIC, N.O.S., (con- tains: Hydrofluoric acid %, beryllium oxide), 8 (6.1), II - 8+6.1
Proper shipping name Particulars in the shipper's declaration Marine pollutant Danger label(s) $$ $Special provisions (SP)$	CORROSIVE LIQUID, TOXIC, N.O.S. UN2922, CORROSIVE LIQUID, TOXIC, N.O.S., (con- tains: Hydrofluoric acid %, beryllium oxide), 8 (6.1), II - 8+6.1
Proper shipping name Particulars in the shipper's declaration Marine pollutant Danger label(s) $$ $Special provisions (SP)Excepted quantities (EQ)$	CORROSIVE LIQUID, TOXIC, N.O.S. UN2922, CORROSIVE LIQUID, TOXIC, N.O.S., (con- tains: Hydrofluoric acid %, beryllium oxide), 8 (6.1), II - 8+6.1 274 E2
Proper shipping name Particulars in the shipper's declaration Marine pollutant Danger label(s) $$ $Special provisions (SP)Excepted quantities (EQ)Limited quantities (LQ)$	CORROSIVE LIQUID, TOXIC, N.O.S. UN2922, CORROSIVE LIQUID, TOXIC, N.O.S., (con- tains: Hydrofluoric acid %, beryllium oxide), 8 (6.1), II - 8+6.1 274 E2 1 L

according to Regulation (EC) No. 1907/2006 (REACH)



#### Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

article number: 2496

International Civil Aviation Organization (ICAC	-IATA/DGR) - Additional information
Proper shipping name	Corrosive liquid, toxic, n.o.s.
Particulars in the shipper's declaration	UN2922, Corrosive liquid, toxic, n.o.s., (contains: Hydrofluoric acid %, beryllium oxide), 8 (6.1), II
Danger label(s)	8+6.1
Special provisions (SP)	A3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	0,5 L

## SECTION 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

#### **Relevant provisions of the European Union (EU)**

#### **Restrictions according to REACH, Annex XVII**

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Beryllium ICP Standard Solution 10000 mg/l Be	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
beryllium oxide	carcinogenic		R28-30	28
Nitric acid% [C ≤ 70 %]	substances in tattoo inks and perman- ent make-up		R75	75

#### Legend

R28-30 1. Shall not be placed on the market, or used,

- as substances - as constituents of other substances, or,

in mixtures,

for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:

either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,
 the relevant concentration specified in Directive 1999/45/EC where no specific concentration limit is set out in Part 3 of Annex VI to Regulation (EC) No 1272/2008.

Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows: 'Restricted to professional users'.

(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;
 (b) cosmetic products as defined by Directive 76/768/EEC;

(c) the following fuels and oil products:

motor fuels which are covered by Directive 98/70/EC

- motor fuels which are covered by Directive 98/70/EC,
- mineral oil products intended for use as fuel in mobile or fixed combustion plants,
- fuels sold in closed systems (e.g. liquid gas bottles);
(d) artists' paints covered by Directive 1999/45/EC;
(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date;
(f) devices covered by Regulation (EU) 2017/745.

Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

#### article number: 2496

#### Legend R3

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
2. Articles not complying with paragraph 1 shall not be placed on the market.
3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

can be used as fuel in decorative oil lamps for supply to the general public, and present an aspiration hazard and are labelled with H304.

4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and pack-aging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black on a containers not acceding 1 litre by 1 December 2010." opaque containers not exceeding 1 litre by 1 December 2010.';





### Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

#### article number: 2496



according to Regulation (EC) No. 1907/2006 (REACH)



## Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

#### article number: 2496

#### Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

#### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed.

#### **Seveso Directive**

2012/	2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes		
	not assigned				

#### **Deco-Paint Directive**

VOC content	0 % , 0 <sup>g</sup> / <sub>1</sub>

#### **Industrial Emissions Directive (IED)**

VOC content	0 %
VOC content Water content was discounted	0 <sup>g</sup> /l

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

#### Water Framework Directive (WFD)

ist of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
beryllium oxide	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	
beryllium oxide	Metals and their compounds		A)	

Legend

A)

Indicative list of the main pollutants

according to Regulation (EC) No. 1907/2006 (REACH)



#### Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

article number: 2496

xplosives precursors which are subject to restrictions					
Name of substance	CAS No	Type of registration	Remarks	Limit value	Upper limit value for the pur- pose of licensing under Article 5(3)
Nitric acid% [C ≤ 70 %]	7697-37-2	Annex I		3 % w/w	10 % w/w

#### Legend annex I

Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below

#### **Additional statements**

If the product is passed on to third parties, in accordance with Article 7 "Notification of the supply chain" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on restricted and regulated raw materials.

#### **Regulation on drug precursors**

none of the ingredients are listed

#### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

#### **Regulation on persistent organic pollutants (POP)**

none of the ingredients are listed

#### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed

according to Regulation (EC) No. 1907/2006 (REACH)



#### article number: 2496

Country	Inventory	Status
NZ	NZIoC	all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

#### Legend

Legenu	
AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NDSL	Non-domestic Substances List (NDSL)
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

#### Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes

### Restructuring: section 9, section 14

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
2019/983/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protec- tion of workers from the risks related to exposure to carcinogens or mutagens at work
Acute Tox.	Acute toxicity



according to Regulation (EC) No. 1907/2006 (REACH)



## Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

## article number: 2496

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water

according to Regulation (EC) No. 1907/2006 (REACH)



### Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

#### article number: **2496**

Abbr.	Descriptions of used abbreviations
Met. Corr.	Substance or mixture corrosive to metals
NLP	No-Longer Polymer
Ox. Liq.	Oxidising liquid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.

according to Regulation (EC) No. 1907/2006 (REACH)

#### Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Be

article number: **2496** 

Code	Text
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H350i	May cause cancer by inhalation.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

