

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cadmium telluride ROTI®nanoMETIC λ max. 750 ±5 nm

article number: **24TH**
Version: **2.0 en**
Replaces version of: 2023-10-09
Version: (1)

date of compilation: 2023-10-09
Revision: 2024-03-04

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

| | |
|---------------------------------|---|
| Identification of the substance | Cadmium telluride ROTI®nanoMETIC λ max. 750 ±5 nm |
| Article number | 24TH |
| Registration number (REACH) | It is not required to list the identified uses because the substance is not subject to registration according to REACH (< 1 t/a). |
| Index number in CLP Annex VI | 048-001-00-5 |
| EC number | 215-149-9 |
| CAS number | 1306-25-8 |
| Form | Nanoform |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| | |
|---------------------------|---|
| Relevant identified uses: | Laboratory chemical Laboratory and analytical use |
| Uses advised against: | Do not use for private purposes (household). Food, drink and animal feedingstuffs. |

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone:+49 (0) 721 - 56 06 0
Telefax: +49 (0) 721 - 56 06 149
e-mail: sicherheit@carlroth.de
Website: www.carlroth.de

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

e-mail (competent person): **sicherheit@carlroth.de**

1.4 Emergency telephone number

| Name | Street | Postal code/city | Telephone | Website |
|--|---------------|------------------|-----------------|---|
| National Poisons Information Centre Beaumont Hospital | Beaumont Road | Dublin 9 | +353 1 809 2166 | https://www.poisons.ie/ |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cadmium telluride ROTI® nanoMETIC λ max. 750 \pm 5 nm

article number: 24TH

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class | Cat-egory | Hazard class and category | Hazard statement |
|---------|---|-----------|---------------------------|------------------|
| 3.1O | Acute toxicity (oral) | 4 | Acute Tox. 4 | H302 |
| 3.1D | Acute toxicity (dermal) | 4 | Acute Tox. 4 | H312 |
| 3.1I | Acute toxicity (inhal.) | 4 | Acute Tox. 4 | H332 |
| 4.1A | Hazardous to the aquatic environment - acute hazard | 1 | Aquatic Acute 1 | H400 |
| 4.1C | Hazardous to the aquatic environment - chronic hazard | 1 | Aquatic Chronic 1 | H410 |

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word

Warning

Pictograms

GHS07, GHS09



Hazard statements

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled
H410 Very toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P270 Do not eat, drink or smoke when using this product
P273 Avoid release to the environment

Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of water

Labelling of packages where the contents do not exceed 125 ml

Signal word: **Warning**

Symbol(s)



Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cadmium telluride ROTI® nanoMETIC λ max. 750 \pm 5 nm

article number: 24TH

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

| | |
|-------------------|-------------------|
| Name of substance | Cadmium telluride |
| Molecular formula | CdTe |
| Molar mass | 240 g/mol |
| CAS No | 1306-25-8 |
| EC No | 215-149-9 |
| Index No | 048-001-00-5 |
| Form | Nanoform |

| Substance, Specific Conc. Limits, M-factors, ATE | | | |
|--|-----------|--|---|
| Specific Conc. Limits | M-Factors | ATE | Exposure route |
| - | - | 500 mg/kg 1.100 mg/kg >1,5 mg/l/4h | oral dermal inhalation: dust/ mist |

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cadmium telluride ROTI® nanoMETIC λ max. 750 \pm 5 nm

article number: **24TH**

4.2 Most important symptoms and effects, both acute and delayed

Vomiting, Pulmonary oedema, Cough, Nausea, Dyspnoea

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings!
water, foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cadmium telluride ROTI® nanoMETIC λ max. 750 \pm 5 nm

article number: **24TH**

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid dust formation.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep in a cool place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 2 – 8 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Country | Name of agent | CAS No | Identifier | TWA [mg/m ³] | STEL [mg/m ³] | Ceiling-C [mg/m ³] | Notation | Source |
|---------|------------------------------|--------|------------|--------------------------|---------------------------|--------------------------------|-------------------------|----------------------|
| EU | cadmium, inorganic compounds | | IOELV | 0,004 | | | i | 2019/983/EU |
| IE | cadmium, inorganic compounds | | OELV | 0,004 | | | i | S.I. No. 619 of 2001 |
| IE | dusts, non-specific | | OELV | 10 | | | i | S.I. No. 619 of 2001 |
| IE | dusts, non-specific | | OELV | 4 | | | r | S.I. No. 619 of 2001 |
| IE | tellurium compounds | | OELV | 0,1 | | | Te, exH ₂ Te | S.I. No. 619 of 2001 |

Notation

Ceiling-C
exH₂Te
i
r

Ceiling value is a limit value above which exposure should not occur
Except hydrogen telluride
Inhalable fraction
Respirable fraction

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cadmium telluride ROTI® nanoMETIC λ max. 750 ±5 nm

article number: 24TH

Notation

| | |
|------|--|
| STEL | Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) |
| Te | Calculated as Te (tellurium) |
| TWA | Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) |

Human health values

| Relevant DNELs and other threshold levels | | | | |
|---|---------------------|------------------------------------|-------------------|-------------------------|
| Endpoint | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
| DNEL | 4 µg/m ³ | human, inhalatory | worker (industry) | chronic - local effects |

Environmental values

| Relevant PNECs and other threshold levels | | | | |
|---|-----------------|-----------------------|------------------------------|------------------------------|
| End-point | Threshold level | Organism | Environmental compartment | Exposure time |
| PNEC | 0,19 µg/l | aquatic organisms | freshwater | short-term (single instance) |
| PNEC | 1,14 µg/l | aquatic organisms | marine water | short-term (single instance) |
| PNEC | 20 µg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| PNEC | 1,8 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| PNEC | 0,64 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| PNEC | 0,9 mg/kg | terrestrial organisms | soil | short-term (single instance) |

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cadmium telluride ROTI® nanoMETIC λ max. 750 \pm 5 nm

article number: 24TH

a guide.

- **type of material**

NBR (Nitrile rubber)

- **material thickness**

>0,11 mm


- **breakthrough times of the glove material**

>480 minutes (permeation: level 6)

- **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--|------------------------------|
| Physical state | solid |
| Form | nanoparticle |
| Colour | dark green |
| Odour | odourless |
| Melting point/freezing point | 1.092 °C |
| Boiling point or initial boiling point and boiling range | 1.130 °C |
| Flammability | non-combustible |
| Lower and upper explosion limit | not determined |
| Flash point | not applicable |
| Auto-ignition temperature | not determined |
| Decomposition temperature | 736 – 761 °C at 1 atm (ECHA) |
| pH (value) | not applicable |
| Kinematic viscosity | not relevant |
| <u>Solubility(ies)</u> | |
| Water solubility | not determined |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cadmium telluride ROTI® nanoMETIC λ max. 750 \pm 5 nm

article number: 24TH

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

Density and/or relative density

Density 5,83 g/cm³ at 22 °C (ECHA)

Relative vapour density Information on this property is not available.

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Strong acid

10.4 Conditions to avoid

Keep away from heat. Decomposition takes place from temperatures above: 736 – 761 °C at 1 atm.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cadmium telluride ROTI® nanoMETIC λ max. 750 \pm 5 nm

article number: 24TH

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.

| Acute toxicity | | | | | |
|----------------|----------|--------------|---------|--------|--------|
| Exposure route | Endpoint | Value | Species | Method | Source |
| oral | LD50 | >2.000 mg/kg | rat | | ECHA |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

• If in eyes

Data are not available.

• If inhaled

Data are not available.

• If on skin

Data are not available.

• Other information

Headache, Dyspnoea, Pulmonary oedema, Nausea

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cadmium telluride ROTI® nanoMETIC λ max. 750 ±5 nm

article number: 24TH

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

| Aquatic toxicity (acute) | | | | |
|--------------------------|--------------------|-----------------------|--------|---------------|
| Endpoint | Value | Species | Source | Exposure time |
| LC50 | $>1 \text{ g/l}$ | fish | ECHA | 96 h |
| EC50 | $0,4 \text{ mg/l}$ | aquatic invertebrates | ECHA | 48 h |

| Aquatic toxicity (chronic) | | | | |
|----------------------------|-----------------------|-----------------------|--------|---------------|
| Endpoint | Value | Species | Source | Exposure time |
| LC50 | $0,25 \text{ mg/l}$ | aquatic invertebrates | ECHA | 21 d |
| EC50 | $>1.000 \text{ mg/l}$ | microorganisms | ECHA | 3 h |

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cadmium telluride ROTI® nanoMETIC λ max. 750 \pm 5 nm

article number: 24TH

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP 6 acute toxicity
HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

| | |
|-----------|---------|
| ADRRID | UN 3077 |
| IMDG-Code | UN 3077 |
| ICAO-TI | UN 3077 |

14.2 UN proper shipping name

| | |
|----------------|--|
| ADRRID | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. |
| IMDG-Code | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. |
| ICAO-TI | Environmentally hazardous substance, solid, n.o.s. |
| Technical name | Cadmium telluride |

14.3 Transport hazard class(es)

| | |
|-----------|---|
| ADRRID | 9 |
| IMDG-Code | 9 |
| ICAO-TI | 9 |

14.4 Packing group

| | |
|-----------|-----|
| ADRRID | III |
| IMDG-Code | III |
| ICAO-TI | III |

14.5 Environmental hazards

hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cadmium telluride ROTI® nanoMETIC λ max. 750 \pm 5 nm



article number: 24TH

14.7 Maritime transport in bulk according to IMO instruments



The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) Additional information

| | |
|---|--|
| Proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. |
| Particulars in the transport document | UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (Cadmium telluride), 9, III, (-) |
| Classification code | M7 |
| Danger label(s) | 9, "Fish and tree" |
|   | |
| Environmental hazards | yes (hazardous to the aquatic environment) |
| Special provisions (SP) | 274, 335, 375, 601 |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 5 kg |
| Transport category (TC) | 3 |
| Tunnel restriction code (TRC) | - |
| Hazard identification No | 90 |

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) Additional information

| | |
|---|---------------------------|
| Classification code | M7 |
| Danger label(s) | 9, "Fish and tree" |
|   | |
| Environmental hazards | Yes Hazardous to water |
| Special provisions (SP) | 274, 335, 375, 601 |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 5 kg |
| Transport category (TC) | 3 |
| Hazard identification No | 90 |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cadmium telluride ROTI® nanoMETIC λ max. 750 ±5 nm

article number: 24TH

International Maritime Dangerous Goods Code (IMDG) - Additional information

| | |
|--|---|
| Proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. |
| Particulars in the shipper's declaration | UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (Cadmium telluride), 9, III |
| Marine pollutant | YES (hazardous to the aquatic environment), (Cadmium telluride) |
| Danger label(s) | 9, "Fish and tree" |
| | |
| Special provisions (SP) | 274, 335, 966, 967, 969 |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 5 kg |
| EmS | F-A, S-F |
| Stowage category | A |

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

| | |
|--|---|
| Proper shipping name | Environmentally hazardous substance, solid, n.o.s. |
| Particulars in the shipper's declaration | UN3077, Environmentally hazardous substance, solid, n.o.s., (Cadmium telluride), 9, III |
| Environmental hazards | YES (hazardous to the aquatic environment) |
| Danger label(s) | 9, "Fish and tree" |
| | |
| Special provisions (SP) | A97, A158, A179, A197, A215 |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 30 kg |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)

| Name of substance | Name acc. to inventory | CAS No | Restriction | No |
|-------------------|------------------------|--------|-------------|----|
| Cadmium telluride | cadmium compounds | | R23 | 23 |

Legend

R23 For the purpose of this entry, the codes and chapters indicated in square brackets are the codes and chapters of the tariff and statistical nomenclature of Common Customs Tariff as established by Council Regulation (EEC) No 2658/87 (1).
1. Shall not be used in mixtures and articles produced from the following synthetic organic polymers (hereafter referred to as plastic material):
- polymers or copolymers of vinyl chloride (PVC) [3904 10] [3904 21]
- polyurethane (PUR) [3909 50]

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cadmium telluride ROTI® nanoMETIC λ max. 750 ±5 nm

article number: 24TH

Legend

- low-density polyethylene (LDPE), with the exception of low-density polyethylene used for the production of coloured masterbatch [3901 10]
- cellulose acetate (CA) [3912 11]
- cellulose acetate butyrate (CAB) [3912 11]
- epoxy resins [3907 30]
- melamine-formaldehyde (MF) resins [3909 20]
- urea-formaldehyde (UF) resins [3909 10]
- unsaturated polyesters (UP) [3907 91]
- polyethylene terephthalate (PET) [3907 60]
- polybutylene terephthalate (PBT)
- transparent/general-purpose polystyrene [3903 11]
- acrylonitrile methylmethacrylate (AMMA)
- cross-linked polyethylene (VPE)
- high-impact polystyrene
- polypropylene (PP) [3902 10]

Mixtures and articles produced from plastic material as listed above shall not be placed on the market if the concentration of cadmium (expressed as Cd metal) is equal to or greater than 0,01 % by weight of the plastic material. By way of derogation, the second subparagraph shall not apply to articles placed on the market before 10 December 2011.

The first and second subparagraphs apply without prejudice to Council Directive 94/62/EC (13) and acts adopted on its basis.

By 19 November 2012, in accordance with Article 69, the Commission shall ask the European Chemicals Agency to prepare a dossier conforming to the requirements of Annex XV in order to assess whether the use of cadmium and its compounds in plastic material, other than that listed in subparagraph 1, should be restricted.

2. Shall not be used or placed on the market in paints with codes [3208] [3209] in a concentration (expressed as Cd metal) equal to or greater than 0,01 % by weight.

For paints with codes [3208] [3209] with a zinc content exceeding 10 % by weight of the paint, the concentration of cadmium (expressed as Cd metal) shall not be equal to or greater than 0,1 % by weight.

Painted articles shall not be placed on the market if the concentration of cadmium (expressed as Cd metal) is equal to or greater than 0,1 % by weight of the paint on the painted article.

3. By way of derogation, paragraphs 1 and 2 shall not apply to articles coloured with mixtures containing cadmium for safety reasons.

4. By way of derogation, paragraph 1, second subparagraph shall not apply to:

- mixtures produced from PVC waste, hereinafter referred to as 'recovered PVC',
- mixtures and articles containing recovered PVC if their concentration of cadmium (expressed as Cd metal) does not exceed 0,1 % by weight of the plastic material in the following rigid PVC applications:

- profiles and rigid sheets for building applications;
- doors, windows, shutters, walls, blinds, fences, and roof gutters;
- decks and terraces;
- cable ducts;

(e) pipes for non-drinking water if the recovered PVC is used in the middle layer of a multilayer pipe and is entirely covered with a layer of newly produced PVC in compliance with paragraph 1 above.

Suppliers shall ensure, before the placing on the market of mixtures and articles containing recovered PVC for the first time, that these are visibly, legibly and indelibly marked as follows: 'Contains recovered PVC' or with the following pictogram:

In accordance with Article 69 of this Regulation, the derogation granted in paragraph 4 will be reviewed, in particular with a view to reducing the limit value for cadmium and to reassess the derogation for the applications listed in points (a) to (e), by 31 December 2017.

5. For the purpose of this entry, 'cadmium plating' means any deposit or coating of metallic cadmium on a metallic surface.

Shall not be used for cadmium plating metallic articles or components of the articles used in the following sectors/applications:

- equipment and machinery for:
 - food production [8210] [8417 20] [8419 81] [8421 11] [8421 22] [8422] [8435] [8437] [8438] [8476 11]
 - agriculture [8419 31] [8424 81] [8432] [8433] [8434] [8436]
 - cooling and freezing [8418]
 - printing and book-binding [8440] [8442] [8443]
- equipment and machinery for the production of:
 - household goods [7321] [8421 12] [8450] [8509] [8516]
 - furniture [8465] [8466] [9401] [9402] [9403] [9404]
 - sanitary ware [7324]
 - central heating and air conditioning plant [7322] [8403] [8404] [8415]

In any case, whatever their use or intended final purpose, the placing on the market of cadmium-plated articles or components of such articles used in the sectors/applications listed in points (a) and (b) above and of articles manufactured in the sectors listed in point (b) above is prohibited.

6. The provisions referred to in paragraph 5 shall also be applicable to cadmium-plated articles or components of such articles when used in the sectors/applications listed in points (a) and (b) below and to articles manufactured in the sectors listed in (b) below:

- equipment and machinery for the production of:
 - paper and board [8419 32] [8439] [8441] textiles and clothing [8444] [8445] [8447] [8448] [8449] [8451] [8452]
- equipment and machinery for the production of:
 - industrial handling equipment and machinery [8425] [8426] [8427] [8428] [8429] [8430] [8431]
 - road and agricultural vehicles [chapter 87]
 - rolling stock [chapter 86]
 - vessels [chapter 89]

7. However, the restrictions in paragraphs 5 and 6 shall not apply to:

- articles and components of the articles used in the aeronautical, aerospace, mining, offshore and nuclear sectors whose applications require high safety standards and in safety devices in road and agricultural vehicles, rolling stock and vessels,
- electrical contacts in any sector of use, where that is necessary to ensure the reliability required of the apparatus on

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cadmium telluride ROTI® nanoMETIC λ max. 750 ±5 nm

article number: 24TH

Legend

which they are installed.

8. Shall not be used in brazing fillers in concentration equal to or greater than 0,01 % by weight.

Brazing fillers shall not be placed on the market if the concentration of cadmium (expressed as Cd metal) is equal to or greater than 0,01 % by weight.

For the purpose of this paragraph brazing shall mean a joining technique using alloys and undertaken at temperatures above 450 °C.

9. By way of derogation, paragraph 8 shall not apply to brazing fillers used in defence and aerospace applications and to brazing fillers used for safety reasons.

10. Shall not be used or placed on the market if the concentration is equal to or greater than 0,01 % by weight of the metal in:

(i) metal beads and other metal components for jewellery making;

(ii) metal parts of jewellery and imitation jewellery articles and hair accessories, including:

- bracelets, necklaces and rings,

- piercing jewellery,

- wrist-watches and wrist-wear,

- brooches and cufflinks.

11. By way of derogation, paragraph 10 shall not apply to articles placed on the market before 10 December 2011 and jewellery more than 50 years old on 10 December 2011.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

Seveso Directive

| 2012/18/EU (Seveso III) | | | |
|-------------------------|--|---|-------|
| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | Notes |
| E1 | environmental hazards (hazardous to the aquatic environment, cat. 1) | 100 200 | 56) |

Notation

56) Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

Deco-Paint Directive

| | |
|-------------|-------|
| VOC content | 0 % |
| VOC content | 0 g/l |

Industrial Emissions Directive (IED)

| | |
|-------------|-------|
| VOC content | 0 % |
| VOC content | 0 g/l |

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cadmium telluride ROTI® nanoMETIC λ max. 750 ±5 nm

article number: 24TH

| List of pollutants (WFD) | | | | |
|--------------------------|---|-----------|-----------|---------|
| Name of substance | Name acc. to inventory | CAS No | Listed in | Remarks |
| Cadmium telluride | cadmium compounds | | b) | HAZ |
| Cadmium telluride | Cadmium and its compounds (depending on water hardness classes) | 7440-43-9 | c) | |
| Cadmium telluride | Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment | | a) | |
| Cadmium telluride | Metals and their compounds | | a) | |

Legend

- a) Indicative list of the main pollutants
- b) List of priority substances in the field of water policy
- c) Environmental Quality Standards for Priority Substances and certain other pollutants
- HAZ Identified as priority hazardous substance

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

| Name of substance | Name acc. to inventory | CAS No | Wt% | Category / subcategory | Use limitation |
|-------------------|------------------------|--------|-----|------------------------|----------------|
| Cadmium telluride | cadmium compounds | | 100 | i(1) i(2) | sr sr |
| Cadmium telluride | cadmium compounds | | 100 | i | sr |

Legend

- i Category: i - industrial chemical
- i(1) Sub-category: i(1) - industrial chemical for professional use
- i(2) Sub-category: i(2) - industrial chemical for public use
- sr Use limitation: severe restriction (for the sub-category or sub-categories concerned) according to Union legislation

Regulation on persistent organic pollutants (POP)

not listed

Dual-use Regulation

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cadmium telluride ROTI® nanoMETIC λ max. 750 \pm 5 nm

article number: 24TH

| Dual Use Items | |
|----------------|--|
| Code | Description |
| 6 | |
| 6C | |
| 6C002 | Optical sensor materials as follows: |
| | b. Single crystals (including epitaxial wafers) of any of the following: |
| | 2. Cadmium telluride (CdTe) of any purity level; or |

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

| Country | Inventory | Status |
|---------|------------|------------------------------|
| CA | DSL | substance is listed |
| CN | IECSC | substance is listed |
| EU | ECSI | substance is listed |
| EU | REACH Reg. | substance is listed |
| JP | ISHA-ENCS | substance is listed |
| KR | KECI | substance is listed |
| TW | TCSI | substance is listed |
| US | TSCA | substance is listed (ACTIVE) |
| VN | NCI | substance is listed |

Legend

| | |
|------------|---|
| DSL | Domestic Substances List (DSL) |
| ECSI | EC Substance Inventory (EINECS, ELINCS, NLP) |
| IECSC | Inventory of Existing Chemical Substances Produced or Imported in China |
| ISHA-ENCS | Inventory of Existing and New Chemical Substances (ISHA-ENCS) |
| KECI | Korea Existing Chemicals Inventory |
| NCI | National Chemical Inventory |
| REACH Reg. | REACH registered substances |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cadmium telluride ROTI® nanoMETIC λ max. 750 \pm 5 nm

article number: 24TH

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|--|---|-----------------|
| 2.3 | Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$. | Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$. | yes |
| 15.1 | | National inventories: change in the listing (table) | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-------------|--|
| 2019/983/EU | Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work |
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road) |
| ATE | Acute Toxicity Estimate |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |
| ED | Endocrine disruptor |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| IOELV | Indicative occupational exposure limit value |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Cadmium telluride ROTI® nanoMETIC λ max. 750 \pm 5 nm

article number: 24TH

| Abbr. | Descriptions of used abbreviations |
|----------------------|---|
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |
| S.I. No. 619 of 2001 | Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001 |
| STEL | Short-term exposure limit |
| SVHC | Substance of Very High Concern |
| TWA | Time-weighted average |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|---|
| H302 | Harmful if swallowed. |
| H312 | Harmful in contact with skin. |
| H332 | Harmful if inhaled. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.