acc. to Safe Work Australia - Code of Practice

Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Ni

article number: 2529 date of compilation: 2016-09-24 Version: GHS 2.0 en Revision: 2022-01-14

Replaces version of: 2016-09-24

Version: (GHS 1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance **Single-Element** ICP - Standard Solution

ROTI®Star 10 000 mg/l Ni

Article number

Relevant identified uses of the substance or mixture and uses advised against 1.2

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

sicherheit@carlroth.de e-mail (competent person):

1.4 **Emergency telephone number**

| Name | Street | Postal code/city | Telephone | Website |
|--|-----------------|-------------------------|-----------|---------|
| NSW Poisons Information Centre Childrens Hospital | Hawkesbury Road | 2145 West- mead, NSW | 131126 | |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

| Section | Hazard class | Cat- egory | Hazard class and category | Hazard statement |
|---------|--|---------------|---------------------------|---------------------|
| 2.16 | Substance or mixture corrosive to metals | 1 | Met. Corr. 1 | H290 |
| 3.2 | Skin corrosion/irritation | 2 | Skin Irrit. 2 | H315 |
| 3.3 | Serious eye damage/eye irritation | 1 | Eye Dam. 1 | H318 |
| 3.4R | Respiratory sensitisation | 1 | Resp. Sens. 1 | H334 |
| 3.4\$ | Skin sensitisation | 1 | Skin Sens. 1 | H317 |

Page 1 / 16 Australia (en)

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Ni

article number: 2529

| Section | Hazard class | Cat- egory | Hazard class and category | Hazard statement |
|---------|--|---------------|---------------------------|---------------------|
| 3.5 | Germ cell mutagenicity | 2 | Muta. 2 | H341 |
| 3.6 | Carcinogenicity | 1A | Carc. 1A | H350 |
| 3.7 | Reproductive toxicity | 1A | Repr. 1A | H360D |
| 3.9 | Specific target organ toxicity - repeated exposure | 2 | STOT RE 2 | H373 |

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS05, GHS08





Hazard statements

| H290 | May be corrosive to metals |
|-------|---|
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H318 | Causes serious eye damage |
| H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled |
| H341 | Suspected of causing genetic defects |
| H350 | May cause cancer |
| H360D | May damage the unborn child |
| H373 | May cause damage to organs through prolonged or repeated exposure |

Precautionary statements

Precautionary statements - prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray

P280 Wear protective gloves

Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P390 Absorb spillage to prevent material damage

Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant

For professional users only

Hazardous ingredients for labelling: Nickel dinitrate, Nitric acid ...% $[C \le 70 \%]$

Australia (en) Page 2 / 16

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Ni

article number: 2529

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

| Name of sub- stance | Identifier | Wt% | Classification acc. to GHS | Pictograms | Notes |
|-------------------------|----------------------|------|--|------------|-------|
| nickel dinitrate | CAS No 13138-45-9 | 3-<5 | Ox. Sol. 2 / H272 Acute Tox. 4 / H302 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1A / H350 Repr. 1A / H360D STOT RE 1 / H372 | | |
| Nitric acid% [C ≤ 70 %] | CAS No 7697-37-2 | 2 | Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 EUH071 | | B(a) |

Notes

B(a): The classification refers to an aqueous solution

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin reactions, consult a physician.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Australia (en) Page 3 / 16

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Ni

article number: 2529

Following ingestion

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Irritation, Cough, Dyspnoea, Corrosivity, Risk of blindness, Gastric perforation, Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Australia (en) Page 4 / 16

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Ni

article number: 2529

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 **Precautions for safe handling**

Use extractor hood (laboratory). Provision of sufficient ventilation. Avoid exposure.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Cou ntr y | Name of agent | CAS No | Identi- fier | TW A [pp m] | TWA [mg/ m³] | STE L [pp m] | STEL [mg/ m³] | Ceil ing- C [pp m] | Ceil- ing-C [mg/ m³] | Nota- tion | Source |
|-----------------|------------------|----------------|-----------------|----------------------|--------------------|-----------------------|---------------------|--------------------------------|-------------------------------|---------------|--------|
| AU | nickel dinitrate | 13138- 45-9 | WES | | 0.1 | | | | | | WES |
| AU | nitric acid | 7697-37- 2 | WES | 2 | 5.2 | 4 | 10 | | | | WES |

Notation

TWA

Ceiling-C Ceiling value is a limit value above which exposure should not occur

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-STEL

minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

8.2 **Exposure controls**

Australia (en) Page 5 / 16

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Ni

article number: 2529

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

· breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation.

Environmental exposure controls

Keep away from drains, surface and ground water.

Australia (en) Page 6 / 16

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Ni

article number: 2529

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid
Colour green
Odour stinging

Melting point/freezing point ~0 °C at 1,013 hPa

Boiling point or initial boiling point and boiling ~100 °C at 1,013 hPa (unknown)

range

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not determined
Auto-ignition temperature not determined
Decomposition temperature not relevant

pH (value) <2

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

Density and/or relative density

Density $1 \, {}^{9}/_{\text{cm}^3}$ at 20 ${}^{\circ}\text{C}$

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

Corrosive to metals category 1: corrosive to metals

Other safety characteristics:

Miscibility completely miscible with water

Australia (en) Page 7 / 16

acc. to Safe Work Australia - Code of Practice

Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Ni

article number: 2529

SECTION 10: Stability and reactivity

10.1 Reactivity

Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Ammonia (NH3), Strong alkali

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

different metals

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture

| Name of substance | CAS No | Exposure route | ATE |
|-------------------------|------------|-----------------------|--|
| nickel dinitrate | 13138-45-9 | oral | 1,620 ^{mg} / _{kg} |
| nickel dinitrate | 13138-45-9 | inhalation: dust/mist | 1.5 ^{mg} / _l /4h |
| Nitric acid% [C ≤ 70 %] | 7697-37-2 | inhalation: vapour | >2.65 ^{mg} / _l /4h |

Acute toxicity of components of the mixture

| Name of substance | CAS No | Exposure route | Endpoint | Value | Species |
|-------------------------|------------|-------------------------|----------|--|---------|
| nickel dinitrate | 13138-45-9 | oral | LD50 | 1,620 ^{mg} / _{kg} | rat |
| Nitric acid% [C ≤ 70 %] | 7697-37-2 | inhalation: va- pour | LC50 | >2.65 ^{mg} / _l /4h | rat |

Skin corrosion/irritation

Causes skin irritation.

Australia (en) Page 8 / 16

acc. to Safe Work Australia - Code of Practice

Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Ni

article number: 2529

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

May cause cancer.

Reproductive toxicity

May damage the unborn child.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

Data are not available.

• If in eyes

Causes serious eye damage, risk of blindness

If inhaled

May produce an allergic reaction, cough, Dyspnoea

• If on skin

Causes skin irritation. May produce an allergic reaction, localised redness, oedema, pruritis and/or pain

Other information

none

11.2 Endocrine disrupting properties

None of the ingredients are listed.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

Australia (en) Page 9 / 16

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Ni

article number: 2529

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H8 Corrosives

H11 Toxic (Delayed or chronic)

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number

UN RTDG UN 3264

IMDG-Code UN 3264 ICAO-TI UN 3264

14.2 UN proper shipping name

UN RTDG CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. IMDG-Code CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

ICAO-TI Corrosive liquid, acidic, inorganic, n.o.s. Technical name (hazardous ingredients) Nitric acid ...% [$C \le 70$ %], Nickel dinitrate

Australia (en) Page 10 / 16

acc. to Safe Work Australia - Code of Practice

Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Ni

article number: 2529



UN RTDG 8
IMDG-Code 8

ICAO-TI 8

14.4 Packing group

UN RTDG III
IMDG-Code III
ICAO-TI III

14.5 Environmental hazards hazardous to the aquatic environment

Environmentally hazardous substance (aquatic

environment):

Nickel dinitrate

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

UN number 3264 Class 8

Environmental hazards Yes

Hazardous to the aquatic environment

Packing group III

Danger label(s) 8

Fish and tree



Special provisions (SP) 223, 274 UN RTDG

Excepted quantities (EQ) E1

UN RTDG

Limited quantities (LQ) 5 L

UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Particulars in the shipper's declaration UN3264, CORROSIVE LIQUID, ACIDIC, INORGAN

UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (contains: Nitric acid ...% [C \leq 70 %], nickel dinitrate), 8, III, MARINE POLLUTANT

Marine pollutant Yes (hazardous to the aquatic environment), (nickel dinitrate)

Danger label(s) 8, "Fish and tree"

Australia (en) Page 11 / 16



acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Ni

article number: 2529



Special provisions (SP) 223, 274

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L

EmS F-A, S-B

Stowage category A

Segregation group 1 - Acids

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Corrosive liquid, acidic, inorganic, n.o.s.

Particulars in the shipper's declaration UN3264, Corrosive liquid, acidic, inorganic, n.o.s.,

(contains: Nitric acid ...% [C ≤ 70 %], nickel dini-

trate), 8, III

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 8



Special provisions (SP)

Excepted quantities (EQ)

Limited quantities (LQ)

1 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

All ingredients are listed or exempt from listing.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

| Country | Inventory | Status |
|---------|------------|----------------------------|
| AU | AICS | all ingredients are listed |
| CA | DSL | all ingredients are listed |
| CN | IECSC | all ingredients are listed |
| EU | ECSI | all ingredients are listed |
| EU | REACH Reg. | all ingredients are listed |
| JP | CSCL-ENCS | all ingredients are listed |

Australia (en) Page 12 / 16

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Ni

article number: 2529

| Country | Inventory | Status |
|---------|-----------|--------------------------------|
| KR | KECI | all ingredients are listed |
| MX | INSQ | all ingredients are listed |
| NZ | NZIoC | all ingredients are listed |
| PH | PICCS | all ingredients are listed |
| TR | CICR | not all ingredients are listed |
| TW | TCSI | all ingredients are listed |
| US | TSCA | all ingredients are listed |

Legend

Australian Inventory of Chemical Substances Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS)

CSCL-ENCS DSL ECSI IECSC

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances
Korea Existing Chemicals Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS) KECI^{*}

REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

Restructuring: section 9, section 14

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|---|--|--------------------------|
| 2.1 | | Classification acc. to GHS: change in the listing (table) | yes |
| 2.1 | Remarks: For full text of Hazard- and EU Hazard-state- ments: see SECTION 16. | | yes |
| 2.1 | | The most important adverse physicochemical, human health and environmental effects: Delayed or immediate effects can be expected after short or long-term exposure. | yes |
| 2.2 | | Pictograms: change in the listing (table) | yes |
| 2.2 | | Hazard statements: change in the listing (table) | yes |
| 2.2 | | Precautionary statements - prevention: change in the listing (table) | yes |
| 2.2 | | Precautionary statements - response: change in the listing (table) | yes |
| 2.2 | | Precautionary statements - disposal | yes |

Australia (en) Page 13 / 16

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Ni

article number: 2529

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|--|---|--------------------------|
| 2.2 | | Precautionary statements - disposal: change in the listing (table) | yes |
| 2.2 | Hazardous ingredients for labelling: nickel dinitrate | Hazardous ingredients for labelling: Nickel dinitrate, Nitric acid% [C ≤ 70 %] | yes |
| 2.2 | Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger | | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.2 | contains: Nickel dinitrate | | yes |
| 2.3 | Other hazards: There is no additional information. | Other hazards | yes |
| 2.3 | | Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB. | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|------------|---|
| Acute Tox. | Acute toxicity |
| ATE | Acute Toxicity Estimate |
| Carc. | Carcinogenicity |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| Eye Dam. | Seriously damaging to the eye |
| Eye Irrit. | Irritant to the eye |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |

Australia (en) Page 14 / 16

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Ni

article number: 2529

| Abbr. | Descriptions of used abbreviations |
|-------------|---|
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| MARPOL | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant") |
| Met. Corr. | Substance or mixture corrosive to metals |
| Muta. | Germ cell mutagenicity |
| NLP | No-Longer Polymer |
| Ox. Liq. | Oxidising liquid |
| Ox. Sol. | Oxidising solid |
| PBT | Persistent, Bioaccumulative and Toxic |
| ppm | Parts per million |
| Repr. | Reproductive toxicity |
| Resp. Sens. | Respiratory sensitisation |
| Skin Corr. | Corrosive to skin |
| Skin Irrit. | Irritant to skin |
| Skin Sens. | Skin sensitisation |
| STEL | Short-term exposure limit |
| STOT RE | Specific target organ toxicity - repeated exposure |
| TWA | Time-weighted average |
| UN RTDG | UN Recommendations on the Transport of Dangerous Good |
| vPvB | Very Persistent and very Bioaccumulative |
| WES | Safe Work Australia: Workplace exposure standards for airborne contaminants |

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Australia (en) Page 15 / 16

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Ni

article number: 2529

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|-------|--|
| H272 | May intensify fire; oxidiser. |
| H290 | May be corrosive to metals. |
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H331 | Toxic if inhaled. |
| H332 | Harmful if inhaled. |
| H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| H341 | Suspected of causing genetic defects. |
| H350 | May cause cancer. |
| H360D | May damage the unborn child. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 16 / 16