® ROTH

Bismuth(III) nitrate pentahydrate ≥98 %, p.a., ACS

article number: **2554** Version: **GHS 3.0 en** Replaces version of: 2022-01-07 Version: (GHS 2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

ACS

2554

10035-06-0

1.1	Product	identifier
-----	---------	------------

Identification of the substance

Article number

CAS number

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

Bismuth(III) nitrate pentahydrate ≥98 %, p.a.,

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.14	0xidising solid		Ox. Sol. 2	H272
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2A	Eye Irrit. 2A	H319
3.8R Specific target organ toxicity - single exposure (respirat- ory tract irritation)		3	STOT SE 3	H335

date of compilation: 2016-07-01 Revision: 2024-03-01

acc. to Safe Work Australia - Code of Practice

Bismuth(III) nitrate pentahydrate ≥98 %, p.a., ACS



article number: 2554

For full text of abbreviations: see SECTION 16

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS03, GHS07



Hazard statements

H272	May intensify fire; oxidiser
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

Precautionary statements

Precautionary statements - prevention

P210	Keep away from heat/sparks/open flames/hot surfaces No smoking
P261	Avoid breathing dust/fume/gas/mist/vapours/spray
P280	Wear protective gloves

Precautionary statements - response

P302+P352	IF ON SKIN: Wash with plenty of soap and water
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P370+P378	In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction

Precautionary statements - storage

P403+P233 Store in a well-ventilated place. Keep container tightly closed

Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

acc. to Safe Work Australia - Code of Practice

Bismuth(III) nitrate pentahydrate ≥98 %, p.a., ACS



article number: **2554**

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Molecular formula Molar mass

CAS No

Bismuth(III) nitrate pentahydrate Bi(NO₃)₃ · 5 H₂O 485.1 ^g/_{mol} 10035-06-0

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Irritation, Cough, Dyspnoea

4.3 Indication of any immediate medical attention and special treatment needed none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

acc. to Safe Work Australia - Code of Practice

Bismuth(III) nitrate pentahydrate ≥98 %, p.a., ACS

® Roth

article number: 2554

5.2 Special hazards arising from the substance or mixture

Oxidising property. Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid dust formation.

Measures to prevent fire as well as aerosol and dust generation

Keep away from combustible material.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep away from combustible material. Hygroscopic.

Incompatible substances or mixtures

Observe hints for combined storage. Keep/store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles.

acc. to Safe Work Australia - Code of Practice

Bismuth(III) nitrate pentahydrate ≥98 %, p.a., ACS



article number: 2554

Consideration of other advice:

Specific designs for storage rooms or vessels Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s) No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits) This information is not available.

This information is not available

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

acc. to Safe Work Australia - Code of Practice

Bismuth(III) nitrate pentahydrate ≥98 %, p.a., ACS

® Roth

article number: 2554

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid
Form	crystals
Colour	white
Odour	characteristic
Melting point/freezing point	30 °C
Boiling point or initial boiling point and boiling range	80 °C (Release of crystal water)
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not applicable
Kinematic viscosity	not relevant
Solubility(ies)	
Water solubility	(soluble)
Water Solubility	
Partition coefficient	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	not determined
Density and/or relative density	
Density	2.83 ^g / _{cm³} at 20 °C
Relative vapour density	Information on this property is not available.
Particle characteristics	No data available.

acc. to Safe Work Australia - Code of Practice

Bismuth(III) nitrate pentahydrate ≥98 %, p.a., ACS

article number: 2554

	Other safety parameters	
	Oxidising properties	oxidiser
9.2	Other information	
	Information with regard to physical hazard classes:	There is no additional information.
	Other safety characteristics:	There is no additional information.



10.1 Reactivity

It's a reactive substance. Oxidising property.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Metals, Sulphur, Strong acid

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic. GHS of the United Nations, annex 4. May be harmful if swallowed.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	3,710 ^{mg} / _{kg}	rat		TOXNET

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.



acc. to Safe Work Australia - Code of Practice

Bismuth(III) nitrate pentahydrate ≥98 %, p.a., ACS



article number: 2554

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

• If in eyes

Causes serious eye irritation

• If inhaled

Irritation to respiratory tract, cough, Dyspnoea

• If on skin

causes skin irritation

• Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

acc. to Safe Work Australia - Code of Practice

Bismuth(III) nitrate pentahydrate ≥98 %, p.a., ACS



article number: 2554

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H5.1 Oxidizing H11 Toxic (Delayed or chronic)

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1	UN number	
	UN RTDG	UN 1477
	IMDG-Code	UN 1477
	ICAO-TI	UN 1477
14.2	UN proper shipping name	
	UN RTDG	NITRATES, INORGANIC, N.O.S.
	IMDG-Code	NITRATES, INORGANIC, N.O.S.
	ICAO-TI	Nitrates, inorganic, n.o.s.
14.3	Transport hazard class(es)	
	UN RTDG	5.1
	IMDG-Code	5.1
	ICAO-TI	5.1
14.4	Packing group	
	UN RTDG	II
	IMDG-Code	II

acc. to Safe Work Australia - Code of Practice



Bismuth(III) nitrate pentahydrate ≥98 %, p.a., ACS

article number: 2554	

articl	e number: 2554					
	ICAO-TI	II				
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations				
14.6	Special precautions for user					
	There is no additional information.					
14.7	Transport in bulk according to IMO instruments					
	The cargo is not intended to be carried in bul	The cargo is not intended to be carried in bulk.				
14.8	Information for each of the UN Model Reg	ulations				
	Transport informationNational regulation	isAdditional information(UN RTDG)				
	UN number	1477				
	Class	5.1				
	Packing group	II				
	Danger label(s)	5.1				
	Special provisions (SP)	- UN RTDG				
	Excepted quantities (EQ)	E2 UN RTDG				
	Limited quantities (LQ)	1 kg UN RTDG				
	Emergency Action Code	1Y				
	International Maritime Dangerous Goods	Code (IMDG) - Additional information				
	Proper shipping name	NITRATES, INORGANIC, N.O.S.				
	Particulars in the shipper's declaration	UN1477, NITRATES, INORGANIC, N.O.S., 5.1, II				
	Marine pollutant	-				
	Danger label(s)	5.1				
	Special provisions (SP)	-				
	Excepted quantities (EQ)	E2				
	Limited quantities (LQ)	1 kg				
	EmS	F-A, S-Q				
	Stowage category	Α				

acc. to Safe Work Australia - Code of Practice

Bismuth(III) nitrate pentahydrate ≥98 %, p.a., ACS



article number: 2554

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information		
Proper shipping name	Nitrates, inorganic, n.o.s.	
Particulars in the shipper's declaration	UN1477, Nitrates, inorganic, n.o.s., 5.1, II	
Danger label(s)	5.1	
Special provisions (SP)	A3	
Excepted quantities (EQ)	E2	
Limited quantities (LQ)	2,5 kg	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Inventory	Status
AIIC	substance is listed
IECSC	substance is listed
ECSI	substance is listed
KECI	substance is listed
NZIoC	substance is listed
PICCS	substance is listed
TCSI	substance is listed
NCI	substance is listed
-	AIIC IECSC ECSI KECI NZIOC PICCS TCSI

Legend

AIIC Australian Inventory of Industrial Chemicals ECSI EC Substance Inventory (EINECS, ELINCS, NLP) IECSC Inventory of Existing Chemical Substances Produced or Imported in China KECI Korea Existing Chemicals Inventory NCI National Chemical Inventory NZIOC New Zealand Inventory of Chemicals PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS) TCSI Taiwan Chemical Substance Inventory

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

acc. to Safe Work Australia - Code of Practice

Bismuth(III) nitrate pentahydrate ≥98 %, p.a., ACS



article number: **2554**

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Emergency Action Code: 1Y	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

acc. to Safe Work Australia - Code of Practice

Bismuth(III) nitrate pentahydrate ≥98 %, p.a., ACS



article number: 2554

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.