
acc. to Safe Work Australia - Code of Practice

Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l V



Replaces version of: 2022-02-04

Version: (GHS 2)

article number: 2567

Version: GHS 2.1 en

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance **Single-Element** ICP - Standard Solution

ROTI®Star 10 000 mg/l V

Article number 2567

Relevant identified uses of the substance or mixture and uses advised against 1.2

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

2.1

sicherheit@carlroth.de e-mail (competent person):

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation		Eye Dam. 1	H318
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373

For full text of abbreviations: see SECTION 16

Australia (en) Page 1 / 17



acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l V

article number: 2567

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS05, GHS08



Hazard statements

H290	May be corrosive to metals
H315	Causes skin irritation
H318	Causes serious eye damage

H373 May cause damage to organs (respiratory tract) through prolonged or repeated

exposure (if inhaled)

Precautionary statements

Precautionary statements - prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray

P280 Wear protective gloves

Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P390 Absorb spillage to prevent material damage

Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant

Hazardous ingredients for labelling: Ammonium monovanadate, Nitric acid ...% [C ≤

70 %1

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Australia (en) Page 2 / 17

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l V

article number: 2567

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2	3	Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 EUH071		B(a)
Ammonium monovanadate	CAS No 7803-55-6	>1-<3	Acute Tox. 3 / H301 Acute Tox. 4 / H332 Eye Irrit. 2A / H319 Repr. 2 / H361fd STOT RE 1 / H372		

Notes

B(a): The classification refers to an aqueous solution

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Risk of blindness, Risk of serious damage to eyes, Irritation, Gastric perforation, Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

none

Australia (en) Page 3 / 17

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l V

article number: 2567

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Australia (en) Page 4 / 17

acc. to Safe Work Australia - Code of Practice

Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l V

article number: 2567



SECTION 7: Handling and storage

Precautions for safe handling

Use extractor hood (laboratory).

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
AU	nitric acid	7697-37- 2	WES	2	5.2	4	10				WES

Notation

Ceiling-C STEL

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 **TWA** hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Ammonium monovanadate	7803-55-6	DNEL	0.64 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Ammonium monovanadate	7803-55-6	DNEL	0.18 mg/ m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Ammonium monovanadate	7803-55-6	DNEL	0.92 mg/ m³	human, inhalat- ory	worker (industry)	acute - local ef- fects

Australia (en) Page 5 / 17

acc. to Safe Work Australia - Code of Practice

Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l V

article number: 2567



Relevant PNECs	Relevant PNECs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time	
Ammonium monovanadate	7803-55-6	PNEC	6.93 ^{µg} / _l	aquatic organ- isms	water	intermittent re- lease	
Ammonium monovanadate	7803-55-6	PNEC	7.6 ^{µg} / _I	aquatic organ- isms	freshwater	short-term (single instance)	
Ammonium monovanadate	7803-55-6	PNEC	2.5 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)	
Ammonium monovanadate	7803-55-6	PNEC	450 ^{µg} / _I	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)	
Ammonium monovanadate	7803-55-6	PNEC	240 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)	
Ammonium monovanadate	7803-55-6	PNEC	79 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)	
Ammonium monovanadate	7803-55-6	PNEC	7.2 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)	

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

Australia (en) Page 6 / 17

acc. to Safe Work Australia - Code of Practice

Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l V

article number: 2567

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation.

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour light yellow Odour stinging

Melting point/freezing point \sim 0 °C at 1,013 hPa Boiling point or initial boiling point and boiling \sim 100 °C at 1,013 hPa range

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not determined
Auto-ignition temperature not determined

Decomposition temperature not relevant pH (value) <2 (20 °C)

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

Density and/or relative density

Density $\sim 1 \, {}^{9}/_{cm^3}$ at 20 $^{\circ}$ C

Relative vapour density information on this property is not available

Australia (en) Page 7 / 17

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l V

article number: 2567

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

Corrosive to metals category 1: corrosive to metals

Other safety characteristics:

Miscibility completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Ammonia (NH3), Bases, Metals, Reducing agents, Strong alkali, Organic solvents

10.4 Conditions to avoid

Keep away from heat.

10.5 Incompatible materials

different metals

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Australia (en) Page 8 / 17

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l V

article number: 2567

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: vapour	>2.65 ^{mg} / _l /4h
Ammonium monovanadate 7803-55-6		oral	218.1 ^{mg} / _{kg}
Ammonium monovanadate	7803-55-6	inhalation: dust/mist	2.61 ^{mg} / _l /4h

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: va- pour	LC50	>2.65 ^{mg} / _l /4h	rat
Ammonium monovanadate	7803-55-6	oral	LD50	218.1 ^{mg} / _{kg}	rat
Ammonium monovanadate	7803-55-6	inhalation: dust/mist	LC50	2.61 ^{mg} / _l /4h	rat
Ammonium monovanadate	7803-55-6	dermal	LD50	>2,500 ^{mg} / _{kg}	rat

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

May cause damage to organs (respiratory tract) through prolonged or repeated exposure (if inhaled).

Hazard category	Target organ	Exposure route
2	respiratory tract	if inhaled

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

Data are not available.

Australia (en) Page 9 / 17

acc. to Safe Work Australia - Code of Practice

ROTH

Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l V

article number: 2567

• If in eyes

Causes serious eye damage, risk of blindness

If inhaled

Data are not available.

• If on skin

Causes skin irritation. May produce an allergic reaction, localised redness, oedema, pruritis and/or pain

Other information

This information is based upon the present state of our knowledge.

11.2 Endocrine disrupting properties

None of the ingredients are listed.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life.

Aquatic toxicity (acute) of components of the mixture						
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time	
Ammonium monovanadate	7803-55-6	LC50	9,005 ^{µg} / _l	fish	24 h	
Ammonium monovanadate	7803-55-6	ErC50	2,907 ^{µg} / _l	algae	72 h	
Ammonium monovanadate	7803-55-6	EC50	989.4 ^{µg} / _l	algae	72 h	

Aquatic toxicity (chronic) of components of the mixture Name of sub-**CAS No Endpoint Value Species Exposure** time stance 7803-55-6 LC50 44,000 ^{µg}/_I fish 24 h Ammonium monovanadate >100 ^{mg}/_I EC50 Ammonium 7803-55-6 microorganisms 3 h monovanadate

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

Australia (en) Page 10 / 17

acc. to Safe Work Australia - Code of Practice

Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l V

article number: 2567

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H8 Corrosives

H11 Toxic (Delayed or chronic)

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number

UN RTDG UN 1760

IMDG-Code UN 1760

ICAO-TI UN 1760

14.2 UN proper shipping name

UN RTDGCORROSIVE LIQUID, N.O.S.IMDG-CodeCORROSIVE LIQUID, N.O.S.ICAO-TICorrosive liquid, n.o.s.

Technical name (hazardous ingredients) Nitric acid ...% [C ≤ 70 %], Ammonium

monovanadate

14.3 Transport hazard class(es)

UN RTDG 8
IMDG-Code 8
ICAO-TI 8

Australia (en) Page 11 / 17

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l V

article number: 2567

14.4 Packing group

UN RTDG III **IMDG-Code** III ICAO-TI III

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG)

UN number 1760 Class 8 **Packing group** III Danger label(s) 8

Special provisions (SP) 223, 274

UN RTDG

Excepted quantities (EQ)

UN RTDG

Limited quantities (LQ)

UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name CORROSIVE LIQUID, N.O.S.

Particulars in the shipper's declaration UN1760, CORROSIVE LIQUID, N.O.S., (contains:

Nitric acid ...% [C ≤ 70 %], Ammonium monovanadate), 8, III

Marine pollutant

Danger label(s) 8

Special provisions (SP) 223, 274

Excepted quantities (EQ) E1 Limited quantities (LQ) 5 L

F-A, S-B **EmS**

Stowage category Α

Australia (en) Page 12 / 17

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l V

article number: 2567

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Corrosive liquid, n.o.s.

Particulars in the shipper's declaration UN1760, Corrosive liquid, n.o.s., (contains: Nitric

acid ...% [C ≤ 70 %], Ammonium monovanadate),

8, III

8 Danger label(s)



Special provisions (SP) **A3** Excepted quantities (EQ) E1 Limited quantities (LQ) 1 L

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

All ingredients are listed or exempt from listing.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AICS Australian Inventory of Chemical Substances

Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) Domestic Substances List (DSL)

Page 13 / 17 Australia (en)

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l V

article number: 2567

Legend

ECSI IECSC INSQ

EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances

KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory

Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.1	Remarks: For full text of Hazard- and EU Hazard-state- ments: see SECTION 16.		yes
2.1		The most important adverse physicochemical, human health and environmental effects: Delayed or immediate effects can be expected after short or long-term exposure.	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2		Precautionary statements - disposal: change in the listing (table)	yes
2.2	Hazardous ingredients for labelling: Ammonium monovanadate, Nitric acid	Hazardous ingredients for labelling: Ammonium monovanadate, Nitric acid% [C ≤ 70 %]	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes

Australia (en) Page 14 / 17

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l V

article number: 2567

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: Ammonium monovanadate, Nitric acid		yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes

Abbreviations and acronyms

Abbr.	obr. Descriptions of used abbreviations	
Acute Tox.	Acute toxicity	
ATE	Acute Toxicity Estimate	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances	
Ceiling-C	Ceiling value	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
Eye Dam.	Seriously damaging to the eye	
Eye Irrit.	Irritant to the eye	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval	

Australia (en) Page 15 / 17

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l V

article number: 2567

Abbr.	Descriptions of used abbreviations
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
Met. Corr.	Substance or mixture corrosive to metals
NLP	No-Longer Polymer
Ox. Liq.	Oxidising liquid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Repr.	Reproductive toxicity
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.

Australia (en) Page 16 / 17

acc. to Safe Work Australia - Code of Practice



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l V

article number: 2567

Code	Text
H372	Causes damage to organs (respiratory tract) through prolonged or repeated exposure (if inhaled).
H373	May cause damage to organs (respiratory tract) through prolonged or repeated exposure (if inhaled).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Australia (en) Page 17 / 17