

Safety data sheet

Safe Work Australia - Code of Practice



Sodium periodate ≥ 99,8%, p.a., ACS

article number: **2603**
Version: **GHS 1.0 en**

date of compilation: 2017-04-21

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance	Sodium periodate
Article number	2603
Registration number (REACH)	This information is not available.
EC number	232-197-6
CAS number	7790-28-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: laboratory chemical

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone: +49 (0) 721 - 56 06 0

Telefax: +49 (0) 721 - 56 06 149

e-mail: sicherheit@carlroth.de

Website: www.carlroth.de

Competent person responsible for the safety data sheet : Department Health, Safety and Environment

e-mail (competent person) : sicherheit@carlroth.de

1.4 Emergency telephone number

Emergency information service **Poison Centre Munich: +49/(0)89 19240**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Classification acc. to GHS			
Section	Hazard class	Hazard class and category	Hazard statement
2.14	oxidising solid	(Ox. Sol. 1)	H271
3.2	skin corrosion/irritation	(Skin Corr. 1C)	H314
3.9	specific target organ toxicity - repeated exposure	(STOT RE 1)	H372

Safety data sheet

Safe Work Australia - Code of Practice



Sodium periodate $\geq 99,8\%$, p.a., ACS

article number: 2603

2.2 Label elements

Labelling GHS

Signal word

Danger

Pictograms



Hazard statements

H271	May cause fire or explosion; strong oxidiser
H314	Causes severe skin burns and eye damage
H372	Causes damage to organs (thyroid gland) through prolonged or repeated exposure

Precautionary statements

Precautionary statements - prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements - response

P303+P361+P353	IF ON SKIN (or hair): take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P370+P378	In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.
P371+P380+P375	In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



H271	May cause fire or explosion; strong oxidiser.
H314	Causes severe skin burns and eye damage.
H372	Causes damage to organs (thyroid gland) through prolonged or repeated exposure.
P303+P361+P353	IF ON SKIN (or hair): take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P371+P380+P375	In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

2.3 Other hazards

There is no additional information.

Safety data sheet

Safe Work Australia - Code of Practice



Sodium periodate $\geq 99,8\%$, p.a., ACS

article number: 2603

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Sodium periodate
EC number	232-197-6
CAS number	7790-28-5
Molecular formula	NaIO ₄
Molar mass	213.9 g/mol

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Irritation, Corrosion, Cough, Dyspnoea, Gastric perforation, Risk of blindness

4.3 Indication of any immediate medical attention and special treatment needed

none

Sodium periodate $\geq 99,8\%$, p.a., ACS

article number: 2603

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings
water spray, foam, dry extinguishing powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible. Oxidising property. Heating may cause an explosion.

Hazardous combustion products

In case of fire may be liberated:; hydrogen iodide (HI)

5.3 Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Do not breathe dust. Avoid contact with skin, eyes and clothes.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8.
Incompatible materials: see section 10. Disposal considerations: see section 13.

Sodium periodate $\geq 99,8\%$, p.a., ACS

article number: 2603

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid exposure. Handle and open container with care. Clear contaminated areas thoroughly.

- **Measures to prevent fire as well as aerosol and dust generation**

Keep/store away from combustible materials.

Advice on general occupational hygiene

Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

- **Ventilation requirements**

Use local and general ventilation.

- **Specific designs for storage rooms or vessels**

Recommended storage temperature: 15 – 25 °C.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Data are not available.

Relevant DNELs/DMELs/PNECs and other threshold levels

- **human health values**

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	0.1 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	0.3 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
DNEL	0.06 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
DNEL	0.2 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects

- **environmental values**

Endpoint	Threshold level	Environmental compartment
PNEC	0 mg/l	freshwater
PNEC	0 mg/l	marine water
PNEC	0.002 mg/l	water
PNEC	2.2 mg/l	sewage treatment plant (STP)

Safety data sheet

Safe Work Australia - Code of Practice



Sodium periodate $\geq 99,8\%$, p.a., ACS

article number: 2603

Endpoint	Threshold level	Environmental compartment
PNEC	0.001 mg/kg	freshwater sediment
PNEC	0 mg/kg	marine sediment
PNEC	0 mg/kg	soil

8.2 Exposure controls

Individual protection measures (personal protective equipment)



Eye/face protection

Use safety goggle with side protection. Wear face protection.

Skin protection

• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

• type of material

NBR (Nitrile rubber)

• material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection

Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

Sodium periodate $\geq 99,8\%$, p.a., ACS

article number: 2603

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	solid (crystalline)
Colour	white
Odour	odourless
Odour threshold	No data available

Other physical and chemical parameters

pH (value)	4.5 – 5.5 (50 g/l, 20 °C)
Melting point/freezing point	270 – 300 °C
Initial boiling point and boiling range	This information is not available.
Flash point	This information is not available.
Evaporation rate	no data available
Flammability (solid, gas)	Non-flammable
<u>Explosive limits</u>	
• lower explosion limit (LEL)	this information is not available
• upper explosion limit (UEL)	this information is not available
Explosion limits of dust clouds	these information are not available
Vapour pressure	This information is not available.
Density	3.87 g/cm ³ at 20 °C
Vapour density	This information is not available.
Bulk density	2,400 – 2,900 kg/m ³
Relative density	Information on this property is not available.
<u>Solubility(ies)</u>	
Water solubility	~ 90 g/l at 20 °C
<u>Partition coefficient</u>	
n-octanol/water (log KOW)	This information is not available.
Auto-ignition temperature	262 °C
Decomposition temperature	>270 °C
Viscosity	not relevant (solid matter)
Explosive properties	Shall not be classified as explosive
Oxidising properties	strong oxidiser

Sodium periodate $\geq 99,8\%$, p.a., ACS

article number: 2603

9.2 Other information

There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

Oxidising property.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Combustible materials, Ammonium compounds, Metal powder, Perchlorates, Reducing agents, Acids

10.4 Conditions to avoid

Keep away from heat. Decomposition takes place from temperatures above: $>270\text{ }^{\circ}\text{C}$.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Causes severe burns.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

• Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

• Specific target organ toxicity - repeated exposure

Causes damage to organs (thyroid gland) through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

Sodium periodate $\geq 99,8\%$, p.a., ACS

article number: 2603

- **If in eyes**

causes burns, Causes serious eye damage, risk of blindness

- **If inhaled**

irritant effects, cough, Dyspnoea

- **If on skin**

causes severe burns, causes poorly healing wounds

Other information

None

SECTION 12: Ecological information

12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Endpoint	Value	Species	Method	Exposure time
LC50	$>0.17 \text{ mg/l}$	rainbow trout (<i>Oncorhynchus mykiss</i>)	OECD-203	96 h
EC50	0.18 mg/l	daphnia magna	OECD-202	48 h

Aquatic toxicity (chronic)

Endpoint	Value	Species	Exposure time
NOEC	0.1 mg/l	algae	72 h

12.2 Process of degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

Sodium periodate $\geq 99,8\%$, p.a., ACS

article number: 2603

SECTION 13: Disposal considerations

13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number	3085
14.2	UN proper shipping name	OXIDIZING SOLID, CORROSIVE, N.O.S.
	Hazardous ingredients	Sodium periodate
14.3	Transport hazard class(es)	
	Class	5.1 (oxidizing substances)
14.4	Packing group	I (substance presenting high danger)
14.5	Environmental hazards	hazardous to the aquatic environment
14.6	Special precautions for user	
	Provisions for dangerous goods (ADR) should be complied within the premises.	
14.7	Transport in bulk according to Annex II of MARPOL and the IBC Code	
	The cargo is not intended to be carried in bulk.	
14.8	Information for each of the UN Model Regulations	
	• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)	
	UN number	3085
	Proper shipping name	OXIDIZING SOLID, CORROSIVE, N.O.S.
	Particulars in the transport document	UN3085, OXIDIZING SOLID, CORROSIVE, N.O.S., (Sodium periodate), 5.1 (8), I, (E), environmentally hazardous
	Class	5.1
	Classification code	OC2
	Packing group	I
	Danger label(s)	5.1+8 + "fish and tree"

Safety data sheet

Safe Work Australia - Code of Practice



Sodium periodate ≥ 99,8%, p.a., ACS

article number: 2603



Environmental hazards	yes (hazardous to the aquatic environment)
Special provisions (SP)	274
Excepted quantities (EQ)	E0
Limited quantities (LQ)	0
Transport category (TC)	1
Tunnel restriction code (TRC)	E
Emergency Action Code	1W

• International Maritime Dangerous Goods Code (IMDG)

UN number	3085
Proper shipping name	OXIDIZING SOLID, CORROSIVE, N.O.S.
Particulars in the shipper's declaration	UN3085, OXIDIZING SOLID, CORROSIVE, N.O.S., (Sodium periodate), 5.1 (8), I, MARINE POLLUTANT
Class	5.1
Subsidiary risk(s)	8
Marine pollutant	yes (hazardous to the aquatic environment)
Packing group	I
Danger label(s)	5.1+8 + "fish and tree"



Special provisions (SP)	274
Excepted quantities (EQ)	E0
Limited quantities (LQ)	0
EmS	F-A, S-Q
Stowage category	D

• International Civil Aviation Organization (ICAO-IATA/DGR)

UN number	3085
Proper shipping name	Oxidizing solid, corrosive, n.o.s.
Particulars in the shipper's declaration	UN3085, Oxidizing solid, corrosive, n.o.s., (Sodium periodate), 5.1 (8), I
Class	5.1
Subsidiary risk(s)	8
Environmental hazards	yes (hazardous to the aquatic environment)
Packing group	I

Safety data sheet

Safe Work Australia - Code of Practice



Sodium periodate $\geq 99,8\%$, p.a., ACS

article number: 2603

Danger label(s) 5.1+8



Special provisions (SP) A3, 274

Excepted quantities (EQ) E0

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National inventories

Substance is listed in the following national inventories:

- EINECS/ELINCS/NLP (Europe)
- DSL/NDSL (Canada)
- REACH (Europe)
- Toxic Substance Control Act (TSCA)

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer

Safety data sheet

Safe Work Australia - Code of Practice



Sodium periodate $\geq 99,8\%$, p.a., ACS

article number: 2603

Abbr.	Descriptions of used abbreviations
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
vPvB	very Persistent and very Bioaccumulative

Key literature references and sources for data

- UN Recommendations on the Transport of Dangerous Good
- Dangerous Goods Regulations (DGR) for the air transport (IATA)
- International Maritime Dangerous Goods Code (IMDG)

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H271	may cause fire or explosion; strong oxidiser
H314	causes severe skin burns and eye damage
H372	causes damage to organs (thyroid gland) through prolonged or repeated exposure

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.