Multi Element ICP - Standard Solution ROTI $\$ Star 19 elements in 5 % HNO $_3$  - 1 mg/l

article number: **2636** Version: **1.0 en** 

#### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

Identification of the substance

Article number

Registration number (REACH)

**Multi Element** ICP - Standard Solution ROTI®Star 19 elements in 5 % HNO $_3$  - 1 mg/l

2636

not relevant (mixture)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

#### **1.3** Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

#### e-mail (competent person):

#### sicherheit@carlroth.de

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)



date of compilation: 2022-02-18

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi Element ICP - Standard Solution ROTI®Star 19 elements in 5 % $\rm HNO_3$ - 1 mg/l

article number: 2636

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.4S	Skin sensitisation	1	Skin Sens. 1	H317

#### Supplemental hazard information

Code	Supplemental hazard information
EUH071	corrosive to the respiratory tract

For full text of abbreviations: see SECTION 16

#### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

#### **Pictograms**

GHS05, GHS07



#### **Hazard statements**

H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P280 Wear protective gloves/protective clothing/eye protection/face protection

#### Supplemental hazard information

EUH071 Corrosive to the respiratory tract.

Hazardous ingredients for labelling:

Nitric acid ...% [C ≤ 70 %], Nickel dinitrate

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)



according to Regulation (EC) No. 1907/2006 (REACH)



#### Multi Element ICP - Standard Solution ROTI $\mbox{B}$ Star 19 elements in 5 % HNO<sub>3</sub> - 1 mg/l

article number: 2636

H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
EUH071	Corrosive to the respiratory tract.
contains:	Nitric acid% [C ≤ 70 %], Nickel dinitrate

#### 2.3 **Other hazards**

#### **Results of PBT and vPvB assessment**

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 **Substances**

not relevant (mixture)

#### 3.2 **Mixtures**

#### **Description of the mixture**

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2	5 - < 10	Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331		B(a) GHS-HC IOELV
	EC No 231-714-2		Skin Corr. 1A / H314 Eye Dam. 1 / H318 EUH071		IOLLV
	Index No 007-030-00-3		LOHOVI		
Lead(II) nitrate	CAS No 10099-74-8 EC No 233-245-9	< 0,1	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Repr. 1A / H360Df STOT RE 1 / H372 Aguatic Acute 1 / H400		1(a) A(a) GHS-HC IARC: 2A IOELV
	Index No 082-001-00-6		Aquatic Chronic 1 / H410		
nickel dinitrate	CAS No 13138-45-9 EC No 236-068-5 Index No 028-012-00-1	< 0,1	Ox. Sol. 2 / H272 Acute Tox. 4 / H302 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Resp. Sens. 1 / H314 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1A / H350i Repr. 1B / H360D STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		GHS-HC
Silver nitrate	CAS No 7761-88-8 EC No 231-853-9 Index No 047-001-00-2	< 0,1	Ox. Sol. 2 / H272 Met. Corr. 1 / H290 Skin Corr. 1B / H314 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		GHS-HC

Notes

The concentration stated is the percentage by weight of the metallic element calculated with reference to the total 1(a):

weight of the mixture The name of substance is a general description. It is required that the correct name is stated on the label The classification refers to an aqueous solution A(a): B(a):

® §ROTH

## Multi Element ICP - Standard Solution ROTI®Star 19 elements in 5 % $\rm HNO_3$ - 1 mg/l

#### article number: 2636

#### Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI)

IARC: IARC group 2A: probably carcinogenic to humans (International Agency for Research on Cancer)

2A: IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	<b>M-Factors</b>	ΑΤΕ	Exposure route
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2	Ox. Liq. 3; H272: C ≥ 65 % Skin Corr. 1A; H314: C ≥ 20 %	-	2,65 <sup>mg</sup> / <sub>l</sub> /4h	inhalation: va- pour
	EC No 231-714-2	Skin Corr. 1B; H314: 5 % ≤ C < 20 %			
	Index No 007-030-00-3				
Lead(II) nitrate	CAS No 10099-74-8	Repr. 1A; H360D: C ≥ 0,3 % Repr. 2; H361f: C ≥ 2,5 %	M-factor (acute) = 10.0	500 <sup>mg</sup> / <sub>kg</sub> 1,5 <sup>mg</sup> / <sub>l</sub> /4h	oral inhalation: dust/
	EC No 233-245-9	STOT RE 2; H373: C ≥ 0,5 %			mist
	Index No 082-001-00-6				
nickel dinitrate	CAS No 13138-45-9	Skin Irrit. 2; H315: C ≥ 20 % Skin Sens. 1; H317: C ≥ 0,01 % STOT RE 1; H372: C ≥ 1 %	-	1.620 <sup>mg</sup> / <sub>kg</sub> 1,5 <sup>mg</sup> / <sub>l</sub> /4h	oral inhalation: dust/ mist
	EC No 236-068-5	STOT RE 2; H373: 0,1 % ≤ C < 1 %			mist
	Index No 028-012-00-1				
Silver nitrate	CAS No 7761-88-8	-	M-factor (acute) = 100.0	-	
	EC No 231-853-9		M-factor (chronic) = 100.0		
	Index No 047-001-00-2		100.0		

For full text of abbreviations: see SECTION 16

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off immediately all contaminated clothing. Self-protection of the first aider.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure. In case of skin reactions, consult a physician. according to Regulation (EC) No. 1907/2006 (REACH)



## Multi Element ICP - Standard Solution ROTI®Star 19 elements in 5 % $\rm HNO_3$ - 1 mg/l

article number: 2636

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

#### **Following ingestion**

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

#### 4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Risk of blindness, Gastric perforation, Risk of serious damage to eyes, Allergic reactions

### 4.3 Indication of any immediate medical attention and special treatment needed

none

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide ( $CO_2$ )

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi Element ICP - Standard Solution ROTI®Star 19 elements in 5 % $\rm HNO_3$ - 1 mg/l

article number: 2636

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Handle and open container with care. Clear contaminated areas thoroughly.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice:

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	beryllium, inorganic compounds		IOELV		0,0002					i, Be- limit	2019/ 983/EU
EU	lead compounds		IOELV		0,15						98/24/EC
EU	nitric acid	7697-37- 2	IOELV			1	2,6				2006/15/ EC
GB	beryllium com- pounds		WEL		0,002					Be	EH40/ 2005

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi Element ICP - Standard Solution ROTI®Star 19 elements in 5 % $\rm HNO_3$ - 1 mg/l

#### article number: 2636

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	lead compounds		OEL-NIR		0,15					Pb	CLWR- NIR
GB	lead compounds		OEL		0,15					Pb	CLWR
GB	cobalt compounds		WEL		0,1					Co	EH40/ 2005
GB	nickel, soluble com- pounds	13138- 45-9	WEL		0,1					Ni	EH40/ 2005
GB	nitric acid	7697-37- 2	WEL			1	2,6				EH40/ 2005

#### Notation

Be Be-limit	Calculated as Be (beryllium) Limit value 0,0006 mg/m3 until 11 July 2026
Ceiling-C	Ceiling value is a limit value above which exposure should not occur
Co	Calculated as Co (cobalt)
i	Inhalable fraction
Ni	Calculated as Ni (nickel)
Pb	Calculated as Pb (lead)
STEL	Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-
	minute period (unless otherwise specified)
TWA	Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)
	······································

#### **Biological limit values**

Coun try	Name of agent	CAS No	Parameter	Nota tion	Identi- fier	Value	Material	Source
GB	lead compounds		lead	Pb- bio-2, Pb- med- 2, wmn< 45y	AL_NIR	250 μg/l	whole blood	CLWR- NIR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 2, wmn< 45y	AL	250 µg/l	whole blood	CLWR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 3, wmn> 45y, men	AL_NIR	400 µg/l	whole blood	CLWR- NIR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 3, wmn> 45y, men	AL	400 µg/l	whole blood	CLWR

according to Regulation (EC) No. 1907/2006 (REACH)



# Multi Element ICP - Standard Solution ROTI®Star 19 elements in 5 % $\rm HNO_3$ - 1 mg/l

article number: 2636

Coun try	Name of agent	CAS No	Parameter	Nota tion	Identi- fier	Value	Material	Source
GB	lead compounds		lead	Pb- bio-2, Pb- med- 4, young	AL_NIR	500 µg/l	whole blood	CLWR- NIR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 4, young	AL	500 µg/l	whole blood	CLWR

#### Notation

Notation	
Pb-bio-2	Biological monitoring: (a) in respect of an employee other than a young person or a woman of reproductive capa- city, at least every 6 months, but where the results of the measurements for individuals or for groups of workers have shown on the previous two consecutive occasions on which monitoring was carried out a lead in air expos- ure greater than 0.075 mg/m <sup>3</sup> but less than 0.100 mg/m <sup>3</sup> and where the blood-lead concentration of any individu- al employee is less than 30 µg/dl, the frequency of monitoring may be reduced to once a year; or (b) in respect of any young person or a woman of reproductive capacity, at such intervals as the relevant doctor shall specify, be- ing not greater than 3 months
Pb-med-2	Medical surveillance: in respect of a woman of reproductive capacity, 20 g/dl (blood-lead concentration) or 20 g Pb/g creatinine (urinary lead concentration)
Pb-med-3	Medical surveillance: in respect of any other employee, 35 µg/dl (blood-lead concentration) or 40 µg Pb/g creatin- ine (urinary lead concentration) suspension level: in respect of a woman of reproductive capacity, 60 µg/dl (blood-lead concentration) or 110 µg Pb/g creatinine (urinary lead concentration)
Pb-med-4	Medical surveillance: in respect of any other employee, 35 µg/dl (blood-lead concentration) or 40 µg Pb/g creatin- ine (urinary lead concentration) suspension level: in respect of a young person, 50 µg/dl (blood-lead concentration) or 110 µg Pb/g creatinine (ur- inary lead concentration)
wmn<45y wmn>45y, men	Women of reproductive capacity (women < 45 years) Women of non-reproductive capacity, men (women > 45 years)
vouna	Adolescents (voung person < 18 years)

young Adolescents (young person < 18 years)

Relevant DNELs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Silver nitrate	7761-88-8	DNEL	0,016 mg/ m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - systemic effects

#### **Relevant PNECs of components of the mixture**

•						
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Silver nitrate	7761-88-8	PNEC	0,04 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Silver nitrate	7761-88-8	PNEC	0,86 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Silver nitrate	7761-88-8	PNEC	0,025 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Silver nitrate	7761-88-8	PNEC	438,1 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Silver nitrate	7761-88-8	PNEC	438,1 <sup>mg</sup> / kg	aquatic organ- isms	marine sediment	short-term (single instance)

® Roth

# Multi Element ICP - Standard Solution ROTI®Star 19 elements in 5 % $\rm HNO_3$ - 1 mg/l

article number: 2636

Relevant PNECs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Silver nitrate	7761-88-8	PNEC	1,41 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

#### **Skin protection**



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation.

#### Environmental exposure controls

Multi Element ICP - Standard Solution ROTI®Star 19 elements in 5 %  $\rm HNO_3$  - 1 mg/l

article number: 2636

Keep away from drains, surface and ground water.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	characteristic
Melting point/freezing point	~0 °C at 1.013 mPa
Boiling point or initial boiling point and boiling range	~100 °C at 1.013 mPa
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	<2 (20 °C)
Kinematic viscosity	not determined
Solubility(ies)	
Water solubility	miscible in any proportion
Partition coefficient	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	not determined
Density and/or relative density	
Density	~1 <sup>g</sup> / <sub>cm³</sub> at 20 °C
Relative vapour density	information on this property is not available
Particle characteristics	not relevant (liquid)
Other safety parameters	
Oxidising properties	none
Other information	
Information with regard to physical hazard classes:	
Corrosive to metals	category 1: corrosive to metals

9.2

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi Element ICP - Standard Solution ROTI®Star 19 elements in 5 % $\rm HNO_3$ - 1 mg/l

article number: 2636

Other safety characteristics:

Miscibility

## SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Substance or mixture corrosive to metals.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

completely miscible with water

#### 10.3 Possibility of hazardous reactions

**Violent reaction with:** Ammonia (NH3), Bases, Metals, Reducing agents, Strong alkali, Organic solvents

#### 10.4 Conditions to avoid

Keep away from heat.

#### 10.5 Incompatible materials

different metals (due to the release of hydrogen in an acid/alkaline medium)

#### **10.6 Hazardous decomposition products**

Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

#### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture						
Name of substance         CAS No         Exposure route         ATE						
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: vapour	2,65 <sup>mg</sup> /ı/4h			
Lead(II) nitrate	10099-74-8	oral	500 <sup>mg</sup> / <sub>kg</sub>			
Lead(II) nitrate	10099-74-8	inhalation: dust/mist	1,5 <sup>mg</sup> /ı/4h			
nickel dinitrate	13138-45-9	oral	1.620 <sup>mg</sup> / <sub>kg</sub>			
nickel dinitrate	13138-45-9	inhalation: dust/mist	1,5 <sup>mg</sup> /ı/4h			

according to Regulation (EC) No. 1907/2006 (REACH)



# Multi Element ICP - Standard Solution ROTI®Star 19 elements in 5 % $\rm HNO_3$ - 1 mg/l

article number: 2636

cute toxicity of components of the mixture						
Name of substance	CAS No	Exposure route	Endpoint	Value	Species	
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: va- pour	LC50	>2,65 <sup>mg</sup> / <sub>l</sub> /4h	rat	
Lead(II) nitrate	10099-74-8	oral	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat	
Lead(II) nitrate	10099-74-8	dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat	
nickel dinitrate	13138-45-9	oral	LD50	1.620 <sup>mg</sup> / <sub>kg</sub>	rat	
Silver nitrate	7761-88-8	oral	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat	
Silver nitrate	7761-88-8	dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat	

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### **Respiratory or skin sensitisation**

May cause an allergic skin reaction.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

#### • If in eyes

causes burns, Causes serious eye damage, risk of blindness

#### • If inhaled

corrosive to the respiratory tract, cough, Dyspnoea

#### • If on skin

causes severe burns, causes poorly healing wounds, May produce an allergic reaction, pruritis, localised redness Multi Element ICP - Standard Solution ROTI®Star 19 elements in 5 %  $HNO_3$  - 1 mg/l

article number: 2636

#### Other information

This information is based upon the present state of our knowledge.

#### **11.2** Endocrine disrupting properties

None of the ingredients are listed.

#### **11.3** Information on other hazards

There is no additional information.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture							
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time		
Lead(II) nitrate	10099-74-8	LC50	107 <sup>µg</sup> / <sub>l</sub>	fish	96 h		
Lead(II) nitrate	10099-74-8	ErC50	35,9 <sup>µg</sup> / <sub>l</sub>	algae	48 h		
Silver nitrate	7761-88-8	LC50	1,2 <sup>µg</sup> / <sub>l</sub>	fish	96 h		

Aquatic toxicity (chronic) of components of the mixture						
Name of sub- stance         CAS No         Endpoint         Value         Species         Exposure time						
Silver nitrate	7761-88-8	EC50	0,8 <sup>µg</sup> / <sub>l</sub>	aquatic invertebrates	7 d	

#### Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

#### 12.2 Process of degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture						
Name of substance	CAS No	BCF	Log KOW	BOD5/COD		
Silver nitrate	7761-88-8	70				

#### 12.4 Mobility in soil

Data are not available.

## 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

None of the ingredients are listed.



according to Regulation (EC) No. 1907/2006 (REACH)



## Multi Element ICP - Standard Solution ROTI®Star 19 elements in 5 % $\rm HNO_3$ - 1 mg/l

article number: 2636

#### 12.7 Other adverse effects

Data are not available.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

#### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

14.1		
	ADRRID	UN 2031
	IMDG-Code	UN 2031
	ICAO-TI	UN 2031
14.2	UN proper shipping name	
	ADRRID	NITRIC ACID
	IMDG-Code	NITRIC ACID
	ICAO-TI	Nitric acid
14.3	Transport hazard class(es)	
	ADRRID	8
	IMDG-Code	8
	ICAO-TI	8
14.4	Packing group	
	ADRRID	II
	IMDG-Code	II
	ICAO-TI	II

according to Regulation (EC) No. 1907/2006 (REACH)



# Multi Element ICP - Standard Solution ROTI®Star 19 elements in 5 % $\rm HNO_3$ - 1 mg/l

article number: 2636

14.5	Environmental hazards	non-environmentally hazardous acc. to the dan-						
		gerous goods regulations						
14.6	Special precautions for user							
	Provisions for dangerous goods (ADR) should be complied within the premises.							
14.7								
	The cargo is not intended to be carried in bulk.							
14.8	Information for each of the UN Model Regulat	tions						
	Transport of dangerous goods by road, rail an information	d inland waterway (ADR/RID/ADN) - Additional						
	Proper shipping name	NITRIC ACID						
	Particulars in the transport document	UN2031, NITRIC ACID, 8, II, (E)						
	Classification code	C1						
	Danger label(s)	8						
	Excepted quantities (EQ)	E2						
	Limited quantities (LQ)	1 L						
	Transport category (TC)	2						
	Tunnel restriction code (TRC)	E						
	Hazard identification No	80						
	Emergency Action Code	2R						
	Regulations concerning the International Car information	riage of Dangerous Goods by Rail (RID)Additional						
	Classification code	8						
	Danger label(s)	8						
	Excepted quantities (EQ)	E2						
	Limited quantities (LQ)	1 L						
	Transport category (TC)	2						
	Hazard identification No	80						
	International Maritime Dangerous Goods Cod	e (IMDG) - Additional information						
	Proper shipping name	NITRIC ACID						
	Particulars in the shipper's declaration	UN2031, NITRIC ACID, 8, II						
	Marine pollutant	-						
	Danger label(s)	8						

according to Regulation (EC) No. 1907/2006 (REACH)



#### Multi Element ICP - Standard Solution ROTI®Star 19 elements in 5 % HNO<sub>3</sub> - 1 mg/l

article number: 2636

A

8	
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-A, S-B
Stowage category	D
Segregation group	1 - Acids
International Civil Aviation Organization (ICA	O-IATA/DGR) - Additional information
Proper shipping name	Nitric acid
Particulars in the shipper's declaration	UN2031, Nitric acid, 8, II
Danger label(s)	8
Excepted quantities (EQ)	E2
Limited quantities (LQ)	0,5 L

### **SECTION 15: Regulatory information**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 **Relevant provisions of the European Union (EU)**

#### **Restrictions according to REACH, Annex XVII**

Dangerous substances with re	estrictions (REACH, Annex XVII)			
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Multi Element	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Lead(II) nitrate	toxic for reproduction		R28-30	30
Lead(II) nitrate	substances in tattoo inks and perman- ent make-up		R75	75
Lead(II) nitrate	lead compounds		R63	63
Lead(II) nitrate	lead compounds		R72	72
nickel dinitrate	carcinogenic		R28-30	28
nickel dinitrate	toxic for reproduction		R28-30	30
nickel dinitrate	nickel compounds		R27	27
Nitric acid% [C ≤ 70 %]	substances in tattoo inks and perman- ent make-up		R75	75

Legend


R27 1. Shall not be used:

(a) in any post assemblies which are inserted into pierced ears and other pierced parts of the human body unless the rate of nickel release from such post assemblies is less than 0,2 μg/cm2/week (migration limit);
 (b) in articles intended to come into direct and prolonged contact with the skin such as:

- earrings,

Multi Element ICP - Standard Solution ROTI®Star 19 elements in 5 % HNO<sub>3</sub> - 1 mg/l

#### article number: 2636





according to Regulation (EC) No. 1907/2006 (REACH)



#### Multi Element ICP - Standard Solution ROTI®Star 19 elements in 5 % HNO<sub>3</sub> - 1 mg/l

#### article number: 2636

חס ו	0	n	6
Leu	c		u

R63

- 1. Shall not be placed on the market or used in any individual part of jewellery articles if the concentration of lead (ex-1. Shall not be placed on the market of used in any individual part of jewellery articles in the concentration pressed as metal) in such a part is equal to or greater than 0,05 % by weight.
  2. For the purposes of paragraph 1:
  (i) 'jewellery articles' shall include jewellery and imitation jewellery articles and hair accessories, including:
  (a) bracelets, necklaces and rings;
  (b) piercing jewellery;
  (c) wrist watches and wrist-wear;
  (d) bracehos and sufficient.

  - (d) brooches and cufflinks;
  - (a) broocnes and cufflinks;
    (ii) 'any individual part' shall include the materials from which the jewellery is made, as well as the individual components of the jewellery articles.
    3. Paragraph 1 shall also apply to individual parts when placed on the market or used for jewellery-making.
    4. By way of derogation, paragraph 1 shall not apply to:

    (a) crystal glass as defined in Annex I (categories 1, 2, 3 and 4) to Council Directive 69/493/EEC (14);
    (b) internal components of watch timepieces inaccessible to consumers;
    (c) page further or preparties and explanation components (CN code 7102, as established by Bogulation)

(c) non-synthetic or reconstructed precious and semiprecious stones (CN code 7103, as established by Regulation (EEC) No 2658/87), unless they have been treated with lead or its compounds or mixtures containing these substances; (d) enamels, defined as vitrifiable mixtures resulting from the fusion, vitrification or sintering of minerals melted at a temperature of at least 500 °C.

temperature of at least 500 °C. 5. By way of derogation, paragraph 1 shall not apply to jewellery articles placed on the market for the first time before 9 October 2013 and jewellery articles produced before 10 December 1961. 6. By 9 October 2017, the Commission shall re-evaluate paragraphs 1 to 5 of this entry in the light of new scientific in-formation, including the availability of alternatives and the migration of lead from the articles referred to in para-graph 1 and, if appropriate, modify this entry accordingly. 7. Shall not be placed on the market or used in articles supplied to the general public, if the concentration of lead (ex-pressed as metal) in those articles or accessible parts thereof is equal to or greater than 0,05 % by weight, and those articles or accessible parts thereof may, during normal or reasonably foreseeable conditions of use, be placed in the mouth by children mouth by children.

That limit shall not apply where it can be demonstrated that the rate of lead release from such an article or any such accessible part of an article, whether coated or uncoated, does not exceed 0,05  $\mu$ g/cm2 per hour (equivalent to 0,05  $\mu$ g/g/h), and, for coated articles, that the coating is sufficient to ensure that this release rate is not exceeded for a period of at least two years of normal or reasonably foreseeable conditions of use of the article. For the purposes of this paragraph, it is considered that an article or accessible part of an article may be placed in the mouth by children if it is smaller than 5 cm in one dimension or has a detachable or protruding part of that size.

8. By way of derogation, paragraph 7 shall not apply to:

8. By way of derogation, paragraph / shall not apply to:
(a) jewellery articles covered by paragraph 1;
(b) crystal glass as defined in Annex I (categories 1, 2, 3 and 4) to Directive 69/493/EEC;
(c) non-synthetic or reconstructed precious and semi-precious stones (CN code 7103 as established by Regulation (EEC) No 2658/87) unless they have been treated with lead or its compounds or mixtures containing these substances;
(d) enamels, defined as vitrifiable mixtures resulting from the fusion, vitrification or sintering of mineral melted at a temperature of at least 500 °C;
(a) least and least 500 °C;

(e) keys and locks, including padlocks;

(f) musical instruments;

(g) articles and parts of articles comprising brass alloys, if the concentration of lead (expressed as metal) in the brass alloy does not exceed 0,5 % by weight; (h) the tips of writing instruments;

(i) religious articles; (j) portable zinc-carbon batteries and button cell batteries; (k) articles within the scope of:

(i) Directive 94/62/EC;
(ii) Directive 94/62/EC;
(iii) Directive 2009/48/EC of the European Parliament and of the Council (1);
(iv) Directive 2011/65/EU of the European Parliament and of the Council (2)
9. By 1 July 2019, the Commission shall re-evaluate paragraphs 7 and 8(e), (f), (i) and (j) of this entry in the light of new scientific information, including the availability of alternatives and the migration of lead from the articles referred to in paragraph 7 including the reversion of the context and the migration of lead from the articles referred to in paragraph 7. paragraph 7, including the requirement on coating integrity, and, if appropriate, modify this entry accordingly. 10. By way of derogation paragraph 7 shall not apply to articles placed on the market for the first time before 1 June

2016

1. Doing either of the following acts after 15 February 2023 in or within 100 metres of wetlands is prohibited: (a) discharging gunshot containing a concentration of lead (expressed as metal) equal to or greater than 1 % by wéight;

(b) carrying any such gunshot where this occurs while out wetland shooting or as part of going wetland shooting.


(a) "within 100 metres of wetlands" means within 100 metres outward from any outer boundary point of a wetland;
(b) "wetland shooting" means shooting in or within 100 metres of wetlands;
(c) if a person is found carrying gunshot in or within 100 metres of wetlands while out shooting or as part of going shooting, the shooting concerned shall be presumed to be wetland shooting unless that person can demonstrate that it was some other type of shooting.

It was some other type of shooting. The restriction laid down in the first subparagraph shall not apply in a Member State if that Member State notifies the Commission in accordance with paragraph 12 that it intends to make use of the option granted by that paragraph. 12. If at least 20 % in total of the territory, excluding the territorial waters, of a Member State are wetlands, that Mem-ber State may, in place of the restriction laid down in the first subparagraph of paragraph 11, prohibit the following acts throughout the whole of its territory from 15 February 2024: (a) the placing on the market of gunshot containing a concentration of lead (expressed as metal) equal to or greater than 1 % by weight; (b) the discharging of any such gunshot; (c) carrying any such gunshot while out shooting or as part of going shooting.

(c) carrying any such gunshot while out shooting or as part of going shooting. Any Member State intending to make use of the option granted by the first subparagraph shall notify the Commission of this intention by 15 August 2021. The Member State shall communicate the text of the national measures adopted by it to the Commission without delay and in any event by 15 August 2023. The Commission shall make publicly avail-able without delay any such notices of intention and texts of national measures received by it.

Multi Element ICP - Standard Solution ROTI®Star 19 elements in 5 % HNO<sub>3</sub> - 1 mg/l

#### article number: 2636




used only once or for a limited time and are not intended for subsequent use for the same or a similar purpose. 6. Paragraphs 1 and 2 shall apply without prejudice to the application of any stricter restrictions set out in this Annex or in other applicable Union legislation.

or in other applicable Union legislation. 7. The Commission shall review the exemption in paragraph 3(d) and, if appropriate, modify that point accordingly. (\*) Regulation (EU) 2016/425 of the European Parliament and of the Council of of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC (OJ L 81, 31.3.2016, p. 51). (\*\*) Regulation (EU) 2017/745 of the European Parliament and of the Council of 5 April 2017 on medical devices, amending Directive 2001/83/EC, Regulation (EC) No 178/2002 and Regulation (EC) No 1223/2009 and repealing Coun-cil Directives 90/385/EEC and 93/42/EEC (OJ L 117, 5.5.2017, p. 1).



Multi Element ICP - Standard Solution ROTI®Star 19 elements in 5 % HNO<sub>3</sub> - 1 mg/l

#### article number: 2636



graph.



® §ROTH

## Multi Element ICP - Standard Solution ROTI®Star 19 elements in 5 % $\rm HNO_3$ - 1 mg/l

#### article number: 2636

#### Legend

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device. The requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

#### **Seveso Directive**

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes
	not assigned		

#### **Deco-Paint Directive**

VOC content	0 % 0 <sup>9</sup> /1

#### Industrial Emissions Directive (IED)

VOC content	0 %
VOC content (Water content was discounted)	0 <sup>g</sup> / <sub>l</sub>

## Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

## Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

#### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Lead(II) nitrate	lead compounds		b)	
Lead(II) nitrate	lead compounds	7439-92-1	c)	
Lead(II) nitrate	Substances which contribute to eutrophication (in particular, ni- trates and phosphates)		a)	
Lead(II) nitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

according to Regulation (EC) No. 1907/2006 (REACH)



#### article number: 2636

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Lead(II) nitrate	Metals and their compounds		a)	
nickel dinitrate	nickel compounds		b)	
nickel dinitrate	nickel compounds	7440-02-0	c)	
nickel dinitrate	Substances which contribute to eutrophication (in particular, ni- trates and phosphates)		a)	
nickel dinitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
nickel dinitrate	Metals and their compounds		a)	
Silver nitrate	Substances which contribute to eutrophication (in particular, ni- trates and phosphates)		a)	
Silver nitrate	Metals and their compounds		a)	

### Legend A) B) C)

Indicative list of the main pollutants List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants

#### Regulation on the marketing and use of explosives precursors

Explosives precursors which	are subject	to restrictions			
Name of substance	CAS No	Type of registration	Remarks	Limit value	Upper limit value for the pur- pose of licensing under Article 5(3)
Nitric acid% [C ≤ 70 %]	7697-37-2	Annex I		3 % w/w	10 % w/w

Legend

Substances which shall not be made available to members of the general public on their own, or in mixtures or annex I substances including them, except if the concentration is equal to or lower than the limit values set out below

#### **Additional statements**

If the product is passed on to third parties, in accordance with Article 7 "Notification of the supply chain" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on re-stricted and regulated raw materials.

#### **Regulation on drug precursors**

none of the ingredients are listed

#### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

#### Multi Element ICP - Standard Solution ROTI®Star 19 elements in 5 % HNO<sub>3</sub> - 1 mg/l

article number: 2636

#### Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

Name of substance	Name acc. to inventory	CAS No	Category / subcategory	Use limita- tion
Lead(II) nitrate	lead compounds		i(2)	sr

#### Legend

i(2) sr

Sub-category: i(2) - industrial chemical for public use Use limitation: severe restriction (for the sub-category or sub-categories concerned) according to Union legislation

#### **Regulation on persistent organic pollutants (POP)**

none of the ingredients are listed

#### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### National inventories

AICS DSL NDSL IECSC ECSI	not all ingredients are listed not all ingredients are listed not all ingredients are listed all ingredients are listed
NDSL IECSC	not all ingredients are listed
IECSC	
	all ingredients are listed
ECSI	
	all ingredients are listed
EACH Reg.	not all ingredients are listed
SCL-ENCS	not all ingredients are listed
SHA-ENCS	not all ingredients are listed
KECI	all ingredients are listed
INSQ	not all ingredients are listed
NZIoC	not all ingredients are listed
PICCS	not all ingredients are listed
CICR	not all ingredients are listed
TCSI	all ingredients are listed
	all ingredients are listed
S	KECI INSQ NZIOC PICCS CICR

I eaend

Legenu	
AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NDSL	Non-domestic Substances List (NDSL)
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi Element ICP - Standard Solution ROTI®Star 19 elements in 5 % $\rm HNO_3$ - 1 mg/l

article number: 2636

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
2019/983/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protec- tion of workers from the risks related to exposure to carcinogens or mutagens at work
98/24/EC	Council Directive on the protection of the health and safety of workers from the risks related to chemical agents at work
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CLWR	Control of Lead at Work Regulations
CLWR-NIR	Control of Lead at Work Regulations (Northern Ireland)
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi Element ICP - Standard Solution ROTI®Star 19 elements in 5 % $\rm HNO_3$ - 1 mg/l

article number: 2636

Abbr.	Descriptions of used abbreviations
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval
log KOW	n-Octanol/water
Met. Corr.	Substance or mixture corrosive to metals
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to th aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
OEL	Workplace exposure limit
Ox. Liq.	Oxidising liquid
Ox. Sol.	Oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
Resp. Sens.	Respiratory sensitisation
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi Element ICP - Standard Solution ROTI®Star 19 elements in 5 % $\rm HNO_3$ - 1 mg/l

article number: 2636

Abbr.	Descriptions of used abbreviations
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.

according to Regulation (EC) No. 1907/2006 (REACH)



## Multi Element ICP - Standard Solution ROTI®Star 19 elements in 5 % $\rm HNO_3$ - 1 mg/l

article number: 2636

Code	Text
H410	Very toxic to aquatic life with long lasting effects.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.