

article number: **2642** Version: **2.0 en** Replaces version of: 2016-10-10 Version: (1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Multi Element ICP - Standard Solution X ROTI®Star 23 elements in 2 % $HNO_3 - \mu g/l$

2642

Registration number (REACH)

not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	01 809 2166	https:// www.poisons.ie/

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319



date of compilation: 2016-10-10 Revision: 2022-02-22

according to Regulation (EC) No. 1907/2006 (REACH)

Multi Element ICP - Standard Solution X ROTI®Star 23 elements in 2 % HNO_3 - $\mu g/l$

article number: 2642

For full text of abbreviations: see SECTION 16

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Warning

Pictograms

GHS05



Hazard statements

H290	May be corrosive to metals
H315	Causes skin irritation
H319	Causes serious eye irritation

Precautionary statements

Precautionary statements - prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning





2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2 Index No 007-030-00-3	2	Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 EUH071		B(a) GHS-HC IOELV



according to Regulation (EC) No. 1907/2006 (REACH)



Multi Element ICP - Standard Solution X ROTI®Star 23 elements in 2 % HNO₃ - µg/l

article number: 2642

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Cobalt powder	CAS No 7440-48-4 EC No 231-158-0 Index No 027-001-00-9	< 0,01	Acute Tox. 4 / H302 Eye Irrit. 2 / H319 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1B / H350 Repr. 1B / H360F Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		IARC: 2B

Notes

B(a): The classification refers to an aqueous solution GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI)

IARC: IARC group 2B: possibly carcinogenic to humans (International Agency for Research on Cancer)

2B: IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ΑΤΕ	Exposure route
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2 Index No 007-030-00-3	Ox. Liq. 3; H272: C ≥ 65 % Skin Corr. 1A; H314: C ≥ 20 % Skin Corr. 1B; H314: 5 % ≤ C < 20 %	-	2,65 ^{mg} /l/4h	inhalation: va- pour
Cobalt powder	CAS No 7440-48-4 EC No 231-158-0 Index No 027-001-00-9	-	M-factor (chronic) = 100.0	550 ^{mg} / _{kg}	oral

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 **Description of first aid measures**



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Multi Element ICP - Standard Solution X ROTI®Star 23 elements in 2 % HNO_3 - $\mu g/l$

article number: 2642

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed Irritation

4.3 Indication of any immediate medical attention and special treatment needed none

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).





article number: 2642

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory).

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	lead compounds		IOELV		0,15						98/24/EC
EU	cadmium	7440-43- 9	IOELV		0,001					i, Cd- limit	2019/ 983/EU
EU	nitric acid	7697-37- 2	IOELV			1	2,6				2006/15/ EC
IE	lead compounds		OELV		0,15						S.I. No. 619 of 2001
IE	chromium(III) com- pounds		OELV		2					Cr	S.I. No. 619 of 2001
IE	boric acid	10043- 35-3	OELV		1						S.I. No. 619 of 2001



according to Regulation (EC) No. 1907/2006 (REACH)



Multi Element ICP - Standard Solution X ROTI®Star 23 elements in 2 % HNO_3 - $\mu g/l$

article number: 2642

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
IE	nickel	7440-02- 0	OELV		0,5						S.I. No. 619 of 2001
IE	cadmium	7440-43- 9	OELV		0,001					i	S.I. No. 619 of 2001
IE	cobalt	7440-48- 4	OELV		0,02						S.I. No. 619 of 2001
IE	nitric acid	7697-37- 2	OELV			1	2,6				S.I. No. 619 of 2001
IE	selenium	7782-49- 2	OELV		0,1						S.I. No. 619 of 2001

Notation

Cd-limit	Limit value 0,004 mg/m3 until 11 July 2027
Ceiling-C	Ceiling value is a limit value above which exposure should not occur
Cr	Calculated as Cr (chromium)
i	Inhalable fraction
STEL	Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-
	minute period (unless otherwise specified)
TWA	Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture									
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time			
Cobalt powder	7440-48-4	DNEL	40 µg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects			

Relevant PNECs	Relevant PNECs of components of the mixture											
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time						
Cobalt powder	7440-48-4	PNEC	0,62 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)						
Cobalt powder	7440-48-4	PNEC	2,36 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)						
Cobalt powder	7440-48-4	PNEC	0,37 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)						
Cobalt powder	7440-48-4	PNEC	53,8 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)						
Cobalt powder	7440-48-4	PNEC	69,8 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)						
Cobalt powder	7440-48-4	PNEC	10,9 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)						

ſ

according to Regulation (EC) No. 1907/2006 (REACH)



Multi Element ICP - Standard Solution X ROTI®Star 23 elements in 2 % HNO_3 - $\mu g/l$

article number: 2642

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation.

Environmental exposure controls

Keep away from drains, surface and ground water.

according to Regulation (EC) No. 1907/2006 (REACH)

Multi Element ICP - Standard Solution X ROTI®Star 23 elements in 2 % HNO_3 - $\mu g/l$

article number: 2642

SEC	TION 9: Physical and chemical proper	ties
9.1	Information on basic physical and chemical pro	operties
	Physical state	liquid
	Colour	colourless
	Odour	stinging
	Melting point/freezing point	~0 °C at 1.013 mPa
	Boiling point or initial boiling point and boiling range	~100 °C at 1.013 mPa
	Flammability	non-combustible
	Lower and upper explosion limit	not determined
	Flash point	not determined
	Auto-ignition temperature	not determined
	Decomposition temperature	not relevant
	pH (value)	<2
	Kinematic viscosity	not determined
	Solubility(ies)	
	Water solubility	miscible in any proportion
	Partition coefficient	
	Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
	Vapour pressure	not determined
	Density and/or relative density	
	Density	~1 ^g / _{cm³} at 20 °C
	Relative vapour density	information on this property is not available
	Particle characteristics	not relevant (liquid)
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	
	Corrosive to metals	category 1: corrosive to metals
	Other safety characteristics:	



according to Regulation (EC) No. 1907/2006 (REACH)

Multi Element ICP - Standard Solution X ROTI®Star 23 elements in 2 % HNO_3 - $\mu g/l$

article number: 2642

Miscibility

completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Ammonia (NH3), Bases, Metals, Reducing agents, Strong alkali, Organic solvents

10.4 Conditions to avoid

Keep away from heat.

10.5 Incompatible materials

different metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture				
Name of substance	CAS No	Exposure route	ΑΤΕ	
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: vapour	2,65 ^{mg} / _l /4h	
Cobalt powder	7440-48-4	oral	550 ^{mg} / _{kg}	

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: va- pour	LC50	>2,65 ^{mg} / _l /4h	rat
Cobalt powder	7440-48-4	oral	LD50	550 ^{mg} / _{kg}	rat



according to Regulation (EC) No. 1907/2006 (REACH)

Multi Element ICP - Standard Solution X ROTI®Star 23 elements in 2 % HNO_3 - $\mu g/l$

article number: 2642

® Roth

Skin corrosion/irritation Causes skin irritation. Serious eye damage/eye irritation Causes serious eye irritation. **Respiratory or skin sensitisation** Shall not be classified as a respiratory or skin sensitiser. Germ cell mutagenicity Shall not be classified as germ cell mutagenic. Carcinogenicity Shall not be classified as carcinogenic. **Reproductive toxicity** Shall not be classified as a reproductive toxicant. Specific target organ toxicity - single exposure Shall not be classified as a specific target organ toxicant (single exposure). Specific target organ toxicity - repeated exposure Shall not be classified as a specific target organ toxicant (repeated exposure). **Aspiration hazard** Shall not be classified as presenting an aspiration hazard. Symptoms related to the physical, chemical and toxicological characteristics If swallowed Data are not available. • If in eyes Causes serious eye irritation • If inhaled Data are not available. • If on skin causes skin irritation • Other information This information is based upon the present state of our knowledge. 11.2 Endocrine disrupting properties None of the ingredients are listed. 11.3 Information on other hazards There is no additional information.

according to Regulation (EC) No. 1907/2006 (REACH)



Multi Element ICP - Standard Solution X ROTI®Star 23 elements in 2 % HNO_3 - $\mu g/l$

article number: 2642

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture						
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time	
Cobalt powder	7440-48-4	LC50	1,512 ^{mg} / _l	fish	96 h	
Cobalt powder	7440-48-4	EC50	>890 ^{µg} / _I	aquatic invertebrates	48 h	
Cobalt powder	7440-48-4	ErC50	144 ^{µg} / _l	algae	72 h	

Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Cobalt powder	7440-48-4	EC50	82,2 ^{µg} / _l	aquatic invertebrates	21 d
Cobalt powder	7440-48-4	ErC50	20 ^{µg} / _ا	algae	70 h

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture						
Name of substance	CAS No	BCF	Log KOW	BOD5/COD		
Cobalt powder	7440-48-4	23				

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH)



Multi Element ICP - Standard Solution X ROTI®Star 23 elements in 2 % HNO₃

- μg/l

article number: 2642

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number ADRRID UN 3264 IMDG-Code UN 3264 ICAO-TI UN 3264 14.2 UN proper shipping name ADRRID CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. IMDG-Code CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. ICAO-TI Corrosive liquid, acidic, inorganic, n.o.s. Nitric acid ...% [C \leq 70 %], Magnesium nitrate Technical name (hazardous ingredients) 14.3 Transport hazard class(es) ADRRID 8 IMDG-Code 8 ICAO-TI 8 14.4 Packing group ADRRID III IMDG-Code III ICAO-TI III 14.5 Environmental hazards non-environmentally hazardous acc. to the dangerous goods regulations

® FOTH

Multi Element ICP - Standard Solution X ROTI®Star 23 elements in 2 % HNO_3 - $\mu g/l$

article number: 2642

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Iransport of dangerous goods by road, rail and information	inland waterway (ADR/RID/ADN) - Additional			
Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.			
Particulars in the transport document	UN3264, CORROSIVE LIQUID, ACIDIC, INORGAN- IC, N.O.S., (contains: Nitric acid% [C ≤ 70 %], magnesium nitrate), 8, III, (E)			
Classification code	C1			
Danger label(s)	8			
Special provisions (SP)	274			
Excepted quantities (EQ)	E1			
Limited quantities (LQ)	5 L			
Transport category (TC)	3			
Tunnel restriction code (TRC)	E			
Hazard identification No	80			
Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information				
Classification code	8			
Danger label(s)	8			
Special provisions (SP)	274			
Excepted quantities (EQ)	E1			
Limited quantities (LQ)	5 L			
Transport category (TC)	3			
Hazard identification No	80			
International Maritime Dangerous Goods Code	(IMDG) - Additional information			
Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.			
Particulars in the shipper's declaration	UN3264, CORROSIVE LIQUID, ACIDIC, INORGAN- IC, N.O.S., (contains: Nitric acid% [C ≤ 70 %], magnesium nitrate), 8, III			
Marine pollutant	-			

according to Regulation (EC) No. 1907/2006 (REACH)



Multi Element ICP - Standard Solution X ROTI®Star 23 elements in 2 % HNO₃ - μg/l

article number: 2642

Danger label(s)	8				
Special provisions (SP)	223, 274				
Excepted quantities (EQ)	E1				
Limited quantities (LQ)	5 L				
EmS	F-A, S-B				
Stowage category	A				
Segregation group	1 - Acids				
International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information					
Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s.				
Particulars in the shipper's declaration	UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (contains: Nitric acid% [C ≤ 70 %], magnesium nitrate), 8, III				
Danger label(s)	8				
Special provisions (SP)	A3				
Excepted quantities (EQ)	E1				
Limited quantities (LQ)	1 L				

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 **Relevant provisions of the European Union (EU)**

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)					
Name of substance	Name acc. to inventory	CAS No	Restriction	Νο	
Multi Element	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3	
Cobalt powder	carcinogenic		R28-30	28	
Cobalt powder	toxic for reproduction		R28-30	30	
Cobalt powder	substances in tattoo inks and perman- ent make-up		R75	75	
Nitric acid% [C ≤ 70 %]	substances in tattoo inks and perman- ent make-up		R75	75	

Legend

R28-30 1. Shall not be placed on the market, or used,

as substances - as constituents of other substances, or,

- in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater



article number: 2642

Legend	1
-	than:
	 either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or, the relevant concentration specified in Directive 1999/45/EC where no specific concentration limit is set out in Part 3 of Annex VI to Regulation (EC) No 1272/2008.
	Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:
	'Restricted to professional users'.
	 2. By way of derogation, paragraph 1 shall not apply to: (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC; (b) cosmetic products as defined by Directive 76/768/EEC; (c) the following fuels and oil products:
	- motor fuels which are covered by Directive 98/70/EC,
	- mineral oil products intended for use as fuel in mobile or fixed combustion plants, - fuels sold in closed systems (e.g. liquid gas bottles);
	(d) artists' paints covered by Directive 1999/45/EC; (e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date;
52	(f) devices covered by Regulation (EU) 2017/745.
R3	1. Shall not be used in: - ornamental articles intended to produce light or colour effects by means of different phases, for example in orna- mental lamps and ashtrays,
	- tricks and jokes,
	- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
	2. Articles not complying with paragraph 1 shall not be placed on the market.
	3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
	— can be used as fuel in decorative oil lamps for supply to the general public, and
	— present an aspiration hazard and are labelled with H304.
	4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the
	European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation
	(CEN).
	5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and pack- aging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following require- ments are met:
	(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
	(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
	(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';





article number: 2642







Multi Element ICP - Standard Solution X ROTI®Star 23 elements in 2 % HNO_3 - $\mu g/l$

article number: 2642

Legend

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device. The requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

Seveso Directive

2012/18/EU (Seveso III)					
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes		
	not assigned				

Deco-Paint Directive

VOC content	0 % 0 ⁹ /l	
-------------	--------------------------	--

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content (Water content was discounted)	0 ^g / _l

Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Cobalt powder	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Cobalt powder	Metals and their compounds		a)	

Legend

Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

according to Regulation (EC) No. 1907/2006 (REACH)



Multi Element ICP - Standard Solution X ROTI®Star 23 elements in 2 % HNO_3 - $\mu g/l$

article number: 2642

losives precursors which a Name of substance	re subject CAS No	to restrictions Type of registration	Remarks	Limit value	Upper limit value for the pur- pose of licensing under Article 5(3)
Nitric acid% [C ≤ 70 %]	7697-37-2	Annex I		3 % w/w	10 % w/w

Legend

annex I Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below

Additional statements

If the product is passed on to third parties, in accordance with Article 7 "Notification of the supply chain" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on restricted and regulated raw materials.

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AICS	not all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed

according to Regulation (EC) No. 1907/2006 (REACH)



Multi Element ICP - Standard Solution X ROTI®Star 23 elements in 2 % HNO_3 - $\mu g/l$

article number: 2642

Country	Inventory	Status	
TR	CICR	not all ingredients are listed	
TW	TCSI	all ingredients are listed	
US	TSCA	not all ingredients are listed	
DSL ECSI IECSC INSQ KECI NDSL NZIOC PICCS	Chemical Inventory and C List of Existing and New C Domestic Substances List EC Substance Inventory (E Inventory of Existing Chen National Inventory of Che Korea Existing Chemicals Non-domestic Substances New Zealand Inventory of Che Philippine Inventory of Che REACH registered substan	Australian Inventory of Chemical Substances Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) Domestic Substances List (DSL) EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances Korea Existing Chemicals Inventory Non-domestic Substances List (NDSL) New Zealand Inventory of Chemicals Philippine Inventory of Chemicals and Chemical Substances (PICCS) REACH registered substances Taiwan Chemical Substance Inventory	

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.1	Remarks: For full text of Hazard- and EU Hazard-state- ments: see SECTION 16.		yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2	Precautionary statements - response		yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes

according to Regulation (EC) No. 1907/2006 (REACH)



Multi Element ICP - Standard Solution X ROTI®Star 23 elements in 2 % HNO_3 - $\mu g/l$

article number: **2642**

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in imple mentation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
2019/983/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protec- tion of workers from the risks related to exposure to carcinogens or mutagens at work
98/24/EC	Council Directive on the protection of the health and safety of workers from the risks related to chemica agents at work
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an ident fier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association

according to Regulation (EC) No. 1907/2006 (REACH)



Multi Element ICP - Standard Solution X ROTI®Star 23 elements in 2 % HNO_3 - $\mu g/l$

article number: 2642

Abbr.	Descriptions of used abbreviations
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 9 lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval
log KOW	n-Octanol/water
Met. Corr.	Substance or mixture corrosive to metals
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to th aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
Ox. Liq.	Oxidising liquid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
Resp. Sens.	Respiratory sensitisation
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative



article number: 2642

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H360F	May damage fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

