

Multi Element ICP - Standard Solution XIII ROTI®Star 15 elements in 2 % HNO_3 - mg/l

article number: **2644** Version: **2.0 en** Replaces version of: 2016-10-10 Version: (1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Multi Element ICP - Standard Solution XIII ROTI®Star 15 elements in 2 % HNO $_3$ - mg/l

2644

Registration number (REACH)

not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319

date of compilation: 2016-10-10 Revision: 2022-02-23

according to Regulation (EC) No. 1907/2006 (REACH)



Multi Element ICP - Standard Solution XIII ROTI®Star 15 elements in 2 % HNO_3 - mg/l

article number: 2644

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.4S	Skin sensitisation	1	Skin Sens. 1	H317

For full text of abbreviations: see SECTION 16

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Warning

Pictograms

GHS05, GHS07



Hazard statements

H290	May be corrosive to metals
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation

Precautionary statements

Precautionary statements - prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection

Hazardous ingredients for labelling:

Nickel dinitrate, Ammonium dichromate

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Symbol(s)



H317May cause an allergic skin reaction.P280Wear protective gloves/protective clothing/eye protection/face protection.contains:Nickel dinitrate, Ammonium dichromate

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

according to Regulation (EC) No. 1907/2006 (REACH)



Multi Element ICP - Standard Solution XIII ROTI®Star 15 elements in 2 % $\rm HNO_3$ - mg/l

article number: 2644

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures


Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2 Index No	2	Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 EUH071		B(a) GHS-HC IOELV
nickel dinitrate	007-030-00-3 CAS No 13138-45-9 EC No 236-068-5 Index No 028-012-00-1	0,01 - < 0,1	Ox. Sol. 2 / H272 Acute Tox. 4 / H302 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Resp. Sens. 1 / H314 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1A / H350i Repr. 1B / H360D STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		GHS-HC
ammonium dichro- mate	CAS No 7789-09-5 EC No 232-143-1 Index No 024-003-00-1	0,048	Ox. Sol. 2 / H272 Acute Tox. 3 / H301 Acute Tox. 4 / H312 Acute Tox. 2 / H330 Skin Corr. 1B / H314 Resp. Sens. 1 / H314 Skin Sens. 1 / H317 Muta. 1B / H340 Carc. 1B / H350 Repr. 1B / H360FD STOT SE 3 / H335 STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		3 G(b) GHS-HC IARC: 1 IOELV RoC "Known"
Lead(II) nitrate	CAS No 10099-74-8 EC No 233-245-9 Index No 082-001-00-6	0,016	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Repr. 1A / H360Df STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		1(a) A(a) GHS-HC IARC: 2A IOELV
cobalt dinitrate	CAS No 10141-05-6 EC No 233-402-1 Index No 027-009-00-2	< 0,01	Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1B / H350i Repr. 1B / H360F Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		1(a) GHS-HC

Notes 1(a):

The concentration stated is the percentage by weight of the metallic element calculated with reference to the total weight of the mixture

according to Regulation (EC) No. 1907/2006 (REACH)



article number: 2644

	®
RUT!	7

Ν	otes	

- 3: The concentration stated is the percentage by weight of chromate ions dissolved in water calculated with reference to the total weight of the mixture.

- A(a): The name of substance is a general description. It is required that the correct name is stated on the label
 B(a): The classification refers to an aqueous solution
 G(b): Shall not be classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI)
- IARC: 1: IARC: 2A: IOELV: IARC group 1: carcinogenic to humans (International Agency for Research on Cancer) IARC group 2A: probably carcinogenic to humans (International Agency for Research on Cancer)

IOELV: Substance with a community indicative occupational exposure limit value RoC NTP-RoC: Known To Be A Human Carcinogen "Known"

:

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2	Ox. Liq. 3; H272: C ≥ 65 % Skin Corr. 1A; H314: C ≥ 20 % Skin Corr. 1B; H314: 5 % ≤ C < 20 %	-	2,65 ^{mg} / _l /4h	inhalation: va- pour
	EC No 231-714-2				
	Index No 007-030-00-3				
ammonium di- chromate	CAS No 7789-09-5	Resp. Sens. 1; H334: C ≥ 0,2 % Skin Sens. 1; H317: C ≥ 0,2 % STOT SE 3; H335: C ≥ 5 %	-	100 ^{mg} / _{kg} 1.100 ^{mg} / _{kg} 0,05 ^{mg} / _l /4h	oral dermal inhalation: dust/
	EC No 232-143-1	5101 SL 3, 11553. C 2 3 /0		0,05 -77411	mist
	Index No 024-003-00-1				
nickel dinitrate	CAS No 13138-45-9	Skin Irrit. 2; H315: C ≥ 20 % Skin Sens. 1; H317: C ≥ 0,01 % STOT RE 1; H372: C ≥ 1 %	-	1.620 ^{mg} / _{kg} 1,5 ^{mg} / _l /4h	oral inhalation: dust/ mist
	EC No 236-068-5	STOT RE 2; H373: 0,1 % ≤ C < 1 %			mst
	Index No 028-012-00-1				
cobalt dinitrate	CAS No 10141-05-6	Carc. 1B; H350i: C ≥ 0,01 %	M-factor (acute) = 10.0 M-factor	-	
	EC No 233-402-1		(chronic) = 10.0		
	Index No 027-009-00-2				
Lead(II) nitrate	CAS No 10099-74-8	Repr. 1A; H360D: C ≥ 0,3 % Repr. 2; H361f: C ≥ 2,5 % STOT RE 2; H373: C ≥ 0,5 %	M-factor (acute) = 10.0	500 ^{mg} / _{kg} 1,5 ^{mg} / _l /4h	oral inhalation: dust/ mist
	EC No 233-245-9	5101 KE 2, 11575. C 2 0,5 70			mist
	Index No 082-001-00-6				

For full text of abbreviations: see SECTION 16

according to Regulation (EC) No. 1907/2006 (REACH)



Multi Element ICP - Standard Solution XIII ROTI®Star 15 elements in 2 % $\rm HNO_3$ - mg/l

article number: 2644

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician. In case of skin irritation, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Irritation, Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

according to Regulation (EC) No. 1907/2006 (REACH)



Multi Element ICP - Standard Solution XIII ROTI®Star 15 elements in 2 % HNO_3 - mg/l

article number: 2644

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures are necessary.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

according to Regulation (EC) No. 1907/2006 (REACH)



Multi Element ICP - Standard Solution XIII ROTI®Star 15 elements in 2 % $\rm HNO_3$ - mg/l

article number: 2644

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

	-		-	-	-		-				
Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	lead compounds		IOELV		0,15						98/24/EC
EU	beryllium, inorganic compounds	1304-56- 9	IOELV		0,0002					i, Be- limit	2019/ 983/EU
EU	nitric acid	7697-37- 2	IOELV			1	2,6				2006/15/ EC
EU	arsenic acid	7778-39- 4	IOELV		0,01					i, As- limit	2019/ 983/EU
EU	chromium(VI) com- pounds	7789-09- 5	IOELV		0,005					Cr, CrVI- limit	2017/ 2398/EU
GB	lead compounds		OEL-NIR		0,15					Pb	CLWR- NIR
GB	lead compounds		OEL		0,15					Pb	CLWR
GB	cobalt compounds		WEL		0,1					Со	EH40/ 2005
GB	beryllium com- pounds	1304-56- 9	WEL		0,002					Be	EH40/ 2005
GB	nickel, soluble com- pounds	13138- 45-9	WEL		0,1					Ni	EH40/ 2005
GB	nitric acid	7697-37- 2	WEL			1	2,6				EH40/ 2005
GB	arsenic compounds	7778-39- 4	WEL		0,1					As	EH40/ 2005
GB	chromium(VI) com- pounds	7789-09- 5	WEL		0,01					Cr	EH40/ 2005
GB	chromium(VI) com- pounds	7789-09- 5	WEL		0,025					Cr, CrVI- pg	EH40/ 2005

Notation

As	Calculated as As (arsenic)
As-limit	For the copper smelting sector, the limit value shall apply from 11 July 2023
Be	Calculated as Be (beryllium)
Be-limit	Limit value 0,0006 mg/m3 until 11 July 2026
Ceiling-C	Ceiling value is a limit value above which exposure should not occur
Со	Calculated as Co (cobalt)
Cr	Calculated as Cr (chromium)
CrVI-limit	Limit value 0,010 mg/m3 until 17 January 2025
	Limit value: 0,025 mg/m3 for welding or plasma cutting processes or similar work processes that generate fume until 17 January 2025
C A IT IS A	
CrVI-pg	Chromium (VI) compounds generated as a result of a work process, such as fumes from welding (process gener-
	ated)
i	Inhalable fraction
Ni	Calculated as Ni (nickel)
Pb	Calculated as Pb (lead)
1.0	

® §POTH

Multi Element ICP - Standard Solution XIII ROTI®Star 15 elements in 2 % HNO_3 - mg/l

article number: 2644

Notation STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified)
 TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Biological limit values

Coun try	Name of agent	CAS No	Parameter	Nota tion	Identi- fier	Value	Material	Source
GB	chromium(VI) com- pounds		chromium	crea	BMGV	10 µmol/ mol	urine	EH40/ 2005
GB	lead compounds		lead	Pb- bio-2, Pb- med- 2, wmn< 45y	AL_NIR	250 µg/l	whole blood	CLWR- NIR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 2, wmn< 45y	AL	250 µg/l	whole blood	CLWR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 3, wmn> 45y, men	AL_NIR	400 μg/l	whole blood	CLWR- NIR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 3, wmn> 45y, men	AL	400 µg/l	whole blood	CLWR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 4, young	AL_NIR	500 µg/l	whole blood	CLWR- NIR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 4, young	AL	500 µg/l	whole blood	CLWR

Notation

crea Creatinine

Pb-bio-2 Biological monitoring: (a) in respect of an employee other than a young person or a woman of reproductive capacity, at least every 6 months, but where the results of the measurements for individuals or for groups of workers have shown on the previous two consecutive occasions on which monitoring was carried out a lead in air exposure greater than 0.075 mg/m³ but less than 0.100 mg/m³ and where the blood-lead concentration of any individual employee is less than 30 µg/dl, the frequency of monitoring may be reduced to once a year; or (b) in respect of any young person or a woman of reproductive capacity, at such intervals as the relevant doctor shall specify, being not greater than 3 months

Pb-med-2 Medical surveillance: in respect of a woman of reproductive capacity, 20 g/dl (blood-lead concentration) or 20 g Pb/g creatinine (urinary lead concentration) according to Regulation (EC) No. 1907/2006 (REACH)



Multi Element ICP - Standard Solution XIII ROTI®Star 15 elements in 2 % HNO_3 - mg/l

article number: 2644

Notation	
Pb-med-3	Medical surveillance: in respect of any other employee, 35 µg/dl (blood-lead concentration) or 40 µg Pb/g creatin-
	ine (urinary lead concentration) suspension level: in respect of a woman of reproductive capacity, 60 μg/dl (blood-lead concentration) or 110 μg Pb/g creatinine (urinary lead concentration)
Pb-med-4	Medical surveillance: in respect of any other employee, 35 μg/dl (blood-lead concentration) or 40 μg Pb/g creatin- ine (urinary lead concentration)
	suspension level: in respect of a young person, 50 µg/dl (blood-lead concentration) or 110 µg Pb/g creatinine (ur- inary lead concentration)
wmn<45y	Women of reproductive capacity (women < 45 years)
wmn>45y,	Women of non-reproductive capacity, men (women > 45 years)
men young	Adolescents (young person < 18 years)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material


>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





article number: 2644

Respiratory protection necessary at: Aerosol or mist formation. Type: Hg (against mercury vapour, colour code: Red).

Environmental exposure controls


Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	characteristic
Melting point/freezing point	~0 °C at 1.013 mPa
Boiling point or initial boiling point and boiling range	~100 °C at 1.013 mPa
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	<2
Kinematic viscosity	not determined
Solubility(ies)	
Water solubility	miscible in any proportion
Partition coefficient	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	not determined
Density and/or relative density	
Density	~1 ^g / _{cm³} at 20 °C
Relative vapour density	information on this property is not available
Particle characteristics	not relevant (liquid)
Other safety parameters	
Oxidising properties	none





article number: 2644

9.2 Other information

Information with regard to physical hazard classes:

Corrosive to metals

Other safety characteristics:

Miscibility

category 1: corrosive to metals

completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Ammonia (NH3), Bases, Metals, Reducing agents, Strong alkali, Organic solvents

10.4 Conditions to avoid

Keep away from heat.

10.5 Incompatible materials

different metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Name of substance	CAS No	Exposure route	ATE
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: vapour	2,65 ^{mg} / _l /4h
ammonium dichromate	7789-09-5	oral	100 ^{mg} / _{kg}
ammonium dichromate	7789-09-5	dermal	1.100 ^{mg} / _{kg}
ammonium dichromate	7789-09-5	inhalation: dust/mist	0,05 ^{mg} / _l /4h



according to Regulation (EC) No. 1907/2006 (REACH)



Multi Element ICP - Standard Solution XIII ROTI®Star 15 elements in 2 % $\rm HNO_3$ - mg/l

article number: 2644

Acute toxicity estimate (ATE) of components of the mixture				
Name of substance	CAS No	Exposure route	ΑΤΕ	
nickel dinitrate	13138-45-9	oral	1.620 ^{mg} / _{kg}	
nickel dinitrate	13138-45-9	inhalation: dust/mist	1,5 ^{mg} /ı/4h	
Lead(II) nitrate	10099-74-8	oral	500 ^{mg} / _{kg}	
Lead(II) nitrate	10099-74-8	inhalation: dust/mist	1,5 ^{mg} / _l /4h	

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: va- pour	LC50	>2,65 ^{mg} / _l /4h	rat
nickel dinitrate	13138-45-9	oral	LD50	1.620 ^{mg} / _{kg}	rat
Lead(II) nitrate	10099-74-8	oral	LD50	>2.000 ^{mg} / _{kg}	rat
Lead(II) nitrate	10099-74-8	dermal	LD50	>2.000 ^{mg} / _{kg}	rat

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH)



Multi Element ICP - Standard Solution XIII ROTI®Star 15 elements in 2 % HNO $_3$ - mg/l

article number: 2644

• If in eyes

Causes serious eye irritation

• If inhaled

Data are not available.

• If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

• Other information

This information is based upon the present state of our knowledge.

11.2 Endocrine disrupting properties

None of the ingredients are listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture					
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Lead(II) nitrate	10099-74-8	LC50	107 ^{µg} / _l	fish	96 h
Lead(II) nitrate	10099-74-8	ErC50	35,9 ^{µg} / _l	algae	48 h

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** None of the ingredients are listed.
- 12.7 Other adverse effects

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH)



Multi Element ICP - Standard Solution XIII ROTI®Star 15 elements in 2 % HNO_3 - mg/l

article number: 2644

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number ADRRID UN 3264 IMDG-Code UN 3264 ICAO-TI UN 3264 14.2 UN proper shipping name ADRRID CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. IMDG-Code CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. ICAO-TI Corrosive liquid, acidic, inorganic, n.o.s. Nitric acid ...% [C ≤ 70 %], Aluminium nitrate Technical name (hazardous ingredients) 14.3 Transport hazard class(es) ADRRID 8 IMDG-Code 8 ICAO-TI 8 14.4 Packing group ADRRID III IMDG-Code III ICAO-TI III 14.5 Environmental hazards non-environmentally hazardous acc. to the dangerous goods regulations

® §ROTH

Multi Element ICP - Standard Solution XIII $\,$ ROTI®Star 15 elements in 2 % $\,$ HNO_3 - mg/l $\,$

article number: 2644

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

information	
Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Particulars in the transport document	UN3264, CORROSIVE LIQUID, ACIDIC, INORGAN- IC, N.O.S., (contains: Nitric acid% [C ≤ 70 %], Aluminium nitrate), 8, III, (E)
Classification code	C1
Danger label(s)	8
Special provisions (SP)	274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	E
Hazard identification No	80
Emergency Action Code	2X
Regulations concerning the International Carr information	iage of Dangerous Goods by Rail (RID)Additional
Classification code	8
Danger label(s)	8
Special provisions (SP)	274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Hazard identification No	80

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional

according to Regulation (EC) No. 1907/2006 (REACH)



Multi Element ICP - Standard Solution XIII $\,$ ROTI®Star 15 elements in 2 % $\,$ HNO_3 - mg/l $\,$

article number: 2644

International Maritime Dangerous Goods Cod	e (IMDG) - Additional information
Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Particulars in the shipper's declaration	UN3264, CORROSIVE LIQUID, ACIDIC, INORGAN- IC, N.O.S., (contains: Nitric acid% [C ≤ 70 %], Aluminium nitrate), 8, III
Marine pollutant	-
Danger label(s)	8
Special provisions (SP)	223, 274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-B
Stowage category	A
Segregation group	1 - Acids
International Civil Aviation Organization (ICA	O-IATA/DGR) - Additional information
Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s.
Particulars in the shipper's declaration	UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (contains: Nitric acid% [C ≤ 70 %], Aluminium ni- trate), 8, III
Danger label(s)	8
Special provisions (SP)	A3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	1 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

angerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Multi Element	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Lead(II) nitrate	toxic for reproduction		R28-30	30
Lead(II) nitrate	substances in tattoo inks and perman- ent make-up		R75	75

according to Regulation (EC) No. 1907/2006 (REACH)



Multi Element ICP - Standard Solution XIII ROTI®Star 15 elements in 2 % HNO₃ - mg/l

article number: 2644

angerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Lead(II) nitrate	lead compounds		R63	63
Lead(II) nitrate	lead compounds		R72	72
cobalt dinitrate	carcinogenic		R28-30	28
cobalt dinitrate	toxic for reproduction		R28-30	30
nickel dinitrate	carcinogenic		R28-30	28
nickel dinitrate	toxic for reproduction		R28-30	30
nickel dinitrate	nickel compounds		R27	27
Nitric acid% [C ≤ 70 %]	substances in tattoo inks and perman- ent make-up		R75	75
ammonium dichromate	chromium(VI) compounds		R47	47
ammonium dichromate	chromium(VI) compounds		R72	72
ammonium dichromate	inorganic ammonium salts		R65	65
ammonium dichromate	carcinogenic		R28-30	28
ammonium dichromate	germ cell mutagenic (mutagenic)		R28-30	29
ammonium dichromate	toxic for reproduction		R28-30	30
ammonium dichromate	substances in tattoo inks and perman- ent make-up		R75	75

Legend R27

Shall not be used:

(a) in any post assemblies which are inserted into pierced ears and other pierced parts of the human body unless the rate of nickel release from such post assemblies is less than 0,2 μg/cm2/week (migration limit);
 (b) in articles intended to come into direct and prolonged contact with the skin such as:

- earrings,

- necklaces, bracelets and chains, anklets, finger rings,
 - wrist-watch cases, watch straps and tighteners,
 - rivet buttons, tighteners, rivets, zippers and metal marks, when these are used in garments,
 - if the rate of nickel release from the parts of these articles coming into direct and prolonged contact with the skin is greater than 0,5 µg/cm2/week.
 - (a) is not stranger to be these bases are not stranger on the parts of these bases are not stranger on the parts of these bases are not stranger on the parts of these bases are not stranger on the parts of these bases are not stranger on the parts of these bases are not stranger on the parts of the parts are not stranger on the parts of the parts

(c) in articles referred to in point (b) where these have a non-nickel coating unless such coating is sufficient to ensure that the rate of nickel release from those parts of such articles coming into direct and prolonged contact with the skin will not exceed 0,5 µg/cm2/week for a period of at least two years of normal use of the article. 2. Articles which are the subject of paragraph 1 shall not be placed on the market unless they conform to the requirement of the transmission of the articles.

The standards adopted by the European Committee for Standardisation (CEN) shall be used as the test methods for

demonstrating the conformity of articles to paragraphs 1 and 2.

according to Regulation (EC) No. 1907/2006 (REACH)



Multi Element ICP - Standard Solution XIII ROTI®Star 15 elements in 2 % HNO₃ - mg/l

article number: 2644

R3

R47

Leaend

R28-30 1. Shall not be placed on the market, or used,

- as substances, - as constituents of other substances, or,
- in mixtures.

for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:

than: - either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or, - the relevant concentration specified in Directive 1999/45/EC where no specific concentration limit is set out in Part 3 of Annex VI to Regulation (EC) No 1272/2008. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows: 'Restricted to professional users' 'Restricted to professional users'

2. By way of derogation, paragraph 1 shall not apply to:
(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;
(b) cosmetic products as defined by Directive 76/768/EEC;
(c) the following fuels and oil products:
motor fuels which are covered by Directive 98/70/EC,
mineral oil products intended for use as fuel in mobile or fixed combustion plants,
fuels cald in end of the constraint of the

 fuels sold in closed systems (e.g. liquid gas bottles);
 (d) artists' paints covered by Directive 1999/45/EC;
 (e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date; (f) devices covered by Regulation (EU) 2017/745. 1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
Articles not complying with paragraph 1 shall not be placed on the market.
Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume,

or both, if they

can be used as fuel in decorative oil lamps for supply to the general public, and

present an aspiration hazard and are labelled with H304.

4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and pack-aging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

aging of substances and mixtures, suppliers shall ensure, before the placing of the market, that the following requires ments are met: (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage"; (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage'; (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.'; 1. Cement and cement-containing mixtures shall not be placed on the market, or used, if they contain, when hydrated, more than 2 mg/kg (0,0002 %) soluble chromium VI of the total dry weight of the cement. 2. If reducing agents are used, then without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of cement or cement-containing mixtures is visibly, legibly and indelibly marked with information on the packing date, as well as on the storage conditions and the storage period appropriate to maintaining the activity of the reducing agent and to keeping the content of soluble chromium VI below the limit indicated in paragraph 1. 3. By way of derogation, paragraphs 1 and 2 shall not apply to the placing on the market for, and use in, controlled closed and totally automated processes in which cement and cement-containing mixtures are handled solely by machines and in which there is no possibility of contact with the skin. 4. The standard adopted by the European Committee for Standardization (CEN)

formity with paragraph 1.

5. Leather articles coming into contact with the skin shall not be placed on the market where they contain chromium VI in concentrations equal to or greater than 3 mg/kg (0,0003 % by weight) of the total dry weight of the leather. 6. Articles containing leather parts coming into contact with the skin shall not be placed on the market where any of those leather parts contains chromium VI in concentrations equal to or greater than 3 mg/kg (0,0003 % by weight) of the total dry weight of that leather parts. 7. Paragraphs 5 and 6 shall not apply to the placing on the market of second-hand articles which were in end-use in the skin shall not apply to the placing on the market of second-hand articles which were in end-use in

the Union before 1 May 2015.

according to Regulation (EC) No. 1907/2006 (REACH)




Multi Element ICP - Standard Solution XIII ROTI®Star 15 elements in 2 % HNO $_3$ - mg/l

article number: 2644

Legen	
R63	1. Shall not be placed on the market or used in any individual part of jewellery articles if the concentration of lead (e
	pressed as metal) in such a part is equal to or greater than 0,05 % by weight.
	 For the purposes of paragraph 1: (i) 'jewellery articles' shall include jewellery and imitation jewellery articles and hair accessories, including:
	(a) bracelets, necklaces and rings;
	(b) piercing jewellery;
	(c) wrist watches and wrist-wear;
	(d) brooches and cufflinks;
	(ii) 'any individual part' shall include the materials from which the jewellery is made, as well as the individual compor ents of the jewellery articles.
	3. Paragraph 1 shall also apply to individual parts when placed on the market or used for jewellery-making.
	4. By way of derogation, paragraph 1 shall not apply to:
	(a) crystal glass as defined in Annex I (categories 1, 2, 3 and 4) to Council Directive 69/493/EEC (14);
	(b) internal components of watch timepieces inaccessible to consumers; (c) non-synthetic or reconstructed precious and semiprecious stones (CN code 7103, as established by Regulation
	(EEC) No 2658/87), unless they have been treated with lead or its compounds or mixtures containing these substance
	(d) enamels, defined as vitrifiable mixtures resulting from the fusion, vitrification or sintering of minerals melted at
	temperature of at least 500 °C.
	5. By way of derogation, paragraph 1 shall not apply to jewellery articles placed on the market for the first time before
	9 October 2013 and jewellery articles produced before 10 December 1961.
	6. By 9 October 2017, the Commission shall re-evaluate paragraphs 1 to 5 of this entry in the light of new scientific i formation, including the availability of alternatives and the migration of lead from the articles referred to in para-
	graph 1 and, if appropriate, modify this entry accordingly.
	7. Shall not be placed on the market or used in articles supplied to the general public, if the concentration of lead (e
	pressed as metal) in those articles or accessible parts thereof is equal to or greater than 0,05 % by weight, and thos
	articles or accessible parts thereof may, during normal or reasonably foreseeable conditions of use, be placed in th
	mouth by children.
	That limit shall not apply where it can be demonstrated that the rate of lead release from such an article or any suc accessible part of an article, whether coated or uncoated, does not exceed 0,05 µg/cm2 per hour (equivalent to 0,05 µg/cm2 per h
	$\mu g/g/h$), and, for coated articles, that the coating is sufficient to ensure that this release rate is not exceeded for a p
	od of at least two years of normal or reasonably foreseeable conditions of use of the article.
	For the purposes of this paragraph, it is considered that an article or accessible part of an article may be placed in t
	mouth by children if it is smaller than 5 cm in one dimension or has a detachable or protruding part of that size.
	8. By way of derogation, paragraph 7 shall not apply to: (a) jewellery articles covered by paragraph 1;
	(b) crystal glass as defined in Annex I (categories 1, 2, 3 and 4) to Directive 69/493/EEC;
	(c) non-synthetic or reconstructed precious and semi-precious stones (CN code 7103 as established by Regulation
	(EEC) No 2658/87) unless they have been treated with lead or its compounds or mixtures containing these substance
	(d) enamels, defined as virifiable mixtures resulting from the fusion, vitrification or sintering of mineral melted at a
	temperature of at least 500 °C; (e) keys and locks, including padlocks;
	(f) musical instruments;
	(g) articles and parts of articles comprising brass alloys, if the concentration of lead (expressed as metal) in the bras
	alloy does not exceed 0,5 % by weight;
	(h) the tips of writing instruments;
	(i) religious articles; (j) portable zinc-carbon batteries and button cell batteries;
	(k) articles within the scope of:
	(i) Directive 94/62/EC;
	(ii) Regulation (EC) No 1935/2004;
	(iii) Directive 2009/48/EC of the European Parliament and of the Council (1);
	(iv) Directive 2011/65/EU of the European Parliament and of the Council (2)
	9. By 1 July 2019, the Commission shall re-evaluate paragraphs 7 and 8(e), (f), (i) and (j) of this entry in the light of ne scientific information, including the availability of alternatives and the migration of lead from the articles referred t
	paragraph 7, including the requirement on coating integrity, and, if appropriate, modify this entry accordingly.
	10. By way of derogation paragraph 7 shall not apply to articles placed on the market for the first time before 1 Jun
	2016.
	11. Doing either of the following acts after 15 February 2023 in or within 100 metres of wetlands is prohibited:
	(a) discharging gunshot containing a concentration of lead (expressed as metal) equal to or greater than 1 % by weight;
	(b) carrying any such gunshot where this occurs while out wetland shooting or as part of going wetland shooting.
	For the purposes of the first subparagraph:
	(a) "within 100 metres of wetlands" means within 100 metres outward from any outer boundary point of a wetland;
	(b) "wetland shooting" means shooting in or within 100 metres of wetlands;
	(c) if a person is found carrying gunshot in or within 100 metres of wetlands while out shooting or as part of going shooting the shooting upless that person can demonstrate to
	shooting, the shooting concerned shall be presumed to be wetland shooting unless that person can demonstrate t it was some other type of shooting.
	The restriction laid down in the first subparagraph shall not apply in a Member State if that Member State notifies t
	Commission in accordance with paragraph 12 that it intends to make use of the option granted by that paragraph.
	12. If at least 20 % in total of the territory, excluding the territorial waters, of a Member State are wetlands, that Me
	ber State may, in place of the restriction laid down in the first subparagraph of paragraph 11, prohibit the following
	acts throughout the whole of its territory from 15 February 2024:
	(a) the placing on the market of gunshot containing a concentration of lead (expressed as metal) equal to or greate than 1 % by weight;
	(b) the discharging of any such gunshot;
	(c) carrying any such gunshot while out shooting or as part of going shooting.
	Any Member State intending to make use of the option granted by the first subparagraph shall notify the Commiss
	of this intention by 15 August 2021. The Member State shall communicate the text of the national measures adopte

Multi Element ICP - Standard Solution XIII ROTI®Star 15 elements in 2 % HNO_3 - mg/l

article number: 2644






according to Regulation (EC) No. 1907/2006 (REACH)

Multi Element ICP - Standard Solution XIII ROTI®Star 15 elements in 2 % HNO₃ - mg/l

article number: 2644

R75



graph.



® §ROTH

Multi Element ICP - Standard Solution XIII ROTI®Star 15 elements in 2 % HNO_3 - mg/l

article number: 2644

Legend

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

Seveso Directive

2012/18/EU (Seveso III)				
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes	
	not assigned			

Deco-Paint Directive

VOC content	0 % 0 ⁹ /1

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content (Water content was discounted)	0 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Lead(II) nitrate	lead compounds		b)	
Lead(II) nitrate	lead compounds	7439-92-1	c)	
Lead(II) nitrate	Substances which contribute to eutrophication (in particular, ni- trates and phosphates)		a)	
Lead(II) nitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

according to Regulation (EC) No. 1907/2006 (REACH)



Multi Element ICP - Standard Solution XIII ROTI®Star 15 elements in 2 % HNO₃ - mg/l

article number: 2644

ist of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Lead(II) nitrate	Metals and their compounds		a)	
cobalt dinitrate	Substances which contribute to eutrophication (in particular, ni- trates and phosphates)		a)	
cobalt dinitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
cobalt dinitrate	Metals and their compounds		a)	
nickel dinitrate	nickel compounds		b)	
nickel dinitrate	nickel compounds	7440-02-0	c)	
nickel dinitrate	Substances which contribute to eutrophication (in particular, ni- trates and phosphates)		a)	
nickel dinitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
nickel dinitrate	Metals and their compounds		a)	
ammonium dichromate	Substances which contribute to eutrophication (in particular, ni- trates and phosphates)		a)	
ammonium dichromate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
ammonium dichromate	Metals and their compounds		a)	

Legend A) B) C)

Indicative list of the main pollutants List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants

according to Regulation (EC) No. 1907/2006 (REACH)



Multi Element ICP - Standard Solution XIII ROTI®Star 15 elements in 2 % HNO_3 - mg/l

article number: 2644

Regulation on the marketing and use of explosives precursors

Explosives precursors which are subject to restrictions Name of substance **CAS No Type of registration** Remarks Limit Upper value limit value for the purpose of licensing under Article 5(3) Nitric acid ...% [C ≤ 70 %] 10 % w/w 7697-37-2 Annex I 3 % w/w

Legend

annex I Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below

Additional statements

If the product is passed on to third parties, in accordance with Article 7 "Notification of the supply chain" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on restricted and regulated raw materials.

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

Name of substance	Name acc. to inventory	CAS No	Category / subcategory	Use limita- tion
Lead(II) nitrate	lead compounds		i(2)	sr

Legend

i(2) sr Sub-category: i(2) - industrial chemical for public use

Use limitation: severe restriction (for the sub-category or sub-categories concerned) according to Union legislation

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed

according to Regulation (EC) No. 1907/2006 (REACH)



Multi Element ICP - Standard Solution XIII $\,$ ROTI®Star 15 elements in 2 % $\,$ HNO_3 - mg/l $\,$

article number: 2644

Country	Inventory	Status
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

Legenu	
AICS CICR	Australian Inventory of Chemical Substances Chemical Inventory and Control Regulation
	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NDSL	Non-domestic Substances List (NDSL)
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
	. REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.1	Remarks: For full text of Hazard- and EU Hazard-state- ments: see SECTION 16.		yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2	Precautionary statements - response		yes

Restructuring: section 9, section 14

according to Regulation (EC) No. 1907/2006 (REACH)



Multi Element ICP - Standard Solution XIII ROTI®Star 15 elements in 2 % $\rm HNO_3$ - mg/l

article number: 2644

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2	Hazardous ingredients for labelling: nickel dinitrate	Hazardous ingredients for labelling: Nickel dinitrate, Ammonium dichromate	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: Nickel dinitrate	contains: Nickel dinitrate, Ammonium dichromate	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
2017/2398/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protec- tion of workers from the risks related to exposure to carcinogens or mutagens at work
2019/983/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protec- tion of workers from the risks related to exposure to carcinogens or mutagens at work
98/24/EC	Council Directive on the protection of the health and safety of workers from the risks related to chemical agents at work
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CLWR	Control of Lead at Work Regulations
CLWR-NIR	Control of Lead at Work Regulations (Northern Ireland)
DGR	Dangerous Goods Regulations (see IATA/DGR)

according to Regulation (EC) No. 1907/2006 (REACH)



Multi Element ICP - Standard Solution XIII ROTI®Star 15 elements in 2 % $\rm HNO_3$ - $\rm mg/l$

article number: 2644

Abbr.	Descriptions of used abbreviations
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
Met. Corr.	Substance or mixture corrosive to metals
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
NTP-RoC	National Toxicology Program: Report on Carcinogens
OEL	Workplace exposure limit
Ox. Liq.	Oxidising liquid
Ox. Sol.	Oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million

according to Regulation (EC) No. 1907/2006 (REACH)



Multi Element ICP - Standard Solution XIII ROTI®Star 15 elements in 2 % $\rm HNO_3$ - mg/l

article number: 2644

Abbr.	Descriptions of used abbreviations
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
Resp. Sens.	Respiratory sensitisation
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

according to Regulation (EC) No. 1907/2006 (REACH)



Multi Element ICP - Standard Solution XIII ROTI®Star 15 elements in 2 % $\rm HNO_3$ - mg/l

article number: 2644

Code	Text
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H360F	May damage fertility.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.