acc. to Regulation (EC) No. 1907/2006 (REACH)

Multi-Element ICP - Standard Solution ROTI®Star 22 elements in 5 % HNO₃ -100 mg/l

article number: 2648 Version: 3.1 en Replaces version of: 2024-04-02 Version: (3)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance

Multi-Element ICP - Standard Solution ROTI®Star 22 elements in 5 % HNO₃ - 100 mg/l

Article number

2648

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS



Revision: 2024-04-02

sicherheit@carlroth.de

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 22 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 2648

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.4S	Skin sensitisation	1	Skin Sens. 1	H317
3.6	Carcinogenicity	1B	Carc. 1B	H350

Supplemental hazard information

Code	Supplemental hazard information
EUH071	corrosive to the respiratory tract

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

2.2 Label elements

Labelling

Signal word Danger

Pictograms



Hazard statements

H290 H314	May be corrosive to metals Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H350	May cause cancer

Precautionary statements

Precautionary statements - prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection

For professional users only

Supplemental hazard information

EUH071 Corrosive to the respiratory tract.

Hazardous ingredients for labelling:

Nickel dinitrate, Nitric acid ...% [C \leq 70 %], Cadmium nitrate

acc. to Regulation (EC) No. 1907/2006 (REACH)

Multi-Element ICP - Standard Solution ROTI®Star 22 elements in 5 % HNO₃ -100 mg/l

article number: 2648

2.3 **Other hazards**

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\ge 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2 Index No 007-030-00-3	5	Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318		B GHS-HC IOELV
cobalt dinitrate	CAS No 10141-05-6 EC No 233-402-1 Index No 027-009-00-2	o < 0,1 Resp. Sens. 1 / H334 5-6 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1B / H350i -1 Repr. 1B / H360F Aquatic Acute 1 / H400 Io Aquatic Chronic 1 / H410			1 GHS-HC
nickel dinitrate	CAS No 13138-45-9 EC No 236-068-5 Index No 028-012-00-1	< 0,1	Ox. Sol. 2 / H272 Acute Tox. 4 / H302 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Resp. Sens. 1 / H314 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1A / H350i Repr. 1B / H360D STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		GHS-HC IOELV
Cadmium nitrate	CAS No 10325-94-7 EC No 233-710-6 Index No 048-014-00-6	< 0,1	Acute Tox. 3 / H301 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Muta. 1B / H340 Carc. 1B / H350 STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		1 A GHS-HC
Lead(II) nitrate	CAS No 10099-74-8 EC No 233-245-9 Index No 082-001-00-6	< 0,1	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Repr. 1A / H360Df STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		1 A GHS-HC IOELV





acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 22 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 2648

- Notes
- 1: The concentration stated or, in the absence of such concentrations, the generic concentrations set out in this Regulation are the percentages by weight of the metallic element calculated with reference to the total weight of the mixture.
- A: Without prejudice to Article 17(2), the name of the substance must appear on the label in the form of one of the designations given in Part 3. In Part 3, use is sometimes made of a general description such as '… compounds' or '… salts'. In this case, the supplier is required to state on the label the correct name, due account being taken of section 1.1.1.4.
- B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2	Ox. Liq. 3; H272: C ≥ 65 % Skin Corr. 1A; H314: C ≥ 20 % Skin Corr. 1B; H314: 5 % ≤ C < 20 %	-	2,65 ^{mg} / _l /4h	inhalation: va- pour
nickel dinitrate	CAS No 13138-45-9 EC No 236-068-5	Skin Irrit. 2; H315: C ≥ 20 % Skin Sens. 1; H317: C ≥ 0,01 % STOT RE 1; H372: C ≥ 1 % STOT RE 2; H373: 0,1 % ≤ C < 1 %	M-factor (acute) = 1 M-factor (chronic) = 1	1.620 ^{mg} / _{kg} >1,5 ^{mg} / _l /4h	oral inhalation: dust/ mist
cobalt dinitrate	CAS No 10141-05-6 EC No 233-402-1	Carc. 1B; H350i: C ≥ 0,01 %	M-factor (acute) = 10 M-factor (chronic) = 10	-	
Cadmium nitrate	CAS No 10325-94-7 EC No 233-710-6	Carc. 1B; H350: C ≥ 0,01 %	M-factor (acute) = 10 M-factor (chronic) = 10	147 ^{mg} / _{kg} 1.100 ^{mg} / _{kg} >1,5 ^{mg} / _l /4h	oral dermal inhalation: dust/ mist
Lead(II) nitrate	CAS No 10099-74-8 EC No 233-245-9	Repr. 1A; H360D: C ≥ 0,3 % Repr. 2; H361f: C ≥ 2,5 % STOT RE 2; H373: C ≥ 0,5 %	M-factor (acute) = 10	500 ^{mg} / _{kg} >1,5 ^{mg} / _l /4h	oral inhalation: dust/ mist

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

that the percentage concentration is calculated on a weight/weight basis. GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI)

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 22 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 2648

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Risk of blindness, Risk of serious damage to eyes, Gastric perforation, Allergic reactions, Dyspnoea, Cough

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 22 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 2648

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory). Handle and open container with care. Avoid exposure. Clear contaminated areas thoroughly.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	lead compounds		IOELV		0,15						2022/ 431/EU

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 22 elements in 5 % HNO₃ -100 mg/l

article number: 2648

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	nickel compounds	13138- 45-9	IOELV		0,1					i	2022/ 431/EU
EU	nitric acid	7697-37- 2	IOELV			1	2,6				2006/15/ EC
GB	lead compounds		OEL-NIR		0,15					Pb	CLWR- NIR
GB	lead compounds		OEL		0,15					Pb	CLWR
GB	nickel, soluble com- pounds	13138- 45-9	WEL		0,1					Ni	EH40/ 2005
GB	nitric acid	7697-37- 2	WEL			1	2,6				EH40/ 2005

Notation

Ceiling-C

Ni Pb STEL

Ceiling value is a limit value above which exposure should not occur Inhalable fraction Calculated as Ni (nickel) Calculated as Pb (lead) Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

Biological limit values

Coun try	Name of agent	CAS No	Parameter	Nota tion	Identi- fier	Value	Material	Source
GB	lead compounds		lead	Pb- bio-2, Pb- med- 2, wmn< 45y	AL_NIR	250 μg/l	whole blood	CLWR- NIR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 2, wmn< 45y	AL	250 µg/l	whole blood	CLWR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 3, wmn> 45y, men	AL_NIR	400 µg/l	whole blood	CLWR- NIR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 3, wmn> 45y, men	AL	400 µg/l	whole blood	CLWR

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 22 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 2648

Coun try	Name of agent	CAS No	Parameter	Nota tion	Identi- fier	Value	Material	Source
GB	lead compounds		lead	Pb- bio-2, Pb- med- 4, young	AL_NIR	500 µg/l	whole blood	CLWR- NIR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 4, young	AL	500 µg/l	whole blood	CLWR

Notation

Notation	
Pb-bio-2	Biological monitoring: (a) in respect of an employee other than a young person or a woman of reproductive capa- city, at least every 6 months, but where the results of the measurements for individuals or for groups of workers have shown on the previous two consecutive occasions on which monitoring was carried out a lead in air expos- ure greater than 0.075 mg/m ³ but less than 0.100 mg/m ³ and where the blood-lead concentration of any individu- al employee is less than 30 µg/dl, the frequency of monitoring may be reduced to once a year; or (b) in respect of any young person or a woman of reproductive capacity, at such intervals as the relevant doctor shall specify, be- ing not greater than 3 months
Pb-med-2	Medical surveillance: in respect of a woman of reproductive capacity, 20 g/dl (blood-lead concentration) or 20 g Pb/g creatinine (urinary lead concentration)
Pb-med-3	Medical surveillance: in respect of any other employee, 35 µg/dl (blood-lead concentration) or 40 µg Pb/g creatin- ine (urinary lead concentration) suspension level: in respect of a woman of reproductive capacity, 60 µg/dl (blood-lead concentration) or 110 µg
Pb-med-4	Pb/g creatinine (urinary lead concentration) Medical surveillance: in respect of any other employee, 35 µg/dl (blood-lead concentration) or 40 µg Pb/g creatin- ine (urinary lead concentration)
	suspension level: in respect of a young person, 50 μ g/dl (blood-lead concentration) or 110 μ g Pb/g creatinine (ur- inary lead concentration)
wmn<45y wmn>45y, men	Women of reproductive capacity (women < 45 years) Women of non-reproductive capacity, men (women > 45 years)
young	Adolescents (young person < 18 years)

Relevant DNELs	of compone	ents				
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Cadmium nitrate	10325-94-7	DNEL	4 µg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects

Relevant PNECs of components						
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Cadmium nitrate	10325-94-7	PNEC	0,19 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Cadmium nitrate	10325-94-7	PNEC	1,14 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Cadmium nitrate	10325-94-7	PNEC	20 ^{µg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Cadmium nitrate	10325-94-7	PNEC	1,8 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Cadmium nitrate	10325-94-7	PNEC	0,64 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 22 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 2648

Relevant PNECs	Relevant PNECs of components						
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time	
Cadmium nitrate	10325-94-7	PNEC	0,9 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)	

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: NO-P3 (against nitrous gases and particles, colour code: Blue/White).

acc. to Regulation (EC) No. 1907/2006 (REACH)

Multi-Element ICP - Standard Solution ROTI®Star 22 elements in 5 % HNO₃ -100 mg/l

article number: 2648

9.1

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties Physical state liquid Colour colourless Odour stinging Melting point/freezing point not determined Boiling point or initial boiling point and boiling >84 °C at 1.013 hPa range Flammability non-combustible Lower and upper explosion limit not determined Flash point not determined Auto-ignition temperature not determined Decomposition temperature not relevant <2 (in aqueous solution: 52,6 ^g/_l, 20 °C) pH (value) Kinematic viscosity not determined Solubility(ies) Water solubility miscible in any proportion Partition coefficient Partition coefficient n-octanol/water (log value): not relevant (inorganic) 23 hPa at 20 °C Vapour pressure Density and/or relative density ~1 ^g/_{cm³} at 20 °C Density Relative vapour density Information on this property is not available. Particle characteristics not relevant (liquid) Other safety parameters Oxidising properties none 9.2 **Other information** Information with regard to physical hazard classes:



acc. to Regulation (EC) No. 1907/2006 (REACH)

Multi-Element ICP - Standard Solution ROTI®Star 22 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 2648

Corrosive to metals

category 1: corrosive to metals

Other safety characteristics:

Miscibility

completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Ammonia (NH3), Strong alkali

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

different metals

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

cute toxicity estimate (ATE) of components				
Name of substance	CAS No	Exposure route	ATE	
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: vapour	2,65 ^{mg} / _ا /4h	
nickel dinitrate	13138-45-9	oral	1.620 ^{mg} / _{kg}	
nickel dinitrate	13138-45-9	inhalation: dust/mist	4h/ _ا /4h	
Cadmium nitrate	10325-94-7	oral	147 ^{mg} / _{kg}	
Cadmium nitrate	10325-94-7	dermal	1.100 ^{mg} / _{kg}	
Cadmium nitrate	10325-94-7	inhalation: dust/mist	4h/µ/4h	
Lead(II) nitrate	10099-74-8	oral	500 ^{mg} / _{kg}	



acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 22 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 2648

Acute toxicity estimate (ATE) of components								
Name of substance CAS No Exposure route ATE								
Lead(II) nitrate		1009	10099-74-8 inhalation: dust/mist		nist	>'	1,5 ^{mg} / _l /4h	
Acute toxicity of components								
Name of substance	CAS	No	Exposi rout		Endpoint	Va	lue	Species
Nitric acid% [C ≤ 70 %]	7697-3	37-2	inhalatio pour		LC50	>2,65 '	^{ng} /ı/4h	rat
nickel dinitrate	13138-	45-9	oral		LD50	1.620	^{mg} / _{kg}	rat
Cadmium nitrate	10325-	94-7	oral		LD50	147 '	^{mg} / _{kg}	rat
Lead(II) nitrate	10099-	74-8	oral		LD50	>2.000) ^{mg} / _{kg}	rat
Lead(II) nitrate	10099-	74-8	derm	al	LD50	>2.000) ^{mg} / _{kg}	rat

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

May cause cancer.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 22 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 2648

• If inhaled

corrosive to the respiratory tract, cough, Dyspnoea

• If on skin

causes severe burns, causes poorly healing wounds, May produce an allergic reaction, pruritis, localised redness

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components							
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time		
Cadmium nitrate	10325-94-7	LC50	58,16 ^{µg} / _l	aquatic invertebrates	48 h		
Cadmium nitrate	10325-94-7	EC50	1.900 ^{µg} / _l	aquatic invertebrates	24 h		
Cadmium nitrate	10325-94-7	ErC50	70 ^{µg} / _l	algae	72 h		
Lead(II) nitrate	10099-74-8	LC50	107 ^{µg} / _l	fish	96 h		
Lead(II) nitrate	10099-74-8	ErC50	35,9 ^{µg} / _l	algae	48 h		

Aquatic toxicity (chronic) of components

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Cadmium nitrate	10325-94-7	LC50	1.500 ^{µg} / _l	fish	4 d
Cadmium nitrate	10325-94-7	EC50	8,1 ^{µg} / _l	fish	100 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\ge 0,1\%$.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 22 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 2648

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP 6 acute toxicity

HP 8 corrosive

13.3 Remarks

14.2

14.3

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

ADRRID	UN 2031
IMDG-Code	UN 2031
ICAO-TI	UN 2031
UN proper shipping name	
ADRRID	NITRIC ACID
IMDG-Code	NITRIC ACID
ICAO-TI	Nitric acid
Transport hazard class(es)	
ADRRID	8
IMDG-Code	8

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 22 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 2648

	ICAO-TI	8
14.4	Packing group	
	ADRRID	II
	IMDG-Code	II
	ICAO-TI	II
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name	NITRIC ACID
Particulars in the transport document	UN2031, NITRIC ACID, 8, II, (E)
Classification code	C1
Danger label(s)	8
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	80
Emergency Action Code	2R
Regulations concerning the International Carri information	age of Dangerous Goods by Rail (RID)Additional
Classification code	C1
Danger label(s)	8
•	
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2

80

Hazard identification No

acc. to Regulation (EC) No. 1907/2006 (REACH)

Multi-Element ICP - Standard Solution ROTI®Star 22 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 2648

International Maritime Dangerous Goods Code	(IMDG) - Additional information
Proper shipping name	NITRIC ACID
Particulars in the shipper's declaration	UN2031, NITRIC ACID, 8, II
Marine pollutant	-
Danger label(s)	8
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-A, S-B
Stowage category	D
Segregation group	1 - Acids
International Civil Aviation Organization (ICAO	-IATA/DGR) - Additional information
Proper shipping name	Nitric acid
Particulars in the shipper's declaration	UN2031, Nitric acid, 8, II
Danger label(s)	8
Excepted quantities (EQ)	E2
Limited quantities (LQ)	0,5 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/18/EU (Seveso III)						
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes			
	not assigned					

Deco-Paint Directive

VOC content	0 %
VOC content (Water content was discounted)	0 ^g / _l



acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 22 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 2648

Industrial Emissions Directive (IED)				
VOC content	0 %			
VOC content (Water content was discounted)	0 ^g /l			

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Lead(II) nitrate	lead compounds		b)	
Lead(II) nitrate	lead compounds	7439-92-1	c)	
Lead(II) nitrate	Substances which contribute to eutrophication (in particular, ni-trates and phosphates)		a)	
Lead(II) nitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Lead(II) nitrate	Metals and their compounds		a)	
cobalt dinitrate	Substances which contribute to eutrophication (in particular, ni- trates and phosphates)		a)	
cobalt dinitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
cobalt dinitrate	Metals and their compounds		a)	
Cadmium nitrate	cadmium compounds		b)	HAZ
Cadmium nitrate	Cadmium and its compounds (de- pending on water hardness classes)	7440-43-9	c)	
Cadmium nitrate	Substances which contribute to eutrophication (in particular, ni-trates and phosphates)		a)	

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 22 elements in 5 % HNO₃ -100 mg/l

article number: 2648

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Cadmium nitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Cadmium nitrate	Metals and their compounds		a)	
nickel dinitrate	nickel compounds		b)	
nickel dinitrate	nickel compounds	7440-02-0	c)	
nickel dinitrate	Substances which contribute to eutrophication (in particular, ni- trates and phosphates)		a)	
nickel dinitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
nickel dinitrate	Metals and their compounds		a)	

Legend a) b) c) HAZ

Indicative list of the main pollutants List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants

Identified as priority hazardous substance

Regulation on the marketing and use of explosives precursors

Explosives precursors which are subject to restrictions							
Name of substance	CAS No	Wt%	Type of registration	Re- marks	Limit value	Upper limit value for the pur- pose of licens- ing un- der Art- icle 5(3)	
Nitric acid% [C ≤ 70 %]	7697-37-2	5	Annex I		3 % w/w	10 % w/w	

Legend

Substances which shall not be made available to members of the general public on their own, or in mixtures or Annex I substances including them, except if the concentration is equal to or lower than the limit values set out below

Additional statements

If the product is passed on to third parties, in accordance with Article 7 "Notification of the supply chain" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on restricted and regulated raw materials.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Multi-Element ICP - Standard Solution ROTI®Star 22 elements in 5 % HNO₃ -100 mg/l



Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

Name of substance	Name acc. to inventory	CAS No	Wt%	Category / subcat- egory	Use limita- tion
Lead(II) nitrate	lead compounds		0,016	i(2)	sr
Cadmium nitrate	cadmium compounds		0,022	i(1) i(2)	sr sr
Cadmium nitrate	cadmium compounds		0,022	i	sr

Legend

i(2) sr

Category: i - industrial chemical i(1)

Sub-category: i(1) - industrial chemical for professional use Sub-category: i(2) - industrial chemical for public use Use limitation: severe restriction (for the sub-category or sub-categories concerned) according to Union legislation

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

Substance of Very High Concern (SVHC) acc. to GB REACH and HSE				
Name of substance	CAS No	Listed in	Remarks	
Lead(II) nitrate	10099-74-8	Candidate list	Repr. A57c	
cobalt dinitrate	10141-05-6	Candidate list	Carc. A57a Repr. A57c	
Cadmium nitrate	10325-94-7	Candidate list	Carc. A57a Muta. A57b STOT-re A57f-hh	

Legend

Candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV list

Carc. A57a Carcinogenic (Article 57a)

Muta. A57b Mutagenic (Article 57b) Repr. A57c Toxic for reproduction (Article 57c) Repr. A57c

STOT-re Specific target organ toxicity after repeated exposure (Article 57(f) - human health) A57f-hh

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name acc. to inventory	CAS No	No	
this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3	
toxic for reproduction		30	
	Name acc. to inventory this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC	Name acc. to inventory CAS No this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC Image: Construction of the second	



acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 22 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 2648

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
Lead(II) nitrate	Lead compounds		63
Lead(II) nitrate	Lead compounds		72
cobalt dinitrate	carcinogenic		28
cobalt dinitrate	toxic for reproduction		30
Cadmium nitrate	Cadmium compounds		23
Cadmium nitrate	Cadmium compounds		72
Cadmium nitrate	carcinogenic		28
Cadmium nitrate	germ cell mutagenic (mutagenic)		29
nickel dinitrate	Nickel compounds		27
nickel dinitrate	carcinogenic		28
nickel dinitrate	toxic for reproduction		30

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
РН	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	not all ingredients are listed
VN	NCI	not all ingredients are listed

Legend AIIC

Australian Inventory of Industrial Chemicals

acc. to Regulation (EC) No. 1907/2006 (REACH)

Multi-Element ICP - Standard Solution ROTI®Star 22 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 2648

DSLDomestic Substances List (DSL)ECSIEC Substance Inventory (EINECS, ELINCS, NLP)IECSCInventory of Existing Chemical Substances Produced or Imported in ChinaINSQNational Inventory of Chemical SubstancesISHA-ENCSInventory of Existing and New Chemical Substances (ISHA-ENCS)KECIKorea Existing Chemicals InventoryNCINational Chemical InventoryNDSLNon-domestic Substances List (NDSL)NZIOCNew Zealand Inventory of Chemicals and Chemical Substances (PICCS)PICCSPhilippine Inventory of Chemicals and Chemical Substances (PICCS)REACH Reg.REACH registered SubstancesTCSITaiwan Chemical Substance InventoryTSCAToxic Substance Control Act

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Hazardous ingredients for labelling: Nickel dinitrate, Cadmium nitrate, Nitric acid % [C ≤ 70 %]	Hazardous ingredients for labelling: Nickel dinitrate, Nitric acid% [C ≤ 70 %], Cad- mium nitrate	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: Nickel dinitrate, Cadmium nitrate, Nitric acid % [C ≤ 70 %]		yes
2.3	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of ≥ 0,1%.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information	yes
14.8		Classification code: C1	yes



acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 22 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 2648

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.8		Danger label(s): 8	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Excepted quantities (EQ): E2	yes
14.8		Limited quantities (LQ): 1 L	yes
14.8		Transport category (TC): 2	yes
14.8		Hazard identification No: 80	yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	VOC content: 0 % , 0 ^g / _l	VOC content: 0 %	yes
15.1		VOC content (Water content was discounted): 0 ^g / _l	yes
15.1		Explosives precursors which are subject to re- strictions: change in the listing (table)	yes
15.1		Regulation concerning the export and import of hazardous chemicals (PIC): change in the listing (table)	yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list	yes
15.1		Substance of Very High Concern (SVHC) acc. to GB REACH and HSE: change in the listing (table)	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 22 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 2648

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
2022/431/EU	Directive (EU) 2022/431 of the European Parliament and of the Council of 9 March 2022 amending Direct- ive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or muta- gens at work
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLWR	Control of Lead at Work Regulations
CLWR-NIR	Control of Lead at Work Regulations (Northern Ireland)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
HSE	Health and Safety Executive
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution ROTI®Star 22 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 2648

Abbr.	Descriptions of used abbreviations
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
Met. Corr.	Substance or mixture corrosive to metals
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
OEL	Workplace exposure limit
Ox. Liq.	Oxidising liquid
Ox. Sol.	Oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
Resp. Sens.	Respiratory sensitisation
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

acc. to Regulation (EC) No. 1907/2006 (REACH)

Multi-Element ICP - Standard Solution ROTI®Star 22 elements in 5 % $\rm HNO_3$ - 100 mg/l



article number: 2648

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H340	May cause genetic defects.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H360F	May damage fertility.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.