

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Single-Element IC - Standard Solution ROTI®Star 1 000 mg/l CN<sup>-</sup>

article number: **2658**  
Version: **GHS 2.0 en**  
Replaces version of: 2021-10-28  
Version: (GHS 1)

date of compilation: 2021-10-28  
Revision: 2022-10-06

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Identification of the substance **Single-Element IC - Standard Solution ROTI®Star 1 000 mg/l CN<sup>-</sup>**  
Article number 2658

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical  
Laboratory and analytical use  
Uses advised against: Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:**+49 (0) 721 - 56 06 0  
**Telefax:** +49 (0) 721 - 56 06 149  
**e-mail:** sicherheit@carlroth.de  
**Website:** www.carlroth.de

Competent person responsible for the safety data sheet: :Department Health, Safety and Environment

**e-mail (competent person):** **sicherheit@carlroth.de**

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 Westmead, NSW	131126	

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290

Supplemental hazard information

Code	Supplemental hazard information
EUH032	contact with acids liberates very toxic gas

For full text of abbreviations: see SECTION 16

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Single-Element IC - Standard Solution ROTI®Star 1 000 mg/l CN<sup>-</sup>

article number: 2658

### 2.2 Label elements

#### Labelling

#### Signal word

Warning

#### Pictograms

GHS05



#### Hazard statements

H290 May be corrosive to metals

#### Precautionary statements

##### Precautionary statements - prevention

P234 Keep only in original container

##### Precautionary statements - response

P390 Absorb spillage to prevent material damage

##### Precautionary statements - storage

P406 Store in corrosive resistant container with a resistant inner liner

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

not relevant (mixture)

### 3.2 Mixtures

#### Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
potassium cyanide	CAS No 151-50-8	<0.3	Met. Corr. 1 / H290 Acute Tox. 2 / H300 Acute Tox. 1 / H310 Acute Tox. 2 / H330 STOT RE 1 / H372 EUH032	 	A(a)

#### Notes

A(a): The name of substance is a general description. It is required that the correct name is stated on the label

For full text of abbreviations: see SECTION 16

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



Single-Element IC - Standard Solution ROTI®Star 1 000 mg/l CN<sup>-</sup>

article number: 2658

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings  
water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### Hazardous combustion products

In case of fire and/or explosion do not breathe fumes

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures



##### For non-emergency personnel

No special measures are necessary.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water.

#### 6.3 Methods and material for containment and cleaning up

##### Advice on how to contain a spill

Covering of drains.

##### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

##### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Do not mix with acids.

##### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a cool place.

##### Incompatible substances or mixtures

Observe hints for combined storage.

##### Consideration of other advice:

##### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

#### 7.3 Specific end use(s)

No information available.

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Single-Element IC - Standard Solution ROTI®Star 1 000 mg/l CN<sup>-</sup>

article number: 2658

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### National limit values

##### Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
AU	potassium hydroxide	1310-58-3	WES						2		WES
AU	potassium cyanide	151-50-8	WES		5					CN	WES

##### Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

CN Calculated as CN (cyanide)

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
potassium cyanide	151-50-8	DNEL	4.03 mg/kg	human, dermal	worker (industry)	acute - systemic effects
potassium cyanide	151-50-8	DNEL	12.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
potassium cyanide	151-50-8	DNEL	0.14 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
potassium cyanide	151-50-8	DNEL	0.94 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects

Relevant PNECs of components of the mixture						
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
potassium cyanide	151-50-8	PNEC	1 µg/l	aquatic organisms	freshwater	short-term (single instance)
potassium cyanide	151-50-8	PNEC	0.2 µg/l	aquatic organisms	marine water	short-term (single instance)
potassium cyanide	151-50-8	PNEC	50 µg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
potassium cyanide	151-50-8	PNEC	4 µg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
potassium cyanide	151-50-8	PNEC	0.8 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
potassium cyanide	151-50-8	PNEC	7 µg/kg	terrestrial organisms	soil	short-term (single instance)

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Single-Element IC - Standard Solution ROTI®Star 1 000 mg/l CN<sup>-</sup>

article number: 2658

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
potassium cyanide	151-50-8	PNEC	3.2 µg/l	aquatic organisms	water	intermittent release

### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

##### Eye/face protection



Use safety goggle with side protection.

##### Skin protection



##### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

##### • type of material

NBR (Nitrile rubber)

##### • material thickness

>0,11 mm

##### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

##### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

##### Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: B (against inorganic gases and vapours, colour code: Grey).

##### Environmental exposure controls

Keep away from drains, surface and ground water.

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Single-Element IC - Standard Solution ROTI®Star 1 000 mg/l CN<sup>-</sup>

article number: 2658

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	odourless
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	100 °C
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	~7
Kinematic viscosity	not determined
<u>Solubility(ies)</u>	
Water solubility	miscible in any proportion
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	23 hPa at 20 °C
<u>Density and/or relative density</u>	
Density	~ 0.99 g/cm <sup>3</sup> at 20 °C
Relative vapour density	information on this property is not available
Particle characteristics	not relevant (liquid)
<u>Other safety parameters</u>	
Oxidising properties	none
<b>9.2 Other information</b>	
Information with regard to physical hazard classes:	
Corrosive to metals	category 1: corrosive to metals
Other safety characteristics:	
Miscibility	completely miscible with water

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



Single-Element IC - Standard Solution ROTI®Star 1 000 mg/l CN<sup>-</sup>

article number: 2658

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Substance or mixture corrosive to metals.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

**Violent reaction with:** strong oxidiser, Contact with acids liberates very toxic gas

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

different metals

#### Release of toxic materials with

Acids.

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to GHS

#### Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
potassium cyanide	151-50-8	oral	7.49 mg/kg
potassium cyanide	151-50-8	dermal	14.29 mg/kg
potassium cyanide	151-50-8	inhalation: dust/mist	0.05 mg/l/4h

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
potassium cyanide	151-50-8	oral	LD50	7.49 mg/kg	rat
potassium cyanide	151-50-8	dermal	LD50	14.29 mg/kg	rabbit



# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Single-Element IC - Standard Solution ROTI®Star 1 000 mg/l CN<sup>-</sup>

article number: 2658

### **Skin corrosion/irritation**

Shall not be classified as corrosive/irritant to skin.

### **Serious eye damage/eye irritation**

Shall not be classified as seriously damaging to the eye or eye irritant.

### **Respiratory or skin sensitisation**

Shall not be classified as a respiratory or skin sensitiser.

### **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

### **Carcinogenicity**

Shall not be classified as carcinogenic.

### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

### **Specific target organ toxicity - single exposure**

Shall not be classified as a specific target organ toxicant (single exposure).

### **Specific target organ toxicity - repeated exposure**

Shall not be classified as a specific target organ toxicant (repeated exposure).

### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

### **Symptoms related to the physical, chemical and toxicological characteristics**

#### **• If swallowed**

Data are not available.

#### **• If in eyes**

Data are not available.

#### **• If inhaled**

Data are not available.

#### **• If on skin**

Data are not available.

#### **• Other information**

none

### **11.2 Endocrine disrupting properties**

None of the ingredients are listed.

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

Toxic to aquatic life with long lasting effects.

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Single-Element IC - Standard Solution ROTI®Star 1 000 mg/l CN<sup>-</sup>

article number: 2658

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
potassium cyanide	151-50-8	LC50	44.2 µg/l	aquatic invertebrates	96 h

  

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
potassium cyanide	151-50-8	LC50	10 mg/l	aquatic invertebrates	24 h
potassium cyanide	151-50-8	EC50	2.3 mg/l	microorganisms	30 min

### Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

#### 12.2 Process of degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

None of the ingredients are listed.

#### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

#### Relevant provisions relating to waste(Basel Convention)

#### Properties of waste which render it hazardous

**H8** Corrosives

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Single-Element IC - Standard Solution ROTI®Star 1 000 mg/l CN<sup>-</sup>

article number: 2658

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## SECTION 14: Transport information

### 14.1 UN number

UN RTDG	UN 1760
IMDG-Code	UN 1760
ICAO-TI	UN 1760

### 14.2 UN proper shipping name

UN RTDG	CORROSIVE LIQUID, N.O.S.
IMDG-Code	CORROSIVE LIQUID, N.O.S.
ICAO-TI	Corrosive liquid, n.o.s.
Technical name (hazardous ingredients)	Potassium hydroxide, Potassium cyanide

### 14.3 Transport hazard class(es)

UN RTDG	8
IMDG-Code	8
ICAO-TI	8

### 14.4 Packing group

UN RTDG	III
IMDG-Code	III
ICAO-TI	III

### 14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

### 14.6 Special precautions for user

There is no additional information.

### 14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

Transport information National regulations Additional information (UN RTDG)

UN number	1760
Class	8
Packing group	III
Danger label(s)	8



# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Single-Element IC - Standard Solution ROTI®Star 1 000 mg/l CN<sup>-</sup>

article number: 2658

<b>Special provisions (SP)</b>	223, 274 UN RTDG
<b>Excepted quantities (EQ)</b>	E1 UN RTDG
<b>Limited quantities (LQ)</b>	5 L UN RTDG

### International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name	CORROSIVE LIQUID, N.O.S.
Particulars in the shipper's declaration	UN1760, CORROSIVE LIQUID, N.O.S., (Potassium hydroxide, potassium cyanide, solution), 8, III
Marine pollutant	-
Danger label(s)	8



Special provisions (SP)	223, 274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-B
Stowage category	A

### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name	Corrosive liquid, n.o.s.
Particulars in the shipper's declaration	UN1760, Corrosive liquid, n.o.s., (Potassium hydroxide, potassium cyanide, solution), 8, III
Danger label(s)	8



Special provisions (SP)	A3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	1 L

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

#### National regulations(Australia)

##### Australian Inventory of Chemical Substances(AICS)

All ingredients are listed or exempt from listing.

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Single-Element IC - Standard Solution ROTI®Star 1 000 mg/l CN<sup>-</sup>

article number: 2658

### National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

#### Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Indication of changes (revised safety data sheet)

Alignment to regulation: Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.2	Supplemental hazard information		yes
2.2		Supplemental hazard information: change in the listing (table)	yes

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Single-Element IC - Standard Solution ROTI®Star 1 000 mg/l CN<sup>-</sup>

article number: 2658

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
Met. Corr.	Substance or mixture corrosive to metals
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
TWA	Time-weighted average
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative
WES	Safe Work Australia: Workplace exposure standards for airborne contaminants

### Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Single-Element IC - Standard Solution ROTI®Star 1 000 mg/l CN<sup>-</sup>

article number: **2658**

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H310	Fatal in contact with skin.
H330	Fatal if inhaled.
H372	Causes damage to organs through prolonged or repeated exposure.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.