according to Regulation (EC) No. 1907/2006 (REACH)





article number: **2966** Version: **1.0 en**

date of compilation: 19.10.2022

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Registration number (REACH)

Density standard ROTI®Calipure 1,0005 g/ml (20 °C)

2966

not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory and analytical use Laboratory chemical

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
3.8R	Specific target organ toxicity - single exposure (respirat- ory tract irritation)	3	STOT SE 3	H335

Supplemental hazard information

Code	Supplemental hazard information
EUH066	repeated exposure may cause skin dryness or cracking

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects The product is combustible and can be ignited by potential ignition sources.

according to Regulation (EC) No. 1907/2006 (REACH)





article number: 2966

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Warning

Pictograms

GHS02, GHS07



Hazard statements

	-
H226	Flammable liquid and vapour
H335	May cause respiratory irritation

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P261

Pentanol, isomers

Avoid breathing mist/vapours/spray

Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of soap and water

Supplemental hazard information

EUH066 Repeated exposure may cause skin dryness or cracking.

Hazardous ingredients for labelling:

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Symbol(s)

Repeated exposure may cause skin dryness or cracking. Pentanol, isomers

contains: 2.3 **Other hazards**

EUH066

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

according to Regulation (EC) No. 1907/2006 (REACH)

Density standard ROTI®Calipure 1,0005 g/ml (20 °C)



article number: 2966

SECTION 3: Composition/information on ingredients

3.1 **Substances**

not relevant (mixture)

3.2 **Mixtures**

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Pentanol, isomers	CAS No 30899-19-5 EC No 250-378-8 Index No 603-006-00-7	20 - < 50	Flam. Liq. 3 / H226 Acute Tox. 4 / H332 STOT SE 3 / H335 EUH066		C(a) GHS-HC

Notes

C(a): Mixture of isomers GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI)

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Pentanol, iso- mers	CAS No 30899-19-5 EC No 250-378-8 Index No 603-006-00-7	-	-	11 ^{mg} / _l /4h	inhalation: va- pour

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 **Description of first aid measures**



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

according to Regulation (EC) No. 1907/2006 (REACH)





article number: 2966

- **4.2 Most important symptoms and effects, both acute and delayed** Vomiting, Irritation, Cough, Dyspnoea
- **4.3 Indication of any immediate medical attention and special treatment needed** none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO $_2$), May produce toxic fumes of carbon monoxide if burning.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Danger of explosion.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

according to Regulation (EC) No. 1907/2006 (REACH)

Density standard ROTI®Calipure 1,0005 g/ml (20 °C)



article number: 2966

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

according to Regulation (EC) No. 1907/2006 (REACH)

Density standard ROTI®Calipure 1,0005 g/ml (20 °C)



article number: 2966

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

Butyl caoutchouc (butyl rubber)

• material thickness

0,5 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

according to Regulation (EC) No. 1907/2006 (REACH)

Density standard ROTI®Calipure 1,0005 g/ml (20 °C)



article number: 2966

SECTION 9: Physical and chemical properties

9.1	Information on basic physical and chemical properties		
	Physical state	liquid	
	Colour	colourless	
	Odour	characteristic	
	Melting point/freezing point	not determined	
	Boiling point or initial boiling point and boiling range	138 °C	
	Flammability	flammable liquid in accordance with GHS criteria	
	Lower and upper explosion limit	1,3 vol% (LEL) - 10,5 vol% (UEL)	
	Flash point	49 °C	
	Auto-ignition temperature	300 °C	
	Decomposition temperature	not relevant	
	pH (value)	not determined (neutral)	
	Kinematic viscosity	not determined	
	Solubility(ies)		
	Water solubility	not determined	
	Partition coefficient		
	Partition coefficient n-octanol/water (log value):	this information is not available	
	Vapour pressure	3,1 hPa at 20 °C	
	Density and/or relative density		
	Density	1,001 ^g / _{cm³} at 20 °C	
	Relative vapour density	information on this property is not available	
	Particle characteristics	not relevant (liquid)	
	Other safety parameters		
	Oxidising properties	none	
9.2	Other information		
	Information with regard to physical hazard classes:	There is no additional information.	
	Other safety characteristics:		
	Temperature class (EU, acc. to ATEX)	T3 Maximum permissible surface temperature on the equipment: 200°C	

according to Regulation (EC) No. 1907/2006 (REACH)

Density standard ROTI®Calipure 1,0005 g/ml (20 °C)



article number: 2966

SECTION 10: Stability and reactivity

10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture				
Name of substance CAS No Exposure route ATE				
Pentanol, isomers	30899-19-5	inhalation: vapour	11 ^{mg} / _l /4h	

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Density standard ROTI®Calipure 1,0005 g/ml (20 °C)



article number: 2966

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

• If in eyes

Data are not available.

If inhaled

Irritation to respiratory tract, cough, Dyspnoea

• If on skin

irritation and significant inflammation of the skin (dermatitis) due to the defatting properties of the product may be caused by repeated or prolonged exposure

• Other information

none

11.2 Endocrine disrupting properties

None of the ingredients are listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Biodegradation

Data are not available.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential Data are not available.

Jata are not available

12.4 Mobility in soil

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH)

Density standard ROTI®Calipure 1,0005 g/ml (20 °C)

article number: 2966

- **Results of PBT and vPvB assessment** 12.5 Data are not available.
- 12.6 Endocrine disrupting properties None of the ingredients are listed.
- 12.7 Other adverse effects Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- HP 3 flammable
- HP 5 specific target organ toxicity (STOT)/aspiration toxicity
- HP₆ acute toxicity

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

	ADR	UN 1105
	IMDG-Code	UN 1105
	ICAO-TI	UN 1105
14.2	UN proper shipping name	
	ADR	PENTANOLS
	IMDG-Code	PENTANOLS
	ICAO-TI	Pentanols
14.3	Transport hazard class(es)	
	ADR	3
	IMDG-Code	3

according to Regulation (EC) No. 1907/2006 (REACH)



Density standard ROTI®Calipure 1,0005 g/ml (20 °C)

article number: 2966

	ICAO-TI	3
14.4	Packing group	
	ADR	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and information	inland waterway (ADR/RID/ADN) - Additional
Proper shipping name	PENTANOLS

Proper shipping name	PENTANOLS			
Particulars in the transport document	UN1105, PENTANOLS, 3, III, (D/E)			
Classification code	F1			
Danger label(s)	3			
Excepted quantities (EQ)	E1			
Limited quantities (LQ)	5 L			
Transport category (TC)	3			
Tunnel restriction code (TRC)	D/E			
Hazard identification No	30			
International Maritime Dangerous Goods Code (IMDG) - Additional information				
International Maritime Dangerous Goous Co				
Proper shipping name	PENTANOLS			
-				
Proper shipping name	PENTANOLS			
Proper shipping name Particulars in the shipper's declaration	PENTANOLS			
Proper shipping name Particulars in the shipper's declaration Marine pollutant	PENTANOLS UN1105, PENTANOLS, 3, III, 49°C c.c. -			
Proper shipping name Particulars in the shipper's declaration Marine pollutant	PENTANOLS UN1105, PENTANOLS, 3, III, 49°C c.c. -			
Proper shipping name Particulars in the shipper's declaration Marine pollutant	PENTANOLS UN1105, PENTANOLS, 3, III, 49°C c.c. -			
Proper shipping name Particulars in the shipper's declaration Marine pollutant Danger label(s)	PENTANOLS UN1105, PENTANOLS, 3, III, 49°C c.c. - 3			
Proper shipping name Particulars in the shipper's declaration Marine pollutant Danger label(s) Special provisions (SP)	PENTANOLS UN1105, PENTANOLS, 3, III, 49°C c.c. - 3 223			
Proper shipping name Particulars in the shipper's declaration Marine pollutant Danger label(s) Special provisions (SP) Excepted quantities (EQ)	PENTANOLS UN1105, PENTANOLS, 3, III, 49°C c.c. - 3 223 E1			
Proper shipping name Particulars in the shipper's declaration Marine pollutant Danger label(s) Special provisions (SP) Excepted quantities (EQ) Limited quantities (LQ)	PENTANOLS UN1105, PENTANOLS, 3, III, 49°C c.c. - 3 223 E1 5 L			

according to Regulation (EC) No. 1907/2006 (REACH)

Density standard ROTI®Calipure 1,0005 g/ml (20 °C)



article number: 2966

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information		
Proper shipping name	Pentanols	
Particulars in the shipper's declaration	UN1105, Pentanols, 3, III	
Danger label(s)	3	
Special provisions (SP)	A3	
Excepted quantities (EQ)	E1	
Limited quantities (LQ)	10 L	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

angerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Density standard	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Pentanol, isomers	flammable / pyrophoric		R40	40

Legend R3

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
Articles not complying with paragraph 1 shall not be placed on the market.
Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

– can be used as fuel in decorative oil lamps for supply to the general public, and

present an aspiration hazard and are labelled with H304.
 Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';



article number: 2966

Legend R40

- 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following: - metallic glitter intended mainly for decoration,
- artificial snow and frost,
- 'whoopee' cushions,
- silly string aerosols,
- imitation excrement,
- horns for parties,
 decorative flakes and foams,
- artificial cobwebs,
- stink bombs.

2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.

3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).

4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed.

Seveso Directive

2	2012/18/EU (Seveso III)				
	No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes
	P5c	flammable liquids (cat. 2, 3)	5.000	50.000	51)

Notation

Flammable liquids, categories 2 or 3 not covered by P5a and P5b 51)

Deco-Paint Directive

V	OC content	32,6 % 326,2 ⁹ / _l	

Industrial Emissions Directive (IED)

VOC content	32,6 %
VOC content	326,2 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer **Register (PRTR)**

none of the ingredients are listed

Water Framework Directive (WFD)

none of the ingredients are listed

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed



Density standard ROTI®Calipure 1,0005 g/ml (20 °C)



article number: 2966

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
NZ	NZIoC	not all ingredients are listed
РН	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	not all ingredients are listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

according to Regulation (EC) No. 1907/2006 (REACH)

Density standard ROTI®Calipure 1,0005 g/ml (20 °C)



article number: 2966

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
Acute Tox.	e Tox. Acute toxicity	
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navig tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by land Waterways)	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)	
ATE	Acute Toxicity Estimate	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
Flam. Liq.	Flammable liquid	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
LEL	Lower explosion limit (LEL)	
NLP No-Longer Polymer		
PBT	Persistent, Bioaccumulative and Toxic	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regul tions concerning the International carriage of Dangerous goods by Rail)	
STOT SE	Specific target organ toxicity - single exposure	
SVHC	Substance of Very High Concern	
UEL	Upper explosion limit (UEL)	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and very Bioaccumulative	

Density standard ROTI®Calipure 1,0005 g/ml (20 °C)



article number: 2966

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.