

# **FLYLEAF**

# Article: 3040 Thermokitt ROTH 1100°C

Date of compilation: 2021-04-26

# 1 Composition/information on ingredients

# **Bill of materials**

Name of substance	Identifier	Num ber of piece s	Classification acc. to GHS	Pictograms	Page
Thermokitt Roth 1100 °C , component 1	Article number 2391	1	Acute Tox. 4 / H302 Acute Tox. 4 / H332 STOT RE 1 / H372		4 - 19
Thermokitt Roth 1100 °C , component 2	Article number 2392	1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H335	<u>(!</u> )	20 - 33

United Kingdom (en) Page 1 / 3



# Article: 3040 Thermokitt ROTH 1100°C

# 2 Hazards identification

### 2.1 Label elements

Signal word Danger

Labelling according to Regulation (EC) No 1272/2008 (CLP)

# **Pictograms**

Danger.





# Hazard statement(s)

H302+H332 Harmful if swallowed or if inhaled

H315 Causes skin irritation

H319 Causes serious eye irritation H335 May cause respiratory irritation

H372 Causes damage to organs (respiratory tract) through prolonged or repeated ex-

posure

# **Precautionary statements**

# **Precautionary statements - prevention**

P260 Do not breathe dust/fume/gas/mist/vapours/spray P280 Wear protective gloves/eye protection/face protection

# **Precautionary statements - response**

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P337+P313 If eye irritation persists: Get medical advice/attention

Hazardous ingredients for labelling: Alkali hexafluorosilicates (Na, K, NH<sub>4</sub>),

Quartz,

Silicic acid, sodium salt, MV> 2.6 to <3.2,

# 3 Transport information

3.1 UN number or ID number not subject to transport regulations

**3.2 UN proper shipping name** not assigned

3.3 Transport hazard class(es) none

**3.4 Packing group** not assigned

**3.5 Environmental hazards** non-environmentally hazardous acc. to the dan-

gerous goods regulations

# 3.6 Special precautions for user

There is no additional information.

# 3.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

United Kingdom (en) Page 2 / 3



# Article: 3040 Thermokitt ROTH 1100°C

# 3.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

not assigned

**International Maritime Dangerous Goods Code (IMDG) - Additional information** Not subject to IMDG.

**International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information**Not subject to ICAO-IATA.

United Kingdom (en) Page 3 / 3

according to Regulation (EC) No. 1907/2006 (REACH)

# Thermokitt Roth 1100 °C, component 1, powder

article number: 2391 date of compilation: 2016-11-21 Version: **2.1 en** Revision: 2021-03-30

Replaces version of: 2020-03-11

Version: (2)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance Thermokitt Roth 1100 °C, component 1,

powder

Article number 2391

Registration number (REACH) not relevant (mixture)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

sicherheit@carlroth.de e-mail (competent person):

#### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

# **SECTION 2: Hazards identification**

#### Classification of the substance or mixture 2.1

# Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.9	Specific target organ toxicity - repeated exposure	1	STOT RE 1	H372

For full text of abbreviations: see SECTION 16

United Kingdom (en) Page 1 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



# Thermokitt Roth 1100 °C, component 1, powder

article number: 2391

# The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

# **Pictograms**

GHS07, GHS08



# **Hazard statements**

H302+H332 Harmful if swallowed or if inhaled

H372 Causes damage to organs (lung) through prolonged or repeated exposure (if

inhaled)

# **Precautionary statements**

# **Precautionary statements - prevention**

P260 Do not breathe dust

P264 Wash thoroughly after handling

### **Precautionary statements - response**

P312 Call a POISON CENTRE/doctor if you feel unwell

# **Precautionary statements - disposal**

P501 Dispose of contents/container in accordance with local/regional/national/interna-

tional regulations

**Hazardous ingredients for labelling:** Quartz, Alkali hexafluorosilicates (Na, K, NH<sub>4</sub>)

### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)





H372 Causes damage to organs (lung) through prolonged or repeated exposure (if inhaled).

P260 Do not breathe dust.

P264 Wash thoroughly after handling.

P312 Call a POISON CENTRE/doctor if you feel unwell.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

contains: Quartz

Quartz Alkali hexafluorosilicates (Na, K, NH₄)

United Kingdom (en) Page 2 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



# Thermokitt Roth 1100 °C, component 1, powder

article number: 2391

#### 2.3 Other hazards

### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

# SECTION 3: Composition/information on ingredients

# **Substances**

not relevant (mixture)

#### 3.2 **Mixtures**

# **Description of the mixture**

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Quartz	CAS No 14808-60-7 EC No 238-878-4	> 90	STOT RE 1 / H372		IARC: 1 IOELV
Alkali hexafluorosilic- ates (Na, K, NH <sub>4</sub> )	CAS No 16893-85-9 EC No 240-934-8 Index No 009-012-00-0	<10	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331		A(a) GHS-HC

### Notes

The name of substance is a general description. It is required that the correct name is stated on the label

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/

2008/EC, Annex VI)

IARC: 1: IARC group 1: carcinogenic to humans (International Agency for Research on Cancer) IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Alkali hexaflu- orosilicates (Na, K, NH₄)	CAS No 16893-85-9 EC No 240-934-8 Index No 009-012-00-0	-	-	100 <sup>mg</sup> /kg 300 <sup>mg</sup> /kg 0,5 <sup>mg</sup> / <sub>l</sub> /4h	oral dermal inhalation: dust/ mist

For full text of abbreviations: see SECTION 16

# **SECTION 4: First aid measures**

#### 4.1 **Description of first aid measures**



### **General notes**

Take off contaminated clothing.

United Kingdom (en) Page 3 / 16

according to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

# Thermokitt Roth 1100 °C, component 1, powder

article number: 2391

# **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

# Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

# **Following ingestion**

Rinse mouth with water (only if the person is conscious). Call a doctor.

# 4.2 Most important symptoms and effects, both acute and delayed

Irritant effects, Cough, Dyspnoea

# 4.3 Indication of any immediate medical attention and special treatment needed

none

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media



# Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water, foam, dry extinguishing powder, ABC-powder

# Unsuitable extinguishing media

water jet

# 5.2 Special hazards arising from the substance or mixture

Non-combustible.

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures



### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust.

# 6.2 Environmental precautions

Keep away from drains, surface and ground water.

# 6.3 Methods and material for containment and cleaning up

United Kingdom (en) Page 4 / 16

according to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

# Thermokitt Roth 1100 °C , component 1 , powder

article number: 2391

# Advice on how to contain a spill

Covering of drains. Take up mechanically.

# Advice on how to clean up a spill

Take up mechanically. Control of dust.

# Other information relating to spills and releases

Place in appropriate containers for disposal.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Avoid dust formation.

# Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

# Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed.

# **Incompatible substances or mixtures**

Observe hints for combined storage.

# **Consideration of other advice**

# **Ventilation requirements**

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

# Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

# 7.3 Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **National limit values**

# **Occupational exposure limit values (Workplace Exposure Limits)**

Coun	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	silica, crystalline	14808-60-7	IOELV	0,1			r	2017/2398/ EU
GB	dust		WEL	10			i	EH40/2005
GB	dust		WEL	4			r	EH40/2005

United Kingdom (en) Page 5 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



# Thermokitt Roth 1100 °C, component 1, powder

article number: 2391

Coun	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	silica, crystalline	14808-60-7	WEL	0,1			r	EH40/2005

Notation

Ceiling value is a limit value above which exposure should not occur Inhalable fraction Ceiling-C

Respirable fraction

STEL

Palevant DNECs of components of the mixture

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 TWA

hours time-weighted average (unless otherwise specified)

#### Relevant DNELs of components of the mixture Name of sub-**CAS No Used in Exposure time** End-**Threshol** Protection goal, route of stance point d level exposure Alkali hexafluoro-16893-85-9 DNEL 2,5 mg/m<sup>3</sup> human, inhalatworker (industry) chronic - systemic silicates (Na, K, NH<sub>4</sub>) effects ory Alkali hexafluoro-16893-85-9 **DNEL** human, inhalat-2,5 mg/m<sup>3</sup> worker (industry) acute - systemic silicates (Na, K, NH₄) ory effects Alkali hexafluoro-16893-85-9 DNEL human, inhalatchronic - local ef-2,5 mg/m<sup>3</sup> worker (industry) silicates (Na, K, NH<sub>4</sub>) fects ory

Relevant PINECS	Relevant Pivecs of Components of the mixture										
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time					
Alkali hexafluoro- silicates (Na, K, NH₄)	16893-85-9	PNEC	0,9 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)					
Alkali hexafluoro- silicates (Na, K, NH₄)	16893-85-9	PNEC	0,9 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)					
Alkali hexafluoro- silicates (Na, K, NH <sub>4</sub> )	16893-85-9	PNEC	51 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)					
Alkali hexafluoro- silicates (Na, K, NH₄)	16893-85-9	PNEC	11 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)					

#### 8.2 **Exposure controls**

Individual protection measures (personal protective equipment)

**Eye/face protection** 





Use safety goggle with side protection.

Skin protection



United Kingdom (en) Page 6 / 16

according to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

# Thermokitt Roth 1100 °C, component 1, powder

article number: 2391

# hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

# type of material

NBR (Nitrile rubber)

### material thickness

>0,11 mm

# breakthrough times of the glove material

>480 minutes (permeation: level 6)

# other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

# **Respiratory protection**





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

### **Environmental exposure controls**

Keep away from drains, surface and ground water.

# SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state solid

Form powder

Colour white

Odour odourless

Melting point/freezing point 1.713 °C

Boiling point or initial boiling point and boiling >100 °C

range

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not applicable
Auto-ignition temperature not determined
Decomposition temperature not relevant

United Kingdom (en) Page 7 / 16

according to Regulation (EC) No. 1907/2006 (REACH)

# Thermokitt Roth 1100 °C, component 1, powder

article number: 2391

pH (value) 4 (in aqueous solution: 500 <sup>g</sup>/<sub>l</sub>, 20 °C)

Kinematic viscosity not relevant

Solubility(ies)

Water solubility (The study does not need to be conducted be-

cause the substance is known to be insoluble in

water)

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

Density  $\sim 2.75 \, {\rm g}/{\rm cm}^3$  at 20 °C

Bulk density  $\sim 1.400 \, \text{kg/m}^3$ 

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

This material is not reactive under normal ambient conditions.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

# 10.3 Possibility of hazardous reactions

No known hazardous reactions.

# 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

United Kingdom (en) Page 8 / 16

according to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

# Thermokitt Roth 1100 °C , component 1 , powder

article number: 2391

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

# **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

# Classification according to GHS (1272/2008/EC, CLP)

# **Acute toxicity**

Harmful if swallowed. Harmful if inhaled.

# Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Alkali hexafluorosilicates (Na, K, NH <sub>4</sub> )	16893-85-9	oral	100 <sup>mg</sup> / <sub>kg</sub>
Alkali hexafluorosilicates (Na, K, NH₄)	16893-85-9	dermal	300 <sup>mg</sup> / <sub>kg</sub>
Alkali hexafluorosilicates (Na, K, NH₄)	16893-85-9	inhalation: dust/mist	0,5 <sup>mg</sup> / <sub>l</sub> /4h

# Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Alkali hexafluorosilicates (Na, K, NH₄)	16893-85-9	oral	LD50	1.389 <sup>mg</sup> / <sub>kg</sub>	rat
Alkali hexafluorosilicates (Na, K, NH₄)	16893-85-9	inhalation: dust/mist	LC50	1,673 <sup>mg</sup> / <sub>l</sub> /4h	rat

### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

# Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

# Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

# Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

# Carcinogenicity

Shall not be classified as carcinogenic.

# **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

# Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

# Specific target organ toxicity - repeated exposure

Causes damage to organs (lung) through prolonged or repeated exposure (if inhaled).

United Kingdom (en) Page 9 / 16

according to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

# Thermokitt Roth 1100 °C, component 1, powder

article number: 2391

# **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

# Symptoms related to the physical, chemical and toxicological characteristics

### If swallowed

Data are not available.

# • If in eyes

slightly irritant but not relevant for classification

### • If inhaled

Inhalation of dust may cause irritation of the respiratory system, cough, Dyspnoea, varying degrees of pulmonary injury

### • If on skin

Data are not available.

### Other information

none

# 11.2 Endocrine disrupting properties

None of the ingredients are listed.

### 11.3 Information on other hazards

There is no additional information.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

# Aquatic toxicity (acute) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Alkali hexafluorosilic- ates (Na, K, NH <sub>4</sub> )	16893-85-9	LC50	2.674 <sup>mg</sup> / <sub>l</sub>	bluegill (Lepomis mac- rochirus)	96 h
Alkali hexafluorosilic- ates (Na, K, NH <sub>4</sub> )	16893-85-9	EC50	35,4 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Alkali hexafluorosilic- ates (Na, K, NH <sub>4</sub> )	16893-85-9	ErC50	≤19,6 <sup>mg</sup> / <sub>l</sub>	algae	72 h

# Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Alkali hexafluorosilic- ates (Na, K, NH <sub>4</sub> )	16893-85-9	EC50	≤216 <sup>mg</sup> / <sub>l</sub>	microorganisms	3 h

# **Biodegradation**

The methods for determining the biological degradability are not applicable to inorganic substances.

# 12.2 Process of degradability

Data are not available.

United Kingdom (en) Page 10 / 16

according to Regulation (EC) No. 1907/2006 (REACH)

# Thermokitt Roth 1100 °C, component 1, powder

article number: 2391

# 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

# 12.6 Endocrine disrupting properties

None of the ingredients are listed.

### 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

# Sewage disposal-relevant information

Do not empty into drains.

# 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

# **SECTION 14: Transport information**

14.1	UN number or ID number	not subject to transport regulations

**14.2 UN proper shipping name** not assigned

**14.3 Transport hazard class(es)** none

**14.4 Packing group** not assigned

**14.5** Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

### 14.6 Special precautions for user

There is no additional information.

# 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

United Kingdom (en) Page 11 / 16

according to Regulation (EC) No. 1907/2006 (REACH)

# Thermokitt Roth 1100 °C , component 1 , powder

article number: 2391



# Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

not assigned

**International Maritime Dangerous Goods Code (IMDG) - Additional information**Not subject to IMDG.

**International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information**Not subject to ICAO-IATA.

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

none of the ingredients are listed

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed. (Or Concentration of the substance in a mixture: <0.1 % Mass concentration)

### **Seveso Directive**

2012/	2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes		
	not assigned				

### **Deco-Paint Directive (2004/42/EC)**

VOC content	0 % 0 <sup>9</sup> / <sub>I</sub>
-------------	--------------------------------------

# Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content	0 %	
VOC content	0 <sup>g</sup> / <sub>l</sub>	

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

none of the ingredients are listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

United Kingdom (en) Page 12 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



# Thermokitt Roth 1100 °C , component 1 , powder

article number: 2391

# **Water Framework Directive (WFD)**

# **List of pollutants (WFD)**

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Quartz	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	
Alkali hexafluorosilicates (Na, K, NH₄)	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		A)	
Alkali hexafluorosilicates (Na, K, NH <sub>4</sub> )	Metals and their compounds		A)	

### Legend

A) Indicative list of the main pollutants

# Regulation 98/2013/EU on the marketing and use of explosives precursors

none of the ingredients are listed

# Regulation 111/2005/EC laying down rules for the monitoring of trade between the Community and third countries in drug precursors

none of the ingredients are listed

# Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

# Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

# **National inventories**

Country	Inventory	Status	
AU	AICS	all ingredients are listed	
CA	DSL	all ingredients are listed	
CN	IECSC	all ingredients are listed	
EU	ECSI	all ingredients are listed	
EU	REACH Reg.	all ingredients are listed	
JP	CSCL-ENCS	all ingredients are listed	
JP	ISHA-ENCS	not all ingredients are listed	
KR	KECI	all ingredients are listed	
MX	INSQ	all ingredients are listed	
NZ	NZIoC	all ingredients are listed	
PH	PICCS	all ingredients are listed	
TR	CICR	all ingredients are listed	
TW	TCSI	all ingredients are listed	

United Kingdom (en) Page 13 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



# Thermokitt Roth 1100 °C, component 1, powder

article number: 2391

Country	Inventory	Status
US	TSCA	all ingredients are listed

Legend

Australian Inventory of Chemical Substances Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) AICS CICR CSCL-ENCS

DSL ECSI Domestic Substances List (DSL)

DSL Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China
INSQ National Inventory of Chemical Substances
ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)

REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory Toxic Substance Control Act

TCSI TSCA

# 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

# SECTION 16: Other information

# Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

# **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations		
2017/2398/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work		
Acute Tox.	Acute toxicity		
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)		
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)		
ATE	Acute Toxicity Estimate		
CAS Chemical Abstracts Service (service that maintains the most comprehensive list of chemical service)			
Ceiling-C	Ceiling value		
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures		
DGR	Dangerous Goods Regulations (see IATA/DGR)		
DNEL Derived No-Effect Level			
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval		
EC No  The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, fier of substances commercially available within the EU (European Union)			
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)		
EINECS	European Inventory of Existing Commercial Chemical Substances		
ELINCS	European List of Notified Chemical Substances		

United Kingdom (en) Page 14 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



# Thermokitt Roth 1100 °C , component 1 , powder

article number: 2391

Abbr.	Descriptions of used abbreviations		
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control		
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)		
ICAO	International Civil Aviation Organization		
IMDG	International Maritime Dangerous Goods Code		
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008		
IOELV	Indicative occupational exposure limit value		
LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance concent			
		NLP	No-Longer Polymer
PBT Persistent, Bioaccumulative and Toxic  PNEC Predicted No-Effect Concentration  REACH Registration, Evaluation, Authorisation and Restriction of Chemicals  RID Règlement concernant le transport International ferroviaire des marchandises Dangereuse tions concerning the International carriage of Dangerous goods by Rail)  STEL Short-term exposure limit			
		STOT RE	Specific target organ toxicity - repeated exposure
		SVHC	Substance of Very High Concern
		TWA	Time-weighted average
		VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative		
WEL Workplace exposure limit			

# Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

# **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

United Kingdom (en) Page 15 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



# Thermokitt Roth 1100 °C , component 1 , powder

article number: 2391

# List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H311	Toxic in contact with skin.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H372	Causes damage to organs (lung) through prolonged or repeated exposure (if inhaled).	

# Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 16 / 16

according to Regulation (EC) No. 1907/2006 (REACH)

# Thermokitt Roth 1100 °C, component 2, Liquid

article number: 2392 date of compilation: 2016-11-21 Version: **2.1 en** Revision: 2021-03-30

Replaces version of: 2020-03-12

Version: (2)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance Thermokitt Roth 1100 °C, component 2, Liquid

Article number 2392

Registration number (REACH) not relevant (mixture)

#### Relevant identified uses of the substance or mixture and uses advised against 1.2

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone: +49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

sicherheit@carlroth.de

#### 1.4 **Emergency telephone number**

e-mail (competent person):

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

# **SECTION 2: Hazards identification**

### Classification of the substance or mixture

# Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.8R	Specific target organ toxicity - single exposure (respirat- ory tract irritation)	3	STOT SE 3	H335

For full text of abbreviations: see SECTION 16

United Kingdom (en) Page 1 / 14

according to Regulation (EC) No. 1907/2006 (REACH)



# Thermokitt Roth 1100 °C, component 2, Liquid

article number: 2392

### 2.2 Label elements

# Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Warning

# **Pictograms**

GHS07



# **Hazard statements**

H315 Causes skin irritation

H319 Causes serious eye irritation H335 May cause respiratory irritation

# **Precautionary statements**

# **Precautionary statements - prevention**

P261 Avoid breathing mist/vapours/spray P280 Wear protective gloves/eye protection

# **Precautionary statements - response**

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P337+P313 If eye irritation persists: Get medical advice/attention

### **Precautionary statements - storage**

P403+P233 Store in a well-ventilated place. Keep container tightly closed

**Hazardous ingredients for labelling:** Silicic acid, sodium salt, MV> 2.6 to <3.2

# Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Symbol(s)



contains: Silicic acid, sodium salt, MV> 2.6 to <3.2

### 2.3 Other hazards

# Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

United Kingdom (en) Page 2 / 14

according to Regulation (EC) No. 1907/2006 (REACH)



# Thermokitt Roth 1100 °C, component 2, Liquid

article number: 2392

# **SECTION 3: Composition/information on ingredients**

# 3.1 Substances

not relevant (mixture)

### 3.2 Mixtures

# **Description of the mixture**

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Silicic acid, sodium salt, MV> 2.6 to <3.2	CAS No 1344-09-8 EC No 215-687-4 REACH Reg. No 01-2119448725- 31-xxxx	30 - 40	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H335	<u>(!</u> )	

For full text of abbreviations: see SECTION 16

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures



### **General notes**

Take off contaminated clothing.

# **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

# **Following skin contact**

Rinse skin with water/shower. In case of skin irritation, consult a physician.

# Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

# Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

# 4.2 Most important symptoms and effects, both acute and delayed

Irritation, Cough, Dyspnoea

# 4.3 Indication of any immediate medical attention and special treatment needed

none

United Kingdom (en) Page 3 / 14

according to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

# Thermokitt Roth 1100 °C, component 2, Liquid

article number: 2392

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media



# Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

# Unsuitable extinguishing media

water jet

# 5.2 Special hazards arising from the substance or mixture

Non-combustible.

# 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures



# For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

# 6.2 Environmental precautions

Keep away from drains, surface and ground water.

# 6.3 Methods and material for containment and cleaning up

# Advice on how to contain a spill

Covering of drains.

# Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

# Other information relating to spills and releases

Place in appropriate containers for disposal.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom (en) Page 4 / 14

according to Regulation (EC) No. 1907/2006 (REACH)

# Thermokitt Roth 1100 °C, component 2, Liquid

article number: 2392



# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Provision of sufficient ventilation.

# Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

# **Incompatible substances or mixtures**

Observe hints for combined storage.

Consideration of other advice

# Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

# 7.3 Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

**National limit values** 

**Occupational exposure limit values (Workplace Exposure Limits)** 

Data are not available.

# 8.2 Exposure controls

# Individual protection measures (personal protective equipment)

# **Eye/face protection**





Use safety goggle with side protection.

### Skin protection





# hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

United Kingdom (en) Page 5 / 14

according to Regulation (EC) No. 1907/2006 (REACH)

# Thermokitt Roth 1100 °C, component 2, Liquid

article number: 2392

# type of material

NBR (Nitrile rubber)

### material thickness

>0,11 mm

# • breakthrough times of the glove material

>480 minutes (permeation: level 6)

# other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

# **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. P2 (filters at least 94 % of airborne particles, colour code: White).

>100 °C

# **Environmental exposure controls**

Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless
Odour odourless

Melting point/freezing point not determined

Boiling point or initial boiling point and boiling

range

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not determined

Auto-ignition temperature not determined

Decomposition temperature not relevant

pH (value) 11 (20 °C)

Kinematic viscosity 104,2 mm²/s at 20 °C

Solubility(ies)

Water solubility (partially soluble)

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

United Kingdom (en) Page 6 / 14

according to Regulation (EC) No. 1907/2006 (REACH)

# ©

# Thermokitt Roth 1100 °C, component 2, Liquid

article number: 2392

Vapour pressure not determined

Density  $\sim 1,44 \, {}^{9}/{}_{cm^{3}}$  at 20  ${}^{\circ}\text{C}$ 

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

This material is not reactive under normal ambient conditions.

# 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

# 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

# 10.5 Incompatible materials

There is no additional information.

# 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

# **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

# Classification according to GHS (1272/2008/EC, CLP)

### **Acute toxicity**

Shall not be classified as acutely toxic.

United Kingdom (en) Page 7 / 14

according to Regulation (EC) No. 1907/2006 (REACH)



# Thermokitt Roth 1100 °C, component 2, Liquid

article number: 2392

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Silicic acid, sodium salt, MV> 2.6 to <3.2	1344-09-8	oral	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat
Silicic acid, sodium salt, MV> 2.6 to <3.2	1344-09-8	dermal	LD50	>4.640 <sup>mg</sup> / <sub>kg</sub>	rabbit

### Skin corrosion/irritation

Causes skin irritation.

# Serious eye damage/eye irritation

Causes serious eye irritation.

# Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

# Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

# Carcinogenicity

Shall not be classified as carcinogenic.

# **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

# Specific target organ toxicity - single exposure

May cause respiratory irritation.

# Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

# **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

# Symptoms related to the physical, chemical and toxicological characteristics

# • If swallowed

Data are not available.

# • If in eyes

Causes serious eye irritation

# • If inhaled

Irritation to respiratory tract, cough, Dyspnoea

### • If on skin

causes skin irritation

# Other information

none

# 11.2 Endocrine disrupting properties

None of the ingredients are listed.

United Kingdom (en) Page 8 / 14

according to Regulation (EC) No. 1907/2006 (REACH)



# Thermokitt Roth 1100 °C, component 2, Liquid

article number: 2392

### 11.3 Information on other hazards

There is no additional information.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture					
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Silicic acid, sodium salt, MV> 2.6 to <3.2	1344-09-8	LC50	>1.000 <sup>mg</sup> / <sub>l</sub>	striped brill (Brachy- danio rerio)	96 h
Silicic acid, sodium salt, MV> 2.6 to <3.2	1344-09-8	EC50	>1.000 <sup>mg</sup> / <sub>l</sub>	water flea (Daphnia)	48 h

# **Biodegradation**

The methods for determining the biological degradability are not applicable to inorganic substances.

### 12.2 Process of degradability

Data are not available.

# 12.3 Bioaccumulative potential

Data are not available.

# 12.4 Mobility in soil

Data are not available.

# 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Endocrine disrupting properties

None of the ingredients are listed.

### 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

# Sewage disposal-relevant information

Do not empty into drains.

# 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

United Kingdom (en) Page 9 / 14

according to Regulation (EC) No. 1907/2006 (REACH)

# Thermokitt Roth 1100 °C, component 2, Liquid

article number: 2392



Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

# **SECTION 14: Transport information**

14.1 **UN number or ID number** not subject to transport regulations

**UN proper shipping name** 14.2 not assigned

14.3 Transport hazard class(es) none

14.4 Packing group not assigned

14.5 **Environmental hazards** non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

Maritime transport in bulk according to IMO instruments 14.7

The cargo is not intended to be carried in bulk.

# Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

not assigned

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

# SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

# Restrictions according to REACH, Annex XVII

none of the ingredients are listed

### Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
Thermokitt Roth 1100 °C , component 2	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3

### Leaend

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
Articles not complying with paragraph 1 shall not be placed on the market.
Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

- can be used as fuel in decorative oil lamps for supply to the general public, and, - present an aspiration hazard and are labelled with R65 or H304,

4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

Page 10 / 14 United Kingdom (en)



according to Regulation (EC) No. 1907/2006 (REACH)

# Thermokitt Roth 1100 °C, component 2, Liquid

article number: 2392

### Legend

(CEN).
5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that

and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

(a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';

(b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';

(c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.

6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.

7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.

those data available to the Commission.

# List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed. (Or Concentration of the substance in a mixture: <0.1 % Mass concentration)

### **Seveso Directive**

2012/	2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes		
	not assigned				

# **Deco-Paint Directive (2004/42/EC)**

VOC content	0 % 0 <sup>9</sup> / <sub>1</sub>
	'

# Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content	0 %
VOC content Water content was discounted	0 <sup>g</sup> / <sub>l</sub>

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

none of the ingredients are listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and **Transfer Register (PRTR)** 

none of the ingredients are listed

# Water Framework Directive (WFD)

none of the ingredients are listed

# Regulation 98/2013/EU on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation 111/2005/EC laying down rules for the monitoring of trade between the Community and third countries in drug precursors

none of the ingredients are listed

Page 11 / 14 United Kingdom (en)

according to Regulation (EC) No. 1907/2006 (REACH)

# Thermokitt Roth 1100 °C, component 2, Liquid

article number: 2392

Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

### **National inventories**

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

# Legend

AICS CICR Australian Inventory of Chemical Substances Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS)

CSCL-ENCS

DSL ECSI IECSC

Domestic Substances List (DSL)

EC Substance Inventory (EINECS, ELINCS, NLP)

Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances

Korea Existing Chemicals Inventory

New Zealand Inventory of Chemicals

Philippine Inventory of Chemicals and Chemical Substances (PICCS)

REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory Toxic Substance Control Act TCSI TSCA

# 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

# Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

United Kingdom (en) Page 12 / 14

according to Regulation (EC) No. 1907/2006 (REACH)



# Thermokitt Roth 1100 °C , component 2 , Liquid

article number: 2392

# **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi fier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 9 lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
	Volatile Organic Compounds
VOC	Volatile organic compounds

United Kingdom (en) Page 13 / 14

according to Regulation (EC) No. 1907/2006 (REACH)



# Thermokitt Roth 1100 °C, component 2, Liquid

article number: 2392

# Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

# **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

# List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 14 / 14