

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of silver fir , artificial

article number: **3295**
Version: **GHS 2.0 en**
Replaces version of: 2021-08-13
Version: (GHS 1)

date of compilation: 2021-08-13
Revision: 2022-06-01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance **Oil of silver fir , artificial**
Article number 3295
Alternative name(s) Oleum Abietis

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical
Laboratory and analytical use
Uses advised against: Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone: +49 (0) 721 - 56 06 0
Telefax: +49 (0) 721 - 56 06 149
e-mail: sicherheit@carlroth.de
Website: www.carlroth.de

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 Westmead, NSW	131126	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.4S	Skin sensitisation	1	Skin Sens. 1	H317
3.10	Aspiration hazard	1	Asp. Tox. 1	H304

For full text of abbreviations: see SECTION 16

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of silver fir , artificial

article number: 3295

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling

Signal word

Danger

Pictograms

GHS02, GHS07,
GHS08



Hazard statements

H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction

Precautionary statements

Precautionary statements - prevention

P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking
P280	Wear protective gloves

Precautionary statements - response

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
P302+P352	IF ON SKIN: Wash with plenty of soap and water
P331	Do NOT induce vomiting
P370+P378	In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction

Precautionary statements - storage

P403+P235	Store in a well-ventilated place. Keep cool
-----------	---

Hazardous ingredients for labelling:

DL- α -Pinene, D-(+)-Limonene, L-(-)-Limonene, DL-Limonene, β -Pinene, δ -3-Carene, Myrcene, β -Caryophyllene, Terpinolene

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Safety data sheet


acc. to Safe Work Australia - Code of Practice



Oil of silver fir , artificial

article number: 3295

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
L-(-)-Limonene	CAS No 5989-54-8	50 – < 75	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Skin Sens. 1 / H317	 	C(b)
D-(+)-Limonene	CAS No 5989-27-5	10 – < 25	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Skin Sens. 1B / H317 Asp. Tox. 1 / H304	  	
DL- α -Pinene	CAS No 80-56-8	5 – < 10	Flam. Liq. 3 / H226 Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Skin Sens. 1A / H317 Asp. Tox. 1 / H304	  	
β -Pinene	CAS No 127-91-3	1 – < 5	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Skin Sens. 1B / H317 Asp. Tox. 1 / H304	  	
δ -3-Carene	CAS No 13466-78-9	1 – < 5	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Skin Sens. 1B / H317 Asp. Tox. 1 / H304	  	
DL-Limonene	CAS No 138-86-3	1 – < 5	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Skin Sens. 1 / H317	 	C(a)
Camphene	CAS No 79-92-5	1 – < 5	Flam. Sol. 1 / H228 Eye Irrit. 2A / H319	 	
Myrcene	CAS No 123-35-3	< 1	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Eye Irrit. 2A / H319 Skin Sens. 1 / H317 Asp. Tox. 1 / H304	  	IARC: 2B
Terpinolene	CAS No 586-62-9	< 1	Flam. Liq. 4 / H227 Skin Sens. 1B / H317 Asp. Tox. 1 / H304	 	
β -Caryophyllene	CAS No 87-44-5	< 1	Skin Sens. 1 / H317 Asp. Tox. 1 / H304	 	

Notes

C(a): Mixture of isomers

C(b): The substance is a specific isomer. The mixture of isomers is mentioned in Part 3 of the Regulation (EC) No 1272/2008

IARC: IARC group 2B: possibly carcinogenic to humans (International Agency for Research on Cancer)

2B:

For full text of abbreviations: see SECTION 16

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of silver fir , artificial

article number: 3295

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician. In case of skin irritation, consult a physician.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Call a physician immediately. Observe aspiration hazard if vomiting occurs.

4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard, Irritation, Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings
water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂)

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of silver fir , artificial

article number: 3295

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Do not breathe vapour/spray. Avoid contact with skin and eyes. Avoidance of ignition sources. Provide adequate ventilation.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Danger of explosion.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. When not in use, keep containers tightly closed.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of silver fir , artificial

article number: 3295

Consideration of other advice:

Keep container tightly closed.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
L-(-)-Limonene	5989-54-8	DNEL	33.3 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
L-(-)-Limonene	5989-54-8	DNEL	222 µg/cm ²	human, dermal	worker (industry)	acute - local effects
D-(+)-Limonene	5989-27-5	DNEL	66.7 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
D-(+)-Limonene	5989-27-5	DNEL	9.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
DL-α-Pinene	80-56-8	DNEL	3.8 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
DL-α-Pinene	80-56-8	DNEL	0.542 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
β-Pinene	127-91-3	DNEL	5.69 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
β-Pinene	127-91-3	DNEL	0.8 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
β-Pinene	127-91-3	DNEL	54 µg/cm ²	human, dermal	worker (industry)	chronic - local effects
Camphene	79-92-5	DNEL	110.2 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Camphene	79-92-5	DNEL	110.2 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
Camphene	79-92-5	DNEL	0.21 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Camphene	79-92-5	DNEL	1.25 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of silver fir , artificial

article number: 3295

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
L(-)-Limonene	5989-54-8	PNEC	5.4 µg/l	aquatic organisms	freshwater	short-term (single instance)
L(-)-Limonene	5989-54-8	PNEC	0.54 µg/l	aquatic organisms	marine water	short-term (single instance)
L(-)-Limonene	5989-54-8	PNEC	0.2 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
L(-)-Limonene	5989-54-8	PNEC	1.322 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
L(-)-Limonene	5989-54-8	PNEC	0.132 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
L(-)-Limonene	5989-54-8	PNEC	0.262 mg/kg	terrestrial organisms	soil	short-term (single instance)
D(+)-Limonene	5989-27-5	PNEC	14 µg/l	aquatic organisms	freshwater	short-term (single instance)
D(+)-Limonene	5989-27-5	PNEC	1.4 µg/l	aquatic organisms	marine water	short-term (single instance)
D(+)-Limonene	5989-27-5	PNEC	1.8 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
D(+)-Limonene	5989-27-5	PNEC	3.85 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
D(+)-Limonene	5989-27-5	PNEC	0.385 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
D(+)-Limonene	5989-27-5	PNEC	0.763 mg/kg	terrestrial organisms	soil	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	0.606 µg/l	aquatic organisms	freshwater	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	0.061 µg/l	aquatic organisms	marine water	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	0.2 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	157 µg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	15.7 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	31.7 µg/kg	terrestrial organisms	soil	short-term (single instance)
β-Pinene	127-91-3	PNEC	1.004 µg/l	aquatic organisms	freshwater	short-term (single instance)
β-Pinene	127-91-3	PNEC	0.1 µg/l	aquatic organisms	marine water	short-term (single instance)
β-Pinene	127-91-3	PNEC	3.26 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
β-Pinene	127-91-3	PNEC	0.337 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of silver fir , artificial

article number: 3295

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
β -Pinene	127-91-3	PNEC	0.034 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
β -Pinene	127-91-3	PNEC	0.067 mg/kg	terrestrial organisms	soil	short-term (single instance)
Camphene	79-92-5	PNEC	0.001 mg/l	aquatic organisms	freshwater	short-term (single instance)
Camphene	79-92-5	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
Camphene	79-92-5	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Camphene	79-92-5	PNEC	0.026 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Camphene	79-92-5	PNEC	0.003 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Camphene	79-92-5	PNEC	0.021 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

• material thickness

0,4 mm

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of silver fir , artificial

article number: **3295**


- **breakthrough times of the glove material**

>480 minutes (permeation: level 6)

- **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless - yellowish brown
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	not determined
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	not determined
Flash point	45 °C
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
<u>Solubility(ies)</u>	
Water solubility	(practically insoluble)
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	this information is not available
Vapour pressure	not determined
<u>Density and/or relative density</u>	
Density	0.88 g/cm ³ at 20 °C

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of silver fir , artificial

article number: **3295**

Relative vapour density	information on this property is not available
Particle characteristics	not relevant (liquid)
<u>Other safety parameters</u>	
Oxidising properties	none

9.2 Other information

Information with regard to physical hazard classes:	There is no additional information.
Other safety characteristics:	There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of silver fir , artificial

article number: 3295

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
DL- α -Pinene	80-56-8	oral	1,000 mg/kg

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
D-(+)-Limonene	5989-27-5	oral	LD50	>2,000 mg/kg	rat
DL- α -Pinene	80-56-8	dermal	LD50	>2,000 mg/kg	rat
DL- α -Pinene	80-56-8	oral	LD50	3,700 mg/kg	rat
β -Pinene	127-91-3	oral	LD50	4,700 mg/kg	rat
δ -3-Carene	13466-78-9	oral	LD50	4,800 mg/kg	rat
DL-Limonene	138-86-3	oral	LD50	5,300 mg/kg	rat
Myrcene	123-35-3	oral	LD50	>3,380 mg/kg	mouse
Myrcene	123-35-3	dermal	LD50	>5,000 mg/kg	rabbit
β -Caryophyllene	87-44-5	oral	LD50	>5,000 mg/kg	mouse
Terpinolene	586-62-9	oral	LD50	>2,000 mg/kg	rat
Terpinolene	586-62-9	dermal	LD50	>2,000 mg/kg	rat

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of silver fir , artificial

article number: 3295

Symptoms related to the physical, chemical and toxicological characteristics

- **If swallowed**

aspiration hazard

- **If in eyes**

Data are not available.

- **If inhaled**

Data are not available.

- **If on skin**

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

- **Other information**

none

11.2 Endocrine disrupting properties

None of the ingredients are listed.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
D-(+)-Limonene	5989-27-5	LC50	0.46 mg/l	fish	96 h
D-(+)-Limonene	5989-27-5	EC50	0.307 mg/l	aquatic invertebrates	48 h
D-(+)-Limonene	5989-27-5	ErC50	0.32 mg/l	algae	72 h
DL- α -Pinene	80-56-8	LC50	0.303 mg/l	fish	96 h
DL- α -Pinene	80-56-8	EC50	0.475 mg/l	aquatic invertebrates	48 h
β -Pinene	127-91-3	LC50	0.68 mg/l	rainbow trout (<i>Oncorhynchus mykiss</i>)	96 h
β -Pinene	127-91-3	EC50	1.09 mg/l	daphnia magna	48 h
β -Pinene	127-91-3	ErC50	0.7 mg/l	<i>Pseudokirchneriella subcapitata</i>	72 h
Camphene	79-92-5	LC50	0.72 mg/l	fish	96 h
Camphene	79-92-5	EC50	0.72 mg/l	aquatic invertebrates	48 h
Camphene	79-92-5	ErC50	>1,000 mg/l	algae	72 h
DL-Limonene	138-86-3	EC50	17 mg/l	daphnia magna	48 h
DL-Limonene	138-86-3	LC50	80 mg/l	rainbow trout (<i>Oncorhynchus mykiss</i>)	96 h
Myrcene	123-35-3	EC50	1.47 mg/l	aquatic invertebrates	48 h
Myrcene	123-35-3	EC50	0.31 mg/l	algae	72 h

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of silver fir , artificial

article number: 3295

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Myrcene	123-35-3	ErC50	0.342 mg/l	algae	72 h
β -Caryophyllene	87-44-5	EC50	>0.17 mg/l	daphnia magna	48 h
β -Caryophyllene	87-44-5	ErC50	>0.033 mg/l	algae	72 h
Terpinolene	586-62-9	LC50	0.805 mg/l	fish	96 h
Terpinolene	586-62-9	EC50	0.634 mg/l	aquatic invertebrates	48 h
Terpinolene	586-62-9	ErC50	0.692 mg/l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
D-(+)-Limonene	5989-27-5	EC50	<0.67 mg/l	fish	8 d
D-(+)-Limonene	5989-27-5	EC50	188 μ g/l	aquatic invertebrates	21 d
β -Pinene	127-91-3	EC50	326 mg/l	microorganisms	3 h
Camphene	79-92-5	EC50	>1,000 mg/l	microorganisms	3 h
Terpinolene	586-62-9	EC50	69 mg/l	microorganisms	3 h

Biodegradation

Data are not available.

12.2 Process of degradability

Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
L-(-)-Limonene	5989-54-8	oxygen depletion	85 %	28 d		ECHA
D-(+)-Limonene	5989-27-5	carbon dioxide generation	58.8 %	14 d		ECHA
D-(+)-Limonene	5989-27-5	oxygen depletion	80 %	28 d		ECHA
DL- α -Pinene	80-56-8	oxygen depletion	68 %	28 d		ECHA
β -Pinene	127-91-3	oxygen depletion	76 %	28 d		ECHA
Myrcene	123-35-3	oxygen depletion	76 %	28 d		ECHA
β -Caryophyllene	87-44-5	oxygen depletion	10 %	28 d		ECHA
Terpinolene	586-62-9	oxygen depletion	81 %	28 d		ECHA

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of silver fir , artificial

article number: 3295

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
L-(-)-Limonene	5989-54-8	864.8	4.38 (pH value: 7.2, 37 °C)	
D-(+)-Limonene	5989-27-5		4.38 (pH value: 7.2, 37 °C)	
DL- α -Pinene	80-56-8		4.83	
δ -3-Carene	13466-78-9		4.38	
Camphene	79-92-5		4.22 (pH value: 7.2, 37 °C)	
DL-Limonene	138-86-3		4.57	
Myrcene	123-35-3		4.82 (pH value: ~6.5, 30 °C)	
β -Caryophyllene	87-44-5		6.23 (pH value: 7, 25 °C)	
Terpinolene	586-62-9		4.47	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H3 Flammable liquids
H11 Toxic (Delayed or chronic)

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of silver fir , artificial

article number: 3295

SECTION 14: Transport information

14.1 UN number

UN RTDG	UN 1993
IMDG-Code	UN 1993
ICAO-TI	UN 1993

14.2 UN proper shipping name

UN RTDG	FLAMMABLE LIQUID, N.O.S.
IMDG-Code	FLAMMABLE LIQUID, N.O.S.
ICAO-TI	Flammable liquid, n.o.s.
Technical name (hazardous ingredients)	L(-)-Limonene, Camphene

14.3 Transport hazard class(es)

UN RTDG	3
IMDG-Code	3
ICAO-TI	3

14.4 Packing group

UN RTDG	III
IMDG-Code	III
ICAO-TI	III

14.5 Environmental hazards

	hazardous to the aquatic environment
Environmentally hazardous substance (aquatic environment):	L(-)-Limonene

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport information National regulations Additional information (UN RTDG)

UN number	1993
Class	3
Environmental hazards	Yes Hazardous to the aquatic environment
Packing group	III
Danger label(s)	3 Fish and tree



Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of silver fir , artificial

article number: 3295

Special provisions (SP) 223, 274
UN RTDG

Excepted quantities (EQ) E1
UN RTDG

Limited quantities (LQ) 5 L
UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name FLAMMABLE LIQUID, N.O.S.

Particulars in the shipper's declaration UN1993, FLAMMABLE LIQUID, N.O.S., (contains: L(-)-Limonene, Camphene), 3, III, 45°C c.c., MARINE POLLUTANT

Marine pollutant YES (hazardous to the aquatic environment), (L(-)-Limonene)

Danger label(s) 3, "Fish and tree"



Special provisions (SP) 223, 274, 955

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 L

EmS F-E, S-E

Stowage category A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Flammable liquid, n.o.s.

Particulars in the shipper's declaration UN1993, Flammable liquid, n.o.s., (contains: L(-)-Limonene, Camphene), 3, III

Environmental hazards YES (hazardous to the aquatic environment)

Danger label(s) 3



Special provisions (SP) A3

Excepted quantities (EQ) E1

Limited quantities (LQ) 10 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

All ingredients are listed or exempt from listing.

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of silver fir , artificial

article number: 3295

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

Restructuring: section 9, section 14

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of silver fir , artificial

article number: 3295

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.2	Hazardous ingredients for labelling: DL- α -Pinene, L-Limonene, D-(+)-Limonene, DL-Limonene, β -Pinene, δ -3-Carene, β -Caryophyllene	Hazardous ingredients for labelling: DL- α -Pinene, D-(+)-Limonene, L-(-)-Limonene, DL-Limonene, β -Pinene, δ -3-Carene, Myrcene, β -Caryophyllene, Terpinolene	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	\equiv EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
Flam. Sol.	Flammable solid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of silver fir , artificial

article number: **3295**

Abbr.	Descriptions of used abbreviations
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture.

Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H227	Combustible liquid.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.