

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of eucalyptus , nature identical

article number: **3297**
Version: **GHS 4.0 en**
Replaces version of: 2021-10-14
Version: (GHS 3)

date of compilation: 2019-12-11
Revision: 2023-03-09

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance **Oil of eucalyptus , nature identical**
Article number **3297**
Alternative name(s) **Oleum Eucalypti artificiale**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: **Laboratory chemical
Laboratory and analytical use**
Uses advised against: **Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).**

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone:+49 (0) 721 - 56 06 0
Telefax: +49 (0) 721 - 56 06 149
e-mail: sicherheit@carlroth.de
Website: www.carlroth.de

Competent person responsible for the safety data sheet: **Department Health, Safety and Environment**

e-mail (competent person): **sicherheit@carlroth.de**

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 Westmead, NSW	131126	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.4S	Skin sensitisation	1	Skin Sens. 1	H317
3.10	Aspiration hazard	1	Asp. Tox. 1	H304

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of eucalyptus , nature identical

article number: 3297

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling

Signal word

Danger

Pictograms

GHS02, GHS05,
GHS07, GHS08



Hazard statements

H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage

Precautionary statements

Precautionary statements - prevention

P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking
P280	Wear protective gloves

Precautionary statements - response

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
P302+P352	IF ON SKIN: Wash with plenty of soap and water
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P331	Do NOT induce vomiting
P370+P378	In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction

Precautionary statements - storage

P403+P235	Store in a well-ventilated place. Keep cool
-----------	---

Hazardous ingredients for labelling:

DL- α -Pinene, (+)-Camphor, Eucalyptol, D-(+)-Limonene, Myrcene, β -Pinene

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$.

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of eucalyptus , nature identical

article number: 3297






















SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Eucalyptol	CAS No 470-82-6 EC No 207-431-5	10 – < 25	Flam. Liq. 3 / H226 Skin Sens. 1B / H317	 	
D-(+)-Limonene	CAS No 5989-27-5 EC No 227-813-5	10 – < 25	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Skin Sens. 1B / H317 Asp. Tox. 1 / H304	  	
DL- α -Pinene	CAS No 80-56-8 EC No 201-291-9	10 – < 25	Flam. Liq. 3 / H226 Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Skin Sens. 1A / H317 Asp. Tox. 1 / H304	  	
(+)-Camphor	CAS No 464-49-3 EC No 207-355-2	5 – < 10	Flam. Sol. 2 / H228 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 STOT SE 2 / H371	   	
Myrcene	CAS No 123-35-3 EC No 204-622-5	1 – < 5	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Eye Irrit. 2A / H319 Skin Sens. 1 / H317 Asp. Tox. 1 / H304	  	IARC: 2B
β -Pinene	CAS No 127-91-3 EC No 204-872-5	1 – < 5	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Skin Sens. 1B / H317 Asp. Tox. 1 / H304	  	
Sabinene	CAS No 3387-41-5 EC No 222-212-4	1 – < 5	Flam. Liq. 3 / H226 Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Irrit. 2A / H319 STOT SE 3 / H335	 	
α -Terpineol	CAS No 98-55-5 EC No 202-680-6	1 – < 5	Flam. Liq. 4 / H227 Skin Irrit. 2 / H315 Eye Irrit. 2A / H319		

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of eucalyptus , nature identical

article number: 3297

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
y-Terpinene	CAS No 99-85-4 EC No 202-794-6	1 – < 3	Flam. Liq. 3 / H226 Repr. 2 / H361fd		

Notes

IARC: IARC group 2B: possibly carcinogenic to humans (International Agency for Research on Cancer)
2B:

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician. In case of skin irritation, consult a physician.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

Call a physician immediately. Observe aspiration hazard if vomiting occurs.

4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard, Risk of blindness, Risk of serious damage to eyes, Irritation, Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings
water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of eucalyptus , nature identical

article number: **3297**

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂), May produce toxic fumes of carbon monoxide if burning.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Danger of explosion.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of eucalyptus , nature identical

article number: 3297

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Protect from sunlight.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Eucalyptol	470-82-6	DNEL	7.05 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Eucalyptol	470-82-6	DNEL	2 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
DL- α -Pinene	80-56-8	DNEL	3.8 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
DL- α -Pinene	80-56-8	DNEL	0.542 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
D-(+)-Limonene	5989-27-5	DNEL	66.7 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of eucalyptus , nature identical

article number: 3297

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
D-(+)-Limonene	5989-27-5	DNEL	9.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
(+)-Camphor	464-49-3	DNEL	17.63 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
(+)-Camphor	464-49-3	DNEL	10 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
β-Pinene	127-91-3	DNEL	5.69 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
β-Pinene	127-91-3	DNEL	0.8 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
β-Pinene	127-91-3	DNEL	54 µg/cm ²	human, dermal	worker (industry)	chronic - local effects
γ-Terpinene	99-85-4	DNEL	2.939 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
γ-Terpinene	99-85-4	DNEL	0.833 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Eucalyptol	470-82-6	PNEC	57 µg/l	aquatic organisms	freshwater	short-term (single instance)
Eucalyptol	470-82-6	PNEC	5.7 µg/l	aquatic organisms	marine water	short-term (single instance)
Eucalyptol	470-82-6	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Eucalyptol	470-82-6	PNEC	1.425 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Eucalyptol	470-82-6	PNEC	0.142 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Eucalyptol	470-82-6	PNEC	0.25 mg/kg	terrestrial organisms	soil	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	0.606 µg/l	aquatic organisms	freshwater	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	0.061 µg/l	aquatic organisms	marine water	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	0.2 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	157 µg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	15.7 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	31.7 µg/kg	terrestrial organisms	soil	short-term (single instance)

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of eucalyptus , nature identical

article number: 3297

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
D-(+)-Limonene	5989-27-5	PNEC	14 µg/l	aquatic organisms	freshwater	short-term (single instance)
D-(+)-Limonene	5989-27-5	PNEC	1.4 µg/l	aquatic organisms	marine water	short-term (single instance)
D-(+)-Limonene	5989-27-5	PNEC	1.8 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
D-(+)-Limonene	5989-27-5	PNEC	3.85 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
D-(+)-Limonene	5989-27-5	PNEC	0.385 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
D-(+)-Limonene	5989-27-5	PNEC	0.763 mg/kg	terrestrial organisms	soil	short-term (single instance)
(+)-Camphor	464-49-3	PNEC	1.71 µg/l	aquatic organisms	freshwater	short-term (single instance)
(+)-Camphor	464-49-3	PNEC	0.171 µg/l	aquatic organisms	marine water	short-term (single instance)
(+)-Camphor	464-49-3	PNEC	1 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
(+)-Camphor	464-49-3	PNEC	0.139 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
(+)-Camphor	464-49-3	PNEC	0.017 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
(+)-Camphor	464-49-3	PNEC	0.013 mg/kg	terrestrial organisms	soil	short-term (single instance)
α-Terpineol	98-55-5	PNEC	68 µg/l	aquatic organisms	freshwater	short-term (single instance)
α-Terpineol	98-55-5	PNEC	6.8 µg/l	aquatic organisms	marine water	short-term (single instance)
α-Terpineol	98-55-5	PNEC	2.6 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
α-Terpineol	98-55-5	PNEC	1.85 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
α-Terpineol	98-55-5	PNEC	0.185 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
α-Terpineol	98-55-5	PNEC	0.329 mg/kg	terrestrial organisms	soil	short-term (single instance)
β-Pinene	127-91-3	PNEC	1.004 µg/l	aquatic organisms	freshwater	short-term (single instance)
β-Pinene	127-91-3	PNEC	0.1 µg/l	aquatic organisms	marine water	short-term (single instance)
β-Pinene	127-91-3	PNEC	3.26 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
β-Pinene	127-91-3	PNEC	0.337 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of eucalyptus , nature identical

article number: 3297

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
β -Pinene	127-91-3	PNEC	0.034 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
β -Pinene	127-91-3	PNEC	0.067 mg/kg	terrestrial organisms	soil	short-term (single instance)
γ -Terpinene	99-85-4	PNEC	0.003 mg/l	aquatic organisms	freshwater	short-term (single instance)
γ -Terpinene	99-85-4	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
γ -Terpinene	99-85-4	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
γ -Terpinene	99-85-4	PNEC	0.49 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
γ -Terpinene	99-85-4	PNEC	0.049 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
γ -Terpinene	99-85-4	PNEC	0.423 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

• material thickness

>0,3 mm

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of eucalyptus , nature identical

article number: **3297**


- **breakthrough times of the glove material**

>480 minutes (permeation: level 6)

- **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	clear - light yellow
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	not determined
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	not determined
Flash point	31 °C
Auto-ignition temperature	245 °C
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
<u>Solubility(ies)</u>	
Water solubility	(practically insoluble)
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	this information is not available
Vapour pressure	not determined
<u>Density and/or relative density</u>	
Density	0.87 g/cm ³

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of eucalyptus , nature identical

article number: **3297**

Relative vapour density	information on this property is not available
Particle characteristics	not relevant (liquid)
<u>Other safety parameters</u>	
Oxidising properties	none
9.2 Other information	
Information with regard to physical hazard classes:	There is no additional information.
Other safety characteristics:	
Refractive index	1.465 – 1.475 (20 °C)

SECTION 10: Stability and reactivity

10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of eucalyptus , nature identical

article number: 3297

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
DL- α -Pinene	80-56-8	oral	1,000 mg/kg
(+)-Camphor	464-49-3	inhalation: dust/mist	4.5 mg/l/4h
Sabinene	3387-41-5	oral	301 mg/kg

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Eucalyptol	470-82-6	oral	LD50	2,480 mg/kg	rat
DL- α -Pinene	80-56-8	dermal	LD50	>2,000 mg/kg	rat
DL- α -Pinene	80-56-8	oral	LD50	3,700 mg/kg	rat
D-(+)-Limonene	5989-27-5	oral	LD50	>2,000 mg/kg	rat
(+)-Camphor	464-49-3	oral	LD50	1,310 mg/kg	mouse
(+)-Camphor	464-49-3	dermal	LD50	>2,000 mg/kg	rat
α -Terpineol	98-55-5	oral	LD50	4,300 mg/kg	rat
α -Terpineol	98-55-5	dermal	LD50	>2,000 mg/kg	rat
Myrcene	123-35-3	oral	LD50	>3,380 mg/kg	mouse
Myrcene	123-35-3	dermal	LD50	>5,000 mg/kg	rabbit
β -Pinene	127-91-3	oral	LD50	4,700 mg/kg	rat
Sabinene	3387-41-5	oral	LD50	301 – 2,000 mg/kg	rat
γ -Terpinene	99-85-4	oral	LD50	>2,000 mg/kg	rat
γ -Terpinene	99-85-4	dermal	LD50	>2,000 mg/kg	rat

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of eucalyptus , nature identical

article number: 3297

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

vomiting, nausea, gastrointestinal complaints, aspiration hazard

• If in eyes

Causes serious eye damage, risk of blindness

• If inhaled

vertigo, cough, headache, breathing difficulties

• If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

• Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Eucalyptol	470-82-6	LC50	57 mg/l	fish	96 h
Eucalyptol	470-82-6	EC50	>100 mg/l	aquatic invertebrates	48 h
Eucalyptol	470-82-6	ErC50	>74 mg/l	algae	72 h
DL- α -Pinene	80-56-8	LC50	0.303 mg/l	fish	96 h
DL- α -Pinene	80-56-8	EC50	0.475 mg/l	aquatic invertebrates	48 h
D-(+)-Limonene	5989-27-5	LC50	0.46 mg/l	fish	96 h
D-(+)-Limonene	5989-27-5	EC50	0.307 mg/l	aquatic invertebrates	48 h
D-(+)-Limonene	5989-27-5	ErC50	0.32 mg/l	algae	72 h
(+)-Camphor	464-49-3	LC50	33.25 mg/l	fish	96 h
(+)-Camphor	464-49-3	EC50	4.23 mg/l	aquatic invertebrates	48 h
(+)-Camphor	464-49-3	ErC50	1.71 mg/l	algae	72 h

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of eucalyptus , nature identical

article number: 3297

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
α -Terpineol	98-55-5	LC50	70 mg/l	fish	96 h
α -Terpineol	98-55-5	EC50	73 mg/l	aquatic invertebrates	48 h
α -Terpineol	98-55-5	ErC50	68 mg/l	algae	72 h
Myrcene	123-35-3	EC50	1.47 mg/l	aquatic invertebrates	48 h
Myrcene	123-35-3	EC50	0.31 mg/l	algae	72 h
Myrcene	123-35-3	ErC50	0.342 mg/l	algae	72 h
β -Pinene	127-91-3	LC50	0.68 mg/l	rainbow trout (<i>Oncorhynchus mykiss</i>)	96 h
β -Pinene	127-91-3	EC50	1.09 mg/l	daphnia magna	48 h
β -Pinene	127-91-3	ErC50	0.7 mg/l	<i>Pseudokirchneriella subcapitata</i>	72 h
Sabinene	3387-41-5	EC50	3,960 mg/l	aquatic invertebrates	48 h
γ -Terpinene	99-85-4	EC50	2.792 mg/l	fish	96 h

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Eucalyptol	470-82-6	EC50	>100 mg/l	microorganisms	3 h
D-(+)-Limonene	5989-27-5	EC50	<0.67 mg/l	fish	8 d
D-(+)-Limonene	5989-27-5	EC50	188 μ g/l	aquatic invertebrates	21 d
(+)-Camphor	464-49-3	EC50	>100 mg/l	microorganisms	3 h
β -Pinene	127-91-3	EC50	326 mg/l	microorganisms	3 h
γ -Terpinene	99-85-4	EC50	>1,000 mg/l	microorganisms	3 h

12.2 Persistence and degradability

Degradability of components of the mixture						
Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
Eucalyptol	470-82-6	carbon dioxide generation	82 %	28 d		ECHA
DL- α -Pinene	80-56-8	oxygen depletion	68 %	28 d		ECHA
D-(+)-Limonene	5989-27-5	carbon dioxide generation	58.8 %	14 d		ECHA
D-(+)-Limonene	5989-27-5	oxygen depletion	80 %	28 d		ECHA
α -Terpineol	98-55-5	carbon dioxide generation	80 %	28 d	OECD Guideline 310	

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of eucalyptus , nature identical

article number: 3297

Degradability of components of the mixture						
Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
Myrcene	123-35-3	oxygen depletion	76 %	28 d		ECHA
β -Pinene	127-91-3	oxygen depletion	76 %	28 d		ECHA
Sabinene	3387-41-5	oxygen depletion	36 %	28 d		ECHA
γ -Terpinene	99-85-4	oxygen depletion	27 %	28 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Eucalyptol	470-82-6		3.4	
DL- α -Pinene	80-56-8		4.83	
D-(+)-Limonene	5989-27-5		4.38 (pH value: 7.2, 37 °C)	
(+)-Camphor	464-49-3		2.3 (20 °C)	
α -Terpineol	98-55-5		2.98	
Myrcene	123-35-3		4.82 (pH value: ~6.5, 30 °C)	
γ -Terpinene	99-85-4		5.4 (25 °C)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of eucalyptus , nature identical

article number: **3297**

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H3 Flammable liquids
H11 Toxic (Delayed or chronic)

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number

UN RTDG	UN 1197
IMDG-Code	UN 1197
ICAO-TI	UN 1197

14.2 UN proper shipping name

UN RTDG	EXTRACTS, LIQUID
IMDG-Code	EXTRACTS, LIQUID
ICAO-TI	Extracts, liquid

14.3 Transport hazard class(es)

UN RTDG	3
IMDG-Code	3
ICAO-TI	3

14.4 Packing group

UN RTDG	III
IMDG-Code	III
ICAO-TI	III

14.5 Environmental hazards

	hazardous to the aquatic environment
Environmentally hazardous substance (aquatic environment):	DL- α -Pinene

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of eucalyptus , nature identical

article number: 3297

Transport information National regulations Additional information (UN RTDG)

UN number	1197
Class	3
Environmental hazards	Yes Hazardous to the aquatic environment
Packing group	III
Danger label(s)	3 Fish and tree



Special provisions (SP)	223 UN RTDG
Excepted quantities (EQ)	E1 UN RTDG
Limited quantities (LQ)	5 L UN RTDG
Emergency Action Code	3Y

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name	EXTRACTS, LIQUID
Particulars in the shipper's declaration	UN1197, EXTRACTS, LIQUID, (DL- α -Pinene), 3, III, 31°C c.c., MARINE POLLUTANT
Marine pollutant	yes (hazardous to the aquatic environment)
Danger label(s)	3, "Fish and tree"



Special provisions (SP)	223, 955
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-E, S-D
Stowage category	A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name	Extracts, liquid
Particulars in the shipper's declaration	UN1197, Extracts, liquid, 3, III
Environmental hazards	yes (hazardous to the aquatic environment)
Danger label(s)	3



Special provisions (SP)	A3
Excepted quantities (EQ)	E1

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of eucalyptus , nature identical

article number: 3297

Limited quantities (LQ)

10 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	not all ingredients are listed
CA	DSL	not all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	not all ingredients are listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of eucalyptus , nature identical

article number: 3297

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.3	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$.	yes
14.1	UN RTDG: UN 1169	UN RTDG: UN 1197	yes
14.1	IMDG-Code: UN 1169	IMDG-Code: UN 1197	yes
14.1	ICAO-TI: UN 1169	ICAO-TI: UN 1197	yes
14.2	UN RTDG: EXTRACTS, AROMATIC, LIQUID	UN RTDG: EXTRACTS, LIQUID	yes
14.2	IMDG-Code: EXTRACTS, AROMATIC, LIQUID	IMDG-Code: EXTRACTS, LIQUID	yes
14.2	ICAO-TI: Extracts, aromatic, liquid	ICAO-TI: Extracts, liquid	yes
14.8	UN number: 1169	UN number: 1197	yes
14.8		Emergency Action Code: 3Y	yes
14.8	Proper shipping name: EXTRACTS, AROMATIC, LIQUID	Proper shipping name: EXTRACTS, LIQUID	yes
14.8	Particulars in the shipper's declaration: UN1169, EXTRACTS, AROMATIC, LIQUID, (DL- α -Pinene), 3, III, 31°C c.c., MARINE POLLUTANT	Particulars in the shipper's declaration: UN1197, EXTRACTS, LIQUID, (DL- α -Pinene), 3, III, 31°C c.c., MARINE POLLUTANT	yes
14.8	Marine pollutant: yes (hazardous to the aquatic environment), (DL- α -Pinene)	Marine pollutant: yes (hazardous to the aquatic environment)	yes
14.8	Proper shipping name: Extracts, aromatic, liquid	Proper shipping name: Extracts, liquid	yes
14.8	Particulars in the shipper's declaration: UN1169, Extracts, aromatic, liquid, 3, III	Particulars in the shipper's declaration: UN1197, Extracts, liquid, 3, III	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of eucalyptus , nature identical

article number: 3297

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
Flam. Sol.	Flammable solid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic

Safety data sheet

acc. to Safe Work Australia - Code of Practice



Oil of eucalyptus , nature identical

article number: **3297**

Abbr.	Descriptions of used abbreviations
PNEC	Predicted No-Effect Concentration
Repr.	Reproductive toxicity
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STOT SE	Specific target organ toxicity - single exposure
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture.

Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H227	Combustible liquid.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H371	May cause damage to organs.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.