acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Oil of chamomile, artificial

article number: 3305 date of compilation: 2021-09-23 Version: **2.0 en** Revision: 2023-02-03

Replaces version of: 2021-09-23

Version: (1)



#### **Product identifier** 1.1

Identification of the substance Oil of chamomile, artificial

Article number 3305

Alternative name(s) Oleum Chamomillae

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone: +49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

sicherheit@carlroth.de e-mail (competent person):

#### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

## **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

#### Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.45	Skin sensitisation	1	Skin Sens. 1	H317

United Kingdom (en) Page 1 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Oil of chamomile, artificial

article number: 3305



Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Aspiration hazard	1	Asp. Tox. 1	H304
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16

#### The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

## Labelling

Signal word Danger

#### **Pictograms**

GHS02, GHS05, GHS07, GHS08, GHS09











### **Hazard statements**

H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H410	Very toxic to aquatic life with long lasting effects

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking

P280 Wear protective gloves/eye protection

#### **Precautionary statements - response**

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower]

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

Hazardous ingredients for labelling:

DL-α-Pinene, Bisabolene, D-(+)-Limonene, Myrcene, Terpinolene, DL-Limonene, β-Caryophyllene, β-Pinene

United Kingdom (en) Page 2 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Oil of chamomile, artificial

article number: 3305



#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

not relevant (mixture)

#### 3.2 Mixtures

## Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Benzyl alcohol	CAS No 100-51-6 EC No 202-859-9 Index No 603-057-00-5	25 – 50	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Eye Irrit. 2 / H319	1	GHS-HC
DL-α-Pinene	CAS No 80-56-8 EC No 201-291-9	10 - 25	Flam. Liq. 3 / H226 Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Skin Sens. 1A / H317 Asp. Tox. 1 / H304 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		
Bisabolene	CAS No 495-62-5 EC No 207-805-8	5 - < 10	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Asp. Tox. 1 / H304	<u>(!)</u>	
Levomenol	CAS No 23089-26-1 EC No 245-423-3	5 - < 10	Aquatic Chronic 3 / H412		
β-Farnesene	CAS No 18794-84-8 EC No 242-582-0	1-<5	Asp. Tox. 1 / H304	<b>\$</b>	
Myrcene	CAS No 123-35-3 EC No 204-622-5	1-<5	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411		IARC: 2B
D-(+)-Limonene	CAS No 5989-27-5 EC No 227-813-5 Index No 601-096-00-2	1-<5	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Skin Sens. 1B / H317 Asp. Tox. 1 / H304 Aquatic Acute 1 / H400 Aquatic Chronic 3 / H412		GHS-HC

United Kingdom (en) Page 3 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Oil of chamomile, artificial

article number: 3305



Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
α-Terpineol	CAS No 98-55-5	1 - < 5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319	<u>(1)</u>	
	EC No 202-680-6				
ß-Pinene	CAS No 127-91-3	< 1	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315	(N) (!)	
	EC No 204-872-5		Skin Sens. 1B / H317 Asp. Tox. 1 / H304 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		
DL-Limonene	CAS No 138-86-3	< 1	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315	(b) (!)	C(a) GHS-HC
	EC No 205-341-0		Skin Sens. 1 / H317 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	¥,	
	Index No 601-029-00-7			324	
Terpinolene	CAS No 586-62-9	<1	Skin Sens. 1B / H317 Asp. Tox. 1 / H304 Aquatic Acute 1 / H400		
	EC No 209-578-0		Aquatic Chronic 1 / H410	***	
Camphene	CAS No 79-92-5	<1	Flam. Sol. 1 / H228 Eye Irrit. 2 / H319		
	EC No 201-234-8		Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	***************************************	
β-Caryophyllene	CAS No 87-44-5	<1	Skin Sens. 1 / H317 Asp. Tox. 1 / H304		
Notes	EC No 201-746-1			V W	

#### Notes

C(a): Mixture of isomers
GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)
IARC: IARC group 2B: possibly carcinogenic to humans (International Agency for Research on Cancer)

IARC: 2B:

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Benzyl alcohol	CAS No 100-51-6 EC No 202-859-9	-	-	1.580 <sup>mg</sup> / <sub>kg</sub> 11 <sup>mg</sup> / <sub>l</sub> /4h >4,178 <sup>mg</sup> / <sub>l</sub> / 4h	oral inhalation: va- pour inhalation: dust/ mist
DL-α-Pinene	CAS No 80-56-8 EC No 201-291-9	-	-	1.000 <sup>mg</sup> / <sub>kg</sub>	oral

United Kingdom (en) Page 4 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Oil of chamomile, artificial

article number: 3305



Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
D-(+)-Limonene	CAS No 5989-27-5	-	M-factor (acute) = 1	-	
	EC No 227-813-5				

For full text of abbreviations: see SECTION 16

#### SECTION 4: First aid measures

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician. In case of skin irritation, consult a physician.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### Following ingestion

Call a physician immediately. Observe aspiration hazard if vomiting occurs.

## 4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard, Vomiting, Risk of blindness, Risk of serious damage to eyes, Irritation, Allergic reactions

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, dry extinguishing powder, BC-powder, carbon dioxide ( $CO_2$ )

## Unsuitable extinguishing media

water jet

United Kingdom (en) Page 5 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Oil of chamomile, artificial

article number: 3305



#### 5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

#### **Hazardous combustion products**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), May produce toxic fumes of carbon monoxide if burning.

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

### **6.2** Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. Danger of explosion.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Provision of sufficient ventilation.

United Kingdom (en) Page 6 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Oil of chamomile, artificial

article number: 3305



### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

#### Measures to protect the environment

Avoid release to the environment.

### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

#### Consideration of other advice:

Ground/bond container and receiving equipment.

### **Ventilation requirements**

Use local and general ventilation.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

## **SECTION 8: Exposure controls/personal protection**

#### **Control parameters** 8.1

#### **National limit values**

## **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	hydrocarbon mix- ture (RCP method)		WEL		800		1.600				EH40/ 2005
GB	cycloalkanes (>C7)	80-56-8	WEL		800						EH40/ 2005

Notation

Ceiling-C STEL

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified) TWA

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

United Kingdom (en) Page 7 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Oil of chamomile, artificial

article number: 3305



#### Relevant DNELs of components of the mixture Name of sub-**CAS No** End-**Threshol Used** in **Exposure time Protection** goal, route of stance point d level exposure DL-α-Pinene 80-56-8 DNEL 3,8 mg/m<sup>3</sup> human, inhalatworker (industry) chronic - systemic effects orv DL-α-Pinene 80-56-8 DNEL 0,542 mg/ human, dermal worker (industry) chronic - systemic kg bw/day effects D-(+)-Limonene 66,7 mg/ human, inhalatchronic - systemic 5989-27-5 DNEL worker (industry) effects m<sup>3</sup> ory D-(+)-Limonene 5989-27-5 DNEL 9,5 mg/kg human, dermal worker (industry) chronic - systemic effects bw/day β-Farnesene 18794-84-8 DNEL 0,95 mg/kg human, dermal worker (industry) chronic - systemic bw/day effects human, inhalat**ß-Pinene** 127-91-3 DNEL 5,69 mg/ worker (industry) chronic - systemic m³ effects ory **ß-Pinene** 127-91-3 DNEL 0,8 mg/kg human, dermal worker (industry) chronic - systemic bw/day effects chronic - local ef**ß-Pinene** 127-91-3 DNEL 54 μg/cm<sup>2</sup> human, dermal worker (industry) fects Camphene 79-92-5 DNEL 110,2 mg/ human, inhalatchronic - systemic worker (industry) effects 110,2 mg/ Camphene DNEL human, inhalat-79-92-5 worker (industry) acute - systemic effects Camphene 79-92-5 DNEL 0,21 mg/kg human, dermal worker (industry) chronic - systemic effects bw/day Camphene 79-92-5 DNEL 1,25 mg/kg human, dermal worker (industry) acute - systemic bw/day effects

Relevant PNECs	Relevant PNECs of components of the mixture											
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time						
DL-α-Pinene	80-56-8	PNEC	0,606 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)						
DL-α-Pinene	80-56-8	PNEC	0,061 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)						
DL-α-Pinene	80-56-8	PNEC	0,2 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)						
DL-α-Pinene	80-56-8	PNEC	157 <sup>µg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)						
DL-α-Pinene	80-56-8	PNEC	15,7 <sup>µg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)						
DL-α-Pinene	80-56-8	PNEC	31,7 <sup>µg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)						
D-(+)-Limonene	5989-27-5	PNEC	14 <sup>µg</sup> / <sub>I</sub>	aquatic organ- isms	freshwater	short-term (single instance)						
D-(+)-Limonene	5989-27-5	PNEC	1,4 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)						

United Kingdom (en) Page 8 / 26

## Oil of chamomile, artificial

article number: 3305



Relevant PNECs of components of the mixture								
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time		
D-(+)-Limonene	5989-27-5	PNEC	1,8 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)		
D-(+)-Limonene	5989-27-5	PNEC	3,85 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)		
D-(+)-Limonene	5989-27-5	PNEC	0,385 <sup>mg</sup> / kg	aquatic organ- isms	marine sediment	short-term (single instance)		
D-(+)-Limonene	5989-27-5	PNEC	0,763 <sup>mg</sup> / kg	terrestrial organ- isms	soil	short-term (single instance)		
α-Terpineol	98-55-5	PNEC	68 <sup>µg</sup> / <sub>I</sub>	aquatic organ- isms	freshwater	short-term (single instance)		
α-Terpineol	98-55-5	PNEC	6,8 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)		
α-Terpineol	98-55-5	PNEC	2,6 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)		
α-Terpineol	98-55-5	PNEC	1,85 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)		
α-Terpineol	98-55-5	PNEC	0,185 <sup>mg</sup> / kg	aquatic organ- isms	marine sediment	short-term (single instance)		
α-Terpineol	98-55-5	PNEC	0,329 <sup>mg</sup> / kg	terrestrial organ- isms	soil	short-term (single instance)		
ß-Pinene	127-91-3	PNEC	1,004 <sup>µg</sup> / <sub>I</sub>	aquatic organ- isms	freshwater	short-term (single instance)		
ß-Pinene	127-91-3	PNEC	0,1 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)		
ß-Pinene	127-91-3	PNEC	3,26 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)		
ß-Pinene	127-91-3	PNEC	0,337 <sup>mg</sup> / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)		
ß-Pinene	127-91-3	PNEC	0,034 <sup>mg</sup> / kg	aquatic organ- isms	marine sediment	short-term (single instance)		
ß-Pinene	127-91-3	PNEC	0,067 <sup>mg</sup> / kg	terrestrial organ- isms	soil	short-term (single instance)		
Camphene	79-92-5	PNEC	0,001 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)		
Camphene	79-92-5	PNEC	0 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)		
Camphene	79-92-5	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)		
Camphene	79-92-5	PNEC	0,026 <sup>mg</sup> / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)		
Camphene	79-92-5	PNEC	0,003 <sup>mg</sup> / kg	aquatic organ- isms	marine sediment	short-term (single instance)		
Camphene	79-92-5	PNEC	0,021 <sup>mg</sup> / kg	terrestrial organ- isms	soil	short-term (single instance)		
						L		

United Kingdom (en) Page 9 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Oil of chamomile, artificial

article number: 3305



#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

#### **Eye/face protection**





Use safety goggle with side protection.

#### Skin protection





#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### type of material

Butyl caoutchouc (butyl rubber)

#### material thickness

0,5 mm

#### · breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

United Kingdom (en) Page 10 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Oil of chamomile, artificial

article number: 3305



## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state liquid

Colour greenish-blue Odour characteristic

Melting point/freezing point -15,4 °C (data apply to the main component)

Boiling point or initial boiling point and boiling 205,3 °C at 1.013 hPa (data apply to the main

range component)

Flammability flammable liquid in accordance with GHS criteria

Lower and upper explosion limit 1,3 vol% (LEL) - 13 vol% (UEL) (data apply to the

main component)

Flash point 51 °C

Auto-ignition temperature 436 °C (data apply to the main component)

Decomposition temperature not relevant
pH (value) not determined
Kinematic viscosity not determined

Solubility(ies)

Water solubility not determined

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure 0,07 hPa at 20 °C

Density and/or relative density

Density  $0.95 \, \mathrm{g/_{cm^3}}$  at 20 °C

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard There is no additional information.

classes:

Other safety characteristics: There is no additional information.

United Kingdom (en) Page 11 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Oil of chamomile, artificial

article number: 3305



## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition.

#### If heated

Risk of ignition. Vapours may form explosive mixtures with air.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

#### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### 10.5 Incompatible materials

There is no additional information.

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to GHS

#### **Acute toxicity**

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful if inhaled.

#### Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Benzyl alcohol	100-51-6	oral	1.580 <sup>mg</sup> / <sub>kg</sub>
Benzyl alcohol	100-51-6	inhalation: vapour	11 <sup>mg</sup> / <sub>l</sub> /4h
Benzyl alcohol	100-51-6	inhalation: dust/mist	>4,178 <sup>mg</sup> / <sub>l</sub> /4h
DL-α-Pinene	80-56-8	oral	1.000 <sup>mg</sup> / <sub>kg</sub>

United Kingdom (en) Page 12 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Oil of chamomile, artificial

article number: 3305



ite toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Benzyl alcohol	100-51-6	oral	LD50	1.580 <sup>mg</sup> / <sub>kg</sub>	mouse
Benzyl alcohol	100-51-6	inhalation: dust/mist	LC50	>4.178 <sup>mg</sup> / <sub>m³</sub> / 4h	rat
DL-α-Pinene	80-56-8	dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat
DL-α-Pinene	80-56-8	oral	LD50	3.700 <sup>mg</sup> / <sub>kg</sub>	rat
Levomenol	23089-26-1	oral	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat
D-(+)-Limonene	5989-27-5	oral	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat
α-Terpineol	98-55-5	oral	LD50	4.300 <sup>mg</sup> / <sub>kg</sub>	rat
α-Terpineol	98-55-5	dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat
β-Farnesene	18794-84-8	inhalation: dust/mist	LC50	>2,06 <sup>mg</sup> / <sub>l</sub> /4h	rat
β-Farnesene	18794-84-8	dermal	LD50	>5.000 <sup>mg</sup> / <sub>kg</sub>	rabbit
Myrcene	123-35-3	oral	LD50	>3.380 <sup>mg</sup> / <sub>kg</sub>	mouse
Myrcene	123-35-3	dermal	LD50	>5.000 <sup>mg</sup> / <sub>kg</sub>	rabbit
Terpinolene	586-62-9	oral	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat
Terpinolene	586-62-9	dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat
DL-Limonene	138-86-3	oral	LD50	5.300 <sup>mg</sup> / <sub>kg</sub>	rat
β-Caryophyllene	87-44-5	oral	LD50	>5.000 <sup>mg</sup> / <sub>kg</sub>	mouse
ß-Pinene	127-91-3	oral	LD50	4.700 <sup>mg</sup> / <sub>kg</sub>	rat

#### Skin corrosion/irritation

Causes skin irritation.

## Serious eye damage/eye irritation

Causes serious eye damage.

### Respiratory or skin sensitisation

May cause an allergic skin reaction.

#### **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

## Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

## Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

United Kingdom (en) Page 13 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Oil of chamomile, artificial

article number: 3305



#### **Aspiration hazard**

May be fatal if swallowed and enters airways.

## Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

aspiration hazard

## • If in eyes

Causes serious eye damage, risk of blindness

#### If inhaled

Data are not available.

#### • If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

#### Other information

none

## 11.2 Endocrine disrupting properties

None of the ingredients are listed.

#### 11.3 Information on other hazards

There is no additional information.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

### Aquatic toxicity (acute) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Benzyl alcohol	100-51-6	LC50	460 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Benzyl alcohol	100-51-6	EC50	230 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Benzyl alcohol	100-51-6	ErC50	770 <sup>mg</sup> / <sub>l</sub>	algae	72 h
DL-α-Pinene	80-56-8	LC50	0,303 <sup>mg</sup> / <sub>l</sub>	fish	96 h
DL-α-Pinene	80-56-8	EC50	0,475 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Levomenol	23089-26-1	EC50	2,2 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Levomenol	23089-26-1	ErC50	3,8 <sup>mg</sup> / <sub>l</sub>	algae	72 h
D-(+)-Limonene	5989-27-5	LC50	0,46 <sup>mg</sup> / <sub>l</sub>	fish	96 h
D-(+)-Limonene	5989-27-5	EC50	0,307 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
D-(+)-Limonene	5989-27-5	ErC50	0,32 <sup>mg</sup> / <sub>l</sub>	algae	72 h
α-Terpineol	98-55-5	LC50	70 <sup>mg</sup> / <sub>l</sub>	fish	96 h
α-Terpineol	98-55-5	EC50	73 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h

United Kingdom (en) Page 14 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Oil of chamomile, artificial

article number: 3305



## Aquatic toxicity (acute) of components of the mixture

•	•				
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
α-Terpineol	98-55-5	ErC50	68 <sup>mg</sup> / <sub>l</sub>	algae	72 h
Myrcene	123-35-3	EC50	1,47 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Myrcene	123-35-3	EC50	0,31 <sup>mg</sup> / <sub>l</sub>	algae	72 h
Myrcene	123-35-3	ErC50	0,342 <sup>mg</sup> / <sub>l</sub>	algae	72 h
Terpinolene	586-62-9	LC50	0,805 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Terpinolene	586-62-9	EC50	0,634 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Terpinolene	586-62-9	ErC50	0,692 <sup>mg</sup> / <sub>l</sub>	algae	72 h
DL-Limonene	138-86-3	EC50	17 <sup>mg</sup> / <sub>l</sub>	daphnia magna	48 h
DL-Limonene	138-86-3	LC50	80 <sup>mg</sup> / <sub>l</sub>	rainbow trout (Onco- rhynchus mykiss)	96 h
β-Caryophyllene	87-44-5	EC50	>0,17 <sup>mg</sup> / <sub>l</sub>	daphnia magna	48 h
β-Caryophyllene	87-44-5	ErC50	>0,033 <sup>mg</sup> / <sub>l</sub>	algae	72 h
ß-Pinene	127-91-3	LC50	0,68 <sup>mg</sup> / <sub>l</sub>	rainbow trout (Onco- rhynchus mykiss)	96 h
ß-Pinene	127-91-3	EC50	1,09 <sup>mg</sup> / <sub>l</sub>	daphnia magna	48 h
ß-Pinene	127-91-3	ErC50	0,7 <sup>mg</sup> / <sub>l</sub>	Pseudokirchneriella subcapitata	72 h
Camphene	79-92-5	LC50	0,72 <sup>mg</sup> / <sub>l</sub>	fish	96 h
Camphene	79-92-5	EC50	0,72 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Camphene	79-92-5	ErC50	>1.000 <sup>mg</sup> / <sub>l</sub>	algae	72 h
	1	1	1	1	

## Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Benzyl alcohol	100-51-6	LC50	770 <sup>mg</sup> / <sub>l</sub>	fish	1 h
Benzyl alcohol	100-51-6	EC50	66 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	21 d
Levomenol	23089-26-1	EC50	>1.000 <sup>mg</sup> / <sub>I</sub>	microorganisms	30 min
D-(+)-Limonene	5989-27-5	EC50	<0,67 <sup>mg</sup> / <sub>l</sub>	fish	8 d
D-(+)-Limonene	5989-27-5	EC50	188 <sup>µg</sup> / <sub>I</sub>	aquatic invertebrates	21 d
β-Farnesene	18794-84-8	EC50	>1.000 <sup>mg</sup> / <sub>l</sub>	microorganisms	3 h
Terpinolene	586-62-9	EC50	69 <sup>mg</sup> / <sub>l</sub>	microorganisms	3 h
ß-Pinene	127-91-3	EC50	326 <sup>mg</sup> / <sub>l</sub>	microorganisms	3 h
Camphene	79-92-5	EC50	>1.000 <sup>mg</sup> / <sub>I</sub>	microorganisms	3 h

United Kingdom (en) Page 15 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Oil of chamomile, artificial

article number: 3305



## 12.2 Persistence and degradability

## Degradability of components of the mixture

	•					
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Benzyl alcohol	100-51-6	oxygen deple- tion	92 – 96 %	14 d		ECHA
Benzyl alcohol	100-51-6	DOC removal	95 %	21 d		ECHA
DL-α-Pinene	80-56-8	oxygen deple- tion	68 %	28 d		ECHA
Levomenol	23089-26-1	oxygen deple- tion	≥70 - ≤80 %	28 d		ECHA
D-(+)-Limonene	5989-27-5	carbon dioxide generation	58,8 %	14 d		ECHA
D-(+)-Limonene	5989-27-5	oxygen deple- tion	80 %	28 d		ECHA
α-Terpineol	98-55-5	carbon dioxide generation	80 %	28 d	OECD Guideline 310	
β-Farnesene	18794-84-8	carbon dioxide generation	60,6 %	28 d		ECHA
Myrcene	123-35-3	oxygen deple- tion	76 %	28 d		ECHA
Terpinolene	586-62-9	oxygen deple- tion	81 %	28 d		ECHA
β-Caryophyl- lene	87-44-5	oxygen deple- tion	10 %	28 d		ECHA
ß-Pinene	127-91-3	oxygen deple- tion	76 %	28 d		ECHA
		1				

## 12.3 Bioaccumulative potential

Data are not available.

## Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Benzyl alcohol	100-51-6		1 (20 °C)	
DL-α-Pinene	80-56-8		4,83	
Levomenol	23089-26-1		5,5 (25 °C)	
D-(+)-Limonene	5989-27-5		4,38 (pH value: 7,2, 37 °C)	
α-Terpineol	98-55-5		2,98	
β-Farnesene	18794-84-8		>6,5 (pH value: 7,7, 30 °C)	
Myrcene	123-35-3		4,82 (pH value: ~6,5, 30 °C)	
Terpinolene	586-62-9		4,47	
DL-Limonene	138-86-3		4,57	
β-Caryophyllene	87-44-5		6,23 (pH value: 7, 25 °C)	
Camphene	79-92-5		4,22 (pH value: 7,2, 37 °C)	

United Kingdom (en) Page 16 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Oil of chamomile, artificial

article number: 3305

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

None of the ingredients are listed.

#### 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

**HP 3** flammable

**HP 5** specific target organ toxicity (STOT)/aspiration toxicity

**HP 6** acute toxicity

HP 13 sensitising

**HP 14** ecotoxic

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADRRID UN 1993 IMDG-Code UN 1993 ICAO-TI UN 1993

#### 14.2 UN proper shipping name

ADRRID FLAMMABLE LIQUID, N.O.S. IMDG-Code FLAMMABLE LIQUID, N.O.S. ICAO-TI Flammable liquid, n.o.s.

United Kingdom (en) Page 17 / 26



acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Oil of chamomile, artificial

article number: 3305



	Technical name (hazardous ingredients)	DL-α-Pinene, Camphene
14.3	Transport hazard class(es)	
	ADRRID	3
	IMDG-Code	3
	ICAO-TI	3
14.4	Packing group	
	ADRRID	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	hazardous to the aquatic environment
	Environmentally hazardous substance (aquatic environment):	DL-α-Pinene

#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

## 14.8 Information for each of the UN Model Regulations

## Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name	FLAMMABLE LIQUID, N.O.S.

Particulars in the transport document UN1993, FLAMMABLE LIQUID, N.O.S., (contains:

DL-α-Pinene, Camphene), 3, III, (D/E), environ-

mentally hazardous

Classification code F1

Danger label(s) 3, "Fish and tree"





**Emergency Action Code** 

Environmental hazards	Ves (hazardous to the aquatic environment)

Special provisions (SP) 274, 601

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
Transport category (TC) 3
Tunnel restriction code (TRC) D/E
Hazard identification No 30

## Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

3Y

Classification code F1

United Kingdom (en) Page 18 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Oil of chamomile, artificial

article number: 3305

Danger label(s) 3

Fish and tree

Yes



Environmental hazards

Hazardous to water

Special provisions (SP) 274, 601

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
Transport category (TC) 3
Hazard identification No 30

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name FLAMMABLE LIQUID, N.O.S.

Particulars in the shipper's declaration UN1993, FLAMMABLE LIQUID, N.O.S., (contains:

DL-α-Pinene, Camphene), 3, III, 51°C c.c., MARINE

POLLUTANT

Marine pollutant yes (hazardous to the aquatic environment), (DL-α-Pinene)

Danger label(s) 3, "Fish and tree"





Special provisions (SP) 223, 274, 955

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
EmS F-E, S-E

Stowage category A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Flammable liquid, n.o.s.

Particulars in the shipper's declaration UN1993, Flammable liquid, n.o.s., (contains: DL-α-

Pinene, Camphene), 3, III

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 3



Special provisions (SP)

Excepted quantities (EQ)

Limited quantities (LQ)

10 L

United Kingdom (en) Page 19 / 26



acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Oil of chamomile, artificial

article number: 3305



## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### **Seveso Directive**

2012/	2012/18/EU (Seveso III)						
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes				
E1	environmental hazards (hazardous to the aquatic environment, cat. 1)	100 200	56)				

#### Notation

56) Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

#### **Deco-Paint Directive**

VOC content	92,96 % 883,1 <sup>g</sup> / <sub>l</sub>

#### **Industrial Emissions Directive (IED)**

VOC content	39,96 %
VOC content	379,6 <sup>g</sup> / <sub>l</sub>

## Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

## Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

### **Water Framework Directive (WFD)**

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Myrcene	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

#### Legend

A) Indicative list of the main pollutants

#### Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

#### **Regulation on drug precursors**

none of the ingredients are listed

United Kingdom (en) Page 20 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Oil of chamomile, artificial

article number: 3305



## Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

none of the ingredients are listed

#### Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
Oil of chamomile	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3
Camphene	flammable / pyrophoric		40

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	not all ingredients are listed

Legend

AIIC Australian Inventory of Industrial Chemicals CICR

Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP) CSCL-ENCS DSL

ECSI

United Kingdom (en) Page 21 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Oil of chamomile, artificial

article number: 3305

Legend

IECSC INSQ Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances Inventory of Existing and New Chemical Substances (ISHA-ENCS)

ISHA-ENCS

KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory

Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: DL-α-Pinene, Bisabolene, D-(+)-Limonene, Myr- cene, Terpinolene, DL-Limonene, β-Caryophyl- lene, β-Pinene		yes
14.1	ADR/RID/ADN: UN 1169	ADRRID: UN 1993	yes
14.1	IMDG-Code: UN 1169	IMDG-Code: UN 1993	yes
14.1	ICAO-TI: UN 1169	ICAO-TI: UN 1993	yes
14.2	ADR/RID/ADN: EXTRACTS, AROMATIC, LIQUID	ADRRID: FLAMMABLE LIQUID, N.O.S.	yes
14.2	IMDG-Code: EXTRACTS, AROMATIC, LIQUID	IMDG-Code: FLAMMABLE LIQUID, N.O.S.	yes
14.2	ICAO-TI: Extracts, aromatic, liquid	ICAO-TI: Flammable liquid, n.o.s.	yes
14.2		Technical name (hazardous ingredients): DL-α-Pinene, Camphene	yes
14.8	Proper shipping name: EXTRACTS, AROMATIC, LIQUID	Proper shipping name: FLAMMABLE LIQUID, N.O.S.	yes

United Kingdom (en) Page 22 / 26



## Oil of chamomile , artificial

article number: 3305



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.8	Particulars in the transport document: UN1169, EXTRACTS, AROMATIC, LIQUID, 3, III, (D/E), environmentally hazardous	Particulars in the transport document: UN1993, FLAMMABLE LIQUID, N.O.S., (contains: DL-α-Pinene, Camphene), 3, III, (D/E), environ- mentally hazardous	yes
14.8	Special provisions (SP): 601	Special provisions (SP): 274, 601	yes
14.8		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information	yes
14.8		Classification code: F1	yes
14.8		Danger label(s): 3 Fish and tree	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Environmental hazards: Yes Hazardous to water	yes
14.8		Special provisions (SP): 274, 601	yes
14.8		Excepted quantities (EQ): E1	yes
14.8		Limited quantities (LQ): 5 L	yes
14.8		Transport category (TC): 3	yes
14.8		Hazard identification No: 30	yes
14.8	Proper shipping name: EXTRACTS, AROMATIC, LIQUID	Proper shipping name: FLAMMABLE LIQUID, N.O.S.	yes
14.8	Particulars in the shipper's declaration: UN1169, EXTRACTS, AROMATIC, LIQUID, 3, III, 51°C c.c., MARINE POLLUTANT	Particulars in the shipper's declaration: UN1993, FLAMMABLE LIQUID, N.O.S., (contains: DL-α-Pinene, Camphene), 3, III, 51°C c.c., MAR- INE POLLUTANT	yes
14.8	Special provisions (SP): 223, 955	Special provisions (SP): 223, 274, 955	yes
14.8	EmS: F-E, S-D	EmS: F-E, <u>S-E</u>	yes
14.8	Proper shipping name: Extracts, aromatic, liquid	Proper shipping name: Flammable liquid, n.o.s.	yes
14.8	Particulars in the shipper's declaration: UN1169, Extracts, aromatic, liquid, 3, III	Particulars in the shipper's declaration: UN1993, Flammable liquid, n.o.s., (contains: DL- α-Pinene, Camphene), 3, III	yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes

Page 23 / 26 United Kingdom (en)

## Oil of chamomile, artificial

article number: 3305



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: None of the ingredients are listed. (Or Concentration of the substance in a mixture: <0.1 % Mass concentration)		yes
15.1	VOC content: 92,96 %	VOC content: 92,96 % 883,1 <sup>9</sup> / <sub>l</sub>	yes
15.1		VOC content: 379,6 <sup>g</sup> / <sub>l</sub>	yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: none of the ingredients are listed	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

## Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)

United Kingdom (en) Page 24 / 26

## Oil of chamomile, artificial

article number: 3305



Abbr.	Descriptions of used abbreviations
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
Flam. Sol.	Flammable solid
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
log KOW	n-Octanol/water
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
RCP	Reciprocal calculation procedure
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin

Page 25 / 26 United Kingdom (en)

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Oil of chamomile, artificial

article number: 3305



Abbr.	Descriptions of used abbreviations
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

#### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 26 / 26