acc. to Safe Work Australia - Code of Practice



trans-Hexen-2-al ≥98,5 %, for synthesis

article number: **3757** Version: **GHS 2.0 en** Replaces version of: 2021-05-19 Version: (GHS 1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

CAS number

trans-Hexen-2-al ≥98,5 %, for synthesis

3757

6728-26-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1D	Acute toxicity (dermal)	3	Acute Tox. 3	H311
3.4S	Skin sensitisation	1	Skin Sens. 1	H317

date of compilation: 2021-05-19 Revision: 2024-03-02

acc. to Safe Work Australia - Code of Practice



trans-Hexen-2-al ≥98,5 %, for synthesis

article number: 3757

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS02, GHS06



Hazard statements

H226 H302	Flammable liquid and vapour Harmful if swallowed
H311	Toxic in contact with skin
H317	May cause an allergic skin reaction

Precautionary statements

Precautionary statements - prevention

P210	Keep away from heat/sparks/open flames/hot surfaces No smoking
P261	Avoid breathing dust/fume/gas/mist/vapours/spray
P280	Wear protective gloves/protective clothing

Precautionary statements - response

P302+P352	IF ON SKIN: Wash with plenty of soap and water
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P370+P378	In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction

Precautionary statements - storage

P403+P235 Store in a well-ventilated place. Keep cool

Precautionary statements - disposal

Dispose of contents/container to industrial combustion plant

2.3 Other hazards

P501

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

acc. to Safe Work Australia - Code of Practice



trans-Hexen-2-al ≥98,5 %, for synthesis

article number: 3757

3.1

SECTION 3: Composition/information on ingredients

Substances	
Name of substance	trans-Hexen-2-al
Molecular formula	C ₆ H ₁₀ O
Molar mass	98.14 ^g / _{mol}
CAS No	6728-26-3

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Provide fresh air.

Following skin contact

After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Vomiting, Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

acc. to Safe Work Australia - Code of Practice



trans-Hexen-2-al ≥98,5 %, for synthesis

article number: 3757

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Handle and open container with care. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

acc. to Safe Work Australia - Code of Practice



trans-Hexen-2-al ≥98,5 %, for synthesis

article number: 3757

Advice on general occupational hygiene

Thorough skin-cleansing after handling the product. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up. Ground/bond container and receiving equipment.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effect-ive layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

acc. to Safe Work Australia - Code of Practice



trans-Hexen-2-al ≥98,5 %, for synthesis

article number: 3757

• type of material

NBR (Nitrile rubber)

• material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 $^{\circ}$ C, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	light yellow
Odour	characteristic
Melting point/freezing point	146.5 °C (ECHA)
Boiling point or initial boiling point and boiling range	147 °C at 1,013 hPa (ECHA)
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	not determined
Flash point	38 °C at 1,013 hPa (ECHA)
Auto-ignition temperature	218 °C at 102 kPa (ECHA)
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
<u>Solubility(ies)</u> Water solubility	5.261 ^g / _l at 25 °C (ECHA)
Partition coefficient Partition coefficient n-octanol/water (log value):	1.58 (25 °C) (ECHA)

acc. to Safe Work Australia - Code of Practice

trans-Hexen-2-al ≥98,5 %, for synthesis

article number: 3757



	Vapour pressure	0.63 kPa at 25 °C
	Density and/or relative density	
	Density	0.849 ^g / _{cm³} at 22 °C (ECHA)
	Relative vapour density	3.39 (air = 1)
	Particle characteristics	not relevant (liquid)
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	There is no additional information.
	Other safety characteristics:	There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Strong alkali, Reducing agents

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if swallowed. Toxic in contact with skin.

acc. to Safe Work Australia - Code of Practice



trans-Hexen-2-al ≥98,5 %, for synthesis

article number: 3757

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	685 ^{mg} / _{kg}	mouse		
oral	LD50	780 ^{mg} / _{kg}	rat		
dermal	LD50	600 ^{mg} / _{kg}	rabbit		

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

diarrhoea, vomiting, abdominal pain

• If in eyes

slightly irritant

• If inhaled

Data are not available.

• If on skin

Irritating to skin, May produce an allergic reaction, pruritis, localised redness


Other information

Health effects are not known.

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

acc. to Safe Work Australia - Code of Practice



article number: 3757

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Theoretical Oxygen Demand: 2.608 ^{mg}/_{mg} Theoretical Carbon Dioxide: 2.691 ^{mg}/_{mg}

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	1.58 (25 °C) (ECHA)
---------------------------	---------------------

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Relevant provisions relating to waste(Basel Convention)

Properties of waste which render it hazardous

H3 Flammable liquids

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.



acc. to Safe Work Australia - Code of Practice

trans-Hexen-2-al ≥98,5 %, for synthesis

article number: 3757

SECTION 14: Transport information

14.1	UN number	
	UN RTDG	UN 1988
	IMDG-Code	UN 1988
	ICAO-TI	UN 1988
14.2	UN proper shipping name	
	UN RTDG	ALDEHYDES, FLAMMABLE, TOXIC, N.O.S.
	IMDG-Code	ALDEHYDES, FLAMMABLE, TOXIC, N.O.S.
	ICAO-TI	Aldehydes, flammable, toxic, n.o.s.
	Technical name	Trans-Hexen-2-al
14.3	Transport hazard class(es)	
	UN RTDG	3 (6.1)
	IMDG-Code	3 (6.1)
	ICAO-TI	3 (6.1)
14.4	Packing group	
	UN RTDG	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations
14.6	Special precautions for user There is no additional information.	
14.7	Transport in bulk according to IMO instrument The cargo is not intended to be carried in bulk.	5
14.8	Information for each of the UN Model Regulation	ons
	Transport informationNational regulationsAdd	itional information(UN RTDG)
	UN number	1988
	Class	3
	Subsidiary risk(s)	6.1
	Packing group	III
	Danger label(s)	3+6.1

223, 274 UN RTDG





acc. to Safe Work Australia - Code of Practice



article number: 3757

Excepted quantities (EQ)	E1 UN RTDG			
Limited quantities (LQ)	5 L UN RTDG			
Emergency Action Code	3W			
International Maritime Dangerous Goods Code (IMDG) - Additional information				
Proper shipping name	ALDEHYDES, FLAMMABLE, TOXIC, N.O.S.			
Particulars in the shipper's declaration	UN1988, ALDEHYDES, FLAMMABLE, TOXIC, N.O.S., (trans-Hexen-2-al), 3 (6.1), III, 38°C c.c.			
Marine pollutant	-			
Danger label(s)	3+6.1			
Special provisions (SP)	223, 274			
Excepted quantities (EQ)	E1			
Limited quantities (LQ)	5 L			
EmS	F-E, S-D			
Stowage category	A			
International Civil Aviation Organization (IC	AO-IATA/DGR) - Additional information			
Proper shipping name	Aldehydes, flammable, toxic, n.o.s.			
Particulars in the shipper's declaration	UN1988, Aldehydes, flammable, toxic, n.o.s., (trans-Hexen-2-al), 3 (6.1), III			
Danger label(s)	3+6.1			
Special provisions (SP)	A3			
Excepted quantities (EQ)	E1			
Limited quantities (LQ)	2 L			

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS) Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

acc. to Safe Work Australia - Code of Practice



trans-Hexen-2-al ≥98,5 %, for synthesis

article number: 3757

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Emergency Action Code: 3W	yes
15.1		Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restric- tions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	yes
15.1		National inventories: change in the listing (table)	yes

acc. to Safe Work Australia - Code of Practice



trans-Hexen-2-al ≥98,5 %, for synthesis

article number: 3757

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H317	May cause an allergic skin reaction.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.