acc. to Safe Work Australia - Code of Practice

### Oil of orange , brazilian

article number: **3803** Version: **GHS 3.0 en** Replaces version of: 2023-03-09 Version: (GHS 2)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substanceOil of orange , brazilianArticle number3803CAS number8028-48-6

# **1.2** Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Alternative name(s)

Uses advised against:

Laboratory chemical Laboratory and analytical use

Oleum Aurantii

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

### e-mail (competent person):

### sicherheit@carlroth.de

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
NSW Poisons Information Centre Childrens Hospital	Hawkesbury Road	2145 West- mead, NSW	131126	

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.45	Skin sensitisation	1	Skin Sens. 1	H317

Revision: 2024-03-04



acc. to Safe Work Australia - Code of Practice

# Oil of orange , brazilian



### article number: 3803

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Aspiration hazard	1	Asp. Tox. 1	H304

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

# 2.2 Label elements

Labelling

Signal word Danger

### **Pictograms**

GHS02, GHS07, GHS08



### **Hazard statements**

H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction

### **Precautionary statements**

### **Precautionary statements - prevention**

P210Keep away from heat/sparks/open flames/hot surfaces. - No smokingP280Wear protective gloves

### **Precautionary statements - response**

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
P302+P352	IF ON SKIN: Wash with plenty of soap and water
P331	Do NOT induce vomiting
P370+P378	In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction

### **Precautionary statements - storage**

P403+P235 Store in a well-ventilated place. Keep cool

### 2.3 Other hazards

### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

acc. to Safe Work Australia - Code of Practice

# Oil of orange , brazilian

### article number: 3803

# SECTION 3: Composition/information on ingredients

### 3.1 Substances

"UVCB substance" (substance of unknown or variable composition).

Name of substance	Oil of orange
CAS No	8028-48-6

### Impurities/additives/constituents:

Name of substance	Identifier	Wt%
DL-Limonene	CAS No 138-86-3	90 - < 100
Myrcene	CAS No 123-35-3	1 - < 10
Citral	CAS No 5392-40-5	0.1 - < 1
Linalool	CAS No 78-70-6	0.1 - < 1
DL-a-Pinene	CAS No 80-56-8	0.1 - < 1
δ-3-Carene	CAS No 13466-78-9	0.1 - < 0.25

### Remarks

For full text of abbreviations: see SECTION 16

# **SECTION 4: First aid measures**

### 4.1 Description of first aid measures



### **General notes**

Take off contaminated clothing.

### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician. In case of skin irritation, consult a physician.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

### **Following ingestion**

Call a physician immediately. Observe aspiration hazard if vomiting occurs.

# 4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard, Irritation, Allergic reactions



acc. to Safe Work Australia - Code of Practice



### Oil of orange , brazilian

article number: 3803

# 4.3 Indication of any immediate medical attention and special treatment needed

none

# SECTION 5: Firefighting measures

# 5.1 Extinguishing media



### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible. Vapours may form explosive mixtures with air. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

#### Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures



### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

### 6.3 Methods and material for containment and cleaning up

### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

acc. to Safe Work Australia - Code of Practice



### Oil of orange , brazilian

article number: 3803

### 6.4 Reference to other sections


Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Provision of sufficient ventilation. When not in use, keep containers tightly closed.

### Measures to prevent fire as well as aerosol and dust generation



Take precautionary measures against static discharge.

### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed.

### Incompatible substances or mixtures

Observe hints for combined storage.

### Consideration of other advice:

Ground/bond container and receiving equipment.

### **Ventilation requirements**

Use local and general ventilation.

### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

# 7.3 Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **National limit values**

### **Occupational exposure limit values (Workplace Exposure Limits)**

This information is not available.

#### Human health values

acc. to Safe Work Australia - Code of Practice

# Oil of orange , brazilian

article number: 3803



Relevant DNELs and other threshold levels					
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time	
DNEL	31.1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects	
DNEL	8.89 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects	
DNEL	185.8 µg/cm²	human, dermal	worker (industry)	acute - local effects	

# **Relevant DNELs of components**

•						
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
DL-α-Pinene	80-56-8	DNEL	3.8 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - systemic effects
DL-α-Pinene	80-56-8	DNEL	0.542 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Linalool	78-70-6	DNEL	2.8 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - systemic effects
Linalool	78-70-6	DNEL	16.5 mg/ m³	human, inhalat- ory	worker (industry)	acute - systemic effects
Linalool	78-70-6	DNEL	2.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Linalool	78-70-6	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
Citral	5392-40-5	DNEL	9 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Citral	5392-40-5	DNEL	1.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Citral	5392-40-5	DNEL	140 μg/ cm²	human, dermal	worker (industry)	chronic - local ef- fects

### **Environmental values**

Relevant PNECs and other threshold levels					
End- point	Threshold level	Organism	Environmental com- partment	Exposure time	
PNEC	5.77 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent release	
PNEC	5.4 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)	
PNEC	0.54 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)	
PNEC	2.1 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)	
PNEC	1.3 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)	
PNEC	0.13 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)	
PNEC	0.261 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)	

acc. to Safe Work Australia - Code of Practice

## Oil of orange , brazilian

article number: 3803



Relevant PNECs of components						
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
DL-a-Pinene	80-56-8	PNEC	0.606 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
DL-a-Pinene	80-56-8	PNEC	0.061 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	0.2 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	157 <sup>µg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	15.7 <sup>µg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	31.7 <sup>µg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Linalool	78-70-6	PNEC	0.2 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Linalool	78-70-6	PNEC	0.02 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Linalool	78-70-6	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Linalool	78-70-6	PNEC	2.22 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Linalool	78-70-6	PNEC	0.222 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
Linalool	78-70-6	PNEC	0.327 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Citral	5392-40-5	PNEC	0.007 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Citral	5392-40-5	PNEC	0.001 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Citral	5392-40-5	PNEC	1.6 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Citral	5392-40-5	PNEC	0.125 <sup>mg</sup> / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Citral	5392-40-5	PNEC	0.013 <sup>mg</sup> / kg	aquatic organ- isms	marine sediment	short-term (single instance)
Citral	5392-40-5	PNEC	0.021 <sup>mg</sup> /	terrestrial organ- isms	soil	short-term (single instance)

# 8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



acc. to Safe Work Australia - Code of Practice

### Oil of orange , brazilian

article number: 3803



Use safety goggle with side protection.

### Skin protection



### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### material thickness

0,4 mm

#### breakthrough times of the glove material

>480 minutes (permeation: level 6)

### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65  $^{\circ}$ C, colour code: Brown).

### **Environmental exposure controls**

Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

liquid
orange
characteristic
<-25 °C (ECHA)
165 – 175 °C
flammable liquid in accordance with GHS criteria
not determined

acc. to Safe Work Australia - Code of Practice

### Oil of orange , brazilian

article number: 3803



	e number: <b>3803</b>	
	Flash point	50 °C
	Auto-ignition temperature	235 °C at 1,016 hPa (ECHA)
	Decomposition temperature	not relevant
	pH (value)	not determined
	Kinematic viscosity	1.17 <sup>mm²</sup> / <sub>s</sub> at 20 °C
	Dynamic viscosity	0.99 mPa s at 20 °C
	Solubility(ies)	
	Water solubility	(practically insoluble)
	Partition coefficient	
	Partition coefficient n-octanol/water (log value):	this information is not available
	Vapour pressure	1.9 hPa at 25 °C
	Density and/or relative density	
	Density	0.846 <sup>g</sup> / <sub>cm³</sub> at 20 °C (ECHA)
	Relative vapour density	Information on this property is not available.
	Particle characteristics	not relevant (liquid)
	Other safety parameters	
	Oxidising properties	none
2	Other information	
	Information with regard to physical hazard classes:	There is no additional information.
	Other safety characteristics:	
	Refractive index	1.468 – 1.48

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

9.2

It's a reactive substance. Risk of ignition.

### If heated

Risk of ignition. Vapours may form explosive mixtures with air.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

# 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

acc. to Safe Work Australia - Code of Practice

### Oil of orange , brazilian

article number: 3803

# 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

# **10.5 Incompatible materials** There is no additional information.

**10.6 Hazardous decomposition products** Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### **Classification acc. to GHS**

### Acute toxicity

Shall not be classified as acutely toxic.

### Acute toxicity

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>5,000 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA
dermal	LD50	>5,000 <sup>mg</sup> / <sub>kg</sub>	rabbit		ECHA

### Acute toxicity of components

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
DL-Limonene	138-86-3	oral	LD50	5,300 <sup>mg</sup> / <sub>kg</sub>	rat
Myrcene	123-35-3	oral	LD50	>3,380 <sup>mg</sup> / <sub>kg</sub>	mouse
Myrcene	123-35-3	dermal	LD50	>5,000 <sup>mg</sup> / <sub>kg</sub>	rabbit
DL-a-Pinene	80-56-8	dermal	LD50	>2,000 <sup>mg</sup> / <sub>kg</sub>	rat
DL-a-Pinene	80-56-8	oral	LD50	3,700 <sup>mg</sup> / <sub>kg</sub>	rat
Linalool	78-70-6	oral	LD50	2,790 <sup>mg</sup> / <sub>kg</sub>	rat
Linalool	78-70-6	dermal	LD50	5,610 <sup>mg</sup> / <sub>kg</sub>	rabbit
Citral	5392-40-5	oral	LD50	6,800 <sup>mg</sup> / <sub>kg</sub>	rat
Citral	5392-40-5	dermal	LD50	>2,000 <sup>mg</sup> / <sub>kg</sub>	rat
δ-3-Carene	13466-78-9	oral	LD50	4,800 <sup>mg</sup> / <sub>kg</sub>	rat

# Skin corrosion/irritation

Causes skin irritation.

# Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

## Respiratory or skin sensitisation

May cause an allergic skin reaction.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.



acc. to Safe Work Australia - Code of Practice

### Oil of orange , brazilian



#### article number: **3803**

### Carcinogenicity

Shall not be classified as carcinogenic.

### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

May be fatal if swallowed and enters airways.

### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

vomiting, aspiration hazard

#### • If in eyes

causes slight to moderate irritation

### If inhaled

Data are not available.

### • If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

### Other information

none

### **11.2** Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
DL-Limonene	138-86-3	EC50	17 <sup>mg</sup> /l	daphnia magna	48 h
DL-Limonene	138-86-3	LC50	80 <sup>mg</sup> / <sub>l</sub>	rainbow trout (Onco- rhynchus mykiss)	96 h
Myrcene	123-35-3	EC50	1.47 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Myrcene	123-35-3	EC50	0.31 <sup>mg</sup> / <sub>l</sub>	algae	72 h
Myrcene	123-35-3	ErC50	0.342 <sup>mg</sup> / <sub>l</sub>	algae	72 h
DL-α-Pinene	80-56-8	LC50	0.303 <sup>mg</sup> / <sub>l</sub>	fish	96 h
DL-α-Pinene	80-56-8	EC50	0.475 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h

acc. to Safe Work Australia - Code of Practice

# Oil of orange , brazilian



article number: 3803

Aquatic toxicity (acute) of components						
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time	
Linalool	78-70-6	LC50	27.8 <sup>mg</sup> / <sub>l</sub>	fish	96 h	
Linalool	78-70-6	EC50	59 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h	
Linalool	78-70-6	ErC50	156.7 <sup>mg</sup> / <sub>l</sub>	algae	96 h	
Citral	5392-40-5	LC50	6.78 <sup>mg</sup> / <sub>l</sub>	fish	96 h	
Citral	5392-40-5	EC50	6.8 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	48 h	
Citral	5392-40-5	ErC50	103.8 <sup>mg</sup> / <sub>l</sub>	algae	72 h	

# Aquatic toxicity (chronic) of components

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Linalool	78-70-6	EC50	>100 <sup>mg</sup> / <sub>l</sub>	microorganisms	30 min
Citral	5392-40-5	EC50	160 <sup>mg</sup> / <sub>l</sub>	microorganisms	30 min

# 12.2 Persistence and degradability

# Biodegradation

Not readily biodegradable.

Degradabilit	Degradability of components							
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source		
Myrcene	123-35-3	oxygen deple- tion	76 %	28 d		ECHA		
DL-a-Pinene	80-56-8	oxygen deple- tion	68 %	28 d		ECHA		
Linalool	78-70-6	oxygen deple- tion	40.9 %	5 d		ECHA		
Citral	5392-40-5	biotic/abiotic	>90 %	28 d				
Citral	5392-40-5	oxygen deple- tion	>90 %	28 d		ECHA		

# 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

BCF			32 – 156 (ECHA)		
Bioaccumulative potential of components					
Name of substance	CAS No	BCF		Log KOW	BOD5/COD
DL-Limonene	138-86-3			4.57	
Myrcene	123-35-3			4.82 (pH value: ~6.5, 30 °C)	

acc. to Safe Work Australia - Code of Practice

## Oil of orange , brazilian



article number: 3803

Bioaccumulative potential of components					
Name of substance	CAS No	BCF	Log KOW	BOD5/COD	
DL-α-Pinene	80-56-8		4.83		
Linalool	78-70-6		2.9 (pH value: 7, 20 °C)		
Citral	5392-40-5	89.72	2.76 (25 °C)		
δ-3-Carene	13466-78-9		4.38		

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

### Sewage disposal-relevant information

Do not empty into drains.

### Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

### Relevant provisions relating to waste(Basel Convention)

#### Properties of waste which render it hazardous

- **H3** Flammable liquids
- H11 Toxic (Delayed or chronic)

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

acc. to Safe Work Australia - Code of Practice

# Oil of orange , brazilian

article number: 3803

	TION 14: Transport information	
14.1	UN number	
	UN RTDG	UN 1197
	IMDG-Code	UN 1197
	ICAO-TI	UN 1197
4.2	UN proper shipping name	
	UN RTDG	EXTRACTS, LIQUID
	IMDG-Code	EXTRACTS, LIQUID
	ICAO-TI	Extracts, liquid
4.3	Transport hazard class(es)	
	UN RTDG	3
	IMDG-Code	3
	ICAO-TI	3
14.4	Packing group	
	UN RTDG	III
	IMDG-Code	III
	ICAO-TI	III
4.5	Environmental hazards	hazardous to the aquatic environment
4.6	Special precautions for user	
	There is no additional information.	
4.7	Transport in bulk according to IMO instrum	
	The cargo is not intended to be carried in bull	ζ.
4.8	Information for each of the UN Model Regu	ulations
	Transport informationNational regulations	Additional information(UN RTDG)
	UN number	1197
	Class	3
	Environmental hazards	Yes Hazardous to the aquatic environment
	Packing group	III
	Danger label(s)	3 Fish and tree
	Special provisions (SP)	223 UN RTDG

acc. to Safe Work Australia - Code of Practice

Oil of orange , brazilian	
article number: <b>3803</b>	
Limited quantities (LQ)	5 L UN RTDG
Emergency Action Code	3Y
International Maritime Dangerous Goods Cod	e (IMDG) - Additional information
Proper shipping name	EXTRACTS, LIQUID
Particulars in the shipper's declaration	UN1197, EXTRACTS, LIQUID, (Oil of orange), 3, III, 50°C c.c., MARINE POLLUTANT
Marine pollutant	<b>Yes</b> (hazardous to the aquatic environment)
Danger label(s)	3, "Fish and tree"
Special provisions (SP)	223, 955
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-E, S-D
Stowage category	A
International Civil Aviation Organization (ICA	D-IATA/DGR) - Additional information
Proper shipping name	Extracts, liquid
Particulars in the shipper's declaration	UN1197, Extracts, liquid, 3, III
Environmental hazards	<b>Yes</b> (hazardous to the aquatic environment)
Danger label(s)	3
Special provisions (SP)	A3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	10 L

# **SECTION 15: Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 There is no additional information.

### National regulations(Australia)

### Australian Inventory of Chemical Substances(AICS)

Substance is listed.

# **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.



acc. to Safe Work Australia - Code of Practice

### Oil of orange , brazilian

article number: 3803



#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
VN	NCI	substance is listed

#### Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

# **SECTION 16: Other information**

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1		National inventories: change in the listing (table)	yes

### Abbreviations and acronyms

acc. to Safe Work Australia - Code of Practice

# Oil of orange , brazilian

article number: 3803

Abbr.	Descriptions of used abbreviations
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).



acc. to Safe Work Australia - Code of Practice



# Oil of orange , brazilian

article number: 3803

# List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.