acc. to Regulation (EC) No. 1907/2006 (REACH)



Thionyl chloride ≥98 %, for synthesis

article number: **4024** Version: **3.0 en** Replaces version of: 2021-11-04 Version: (2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance	Thionyl chloride ≥98 %, for synthesis
Article number	4024
Index No (GB CLP)	016-015-00-0
EC number	231-748-8
CAS number	7719-09-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

date of compilation: 2015-07-03 Revision: 2024-03-04

acc. to Regulation (EC) No. 1907/2006 (REACH)



Thionyl chloride ≥98 %, for synthesis

article number: 4024

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1I	Acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.2	Skin corrosion/irritation		Skin Corr. 1A	H314
3.8R	8R Specific target organ toxicity - single exposure (respirat- ory tract irritation)		STOT SE 3	H335

Supplemental hazard information

Code	Supplemental hazard information
EUH014	reacts violently with water
EUH029	contact with water liberates toxic gas

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

2.2 Label elements

Labelling

Signal word Danger

Pictograms





Hazard statements

H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H331	Toxic if inhaled
H335	May cause respiratory irritation

Precautionary statements

Precautionary statements - prevention

P280	Wear protective gloves/protective clothing/eye protection/face protection
------	---

acc. to Regulation (EC) No. 1907/2006 (REACH)

Thionyl chloride ≥98 %, for synthesis



article number: 4024

Precautionary statements - response

P301+P330+P331 P303+P361+P353	IF SWALLOWED: rinse mouth. Do NOT induce vomiting IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
P304+P340 P305+P351+P338	IF INHALED: Remove person to fresh air and keep comfortable for breathing IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
P310	lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER/doctor

Supplemental hazard information

EUH014	Reacts violently with water.
EUH029	Contact with water liberates toxic gas.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

Name of substance	Thionyl chloride
Molecular formula	Cl₂OS
Molar mass	119 ^g / _{mol}
CAS No	7719-09-7
EC No	231-748-8
Index No (GB CLP)	016-015-00-0

Substance, Specific Conc. Limits, M-factors, ATE							
Specific Conc. Limits	M-Factors	ATE	Exposure route				
STOT SE 3; H335: C ≥ 1 %	-	324 ^{mg} / _{kg} 2,717 ^{mg} / _l /4h	oral inhalation: vapour				

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Thionyl chloride ≥98 %, for synthesis



article number: 4024

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Rinse mouth with water (only if the person is conscious). Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Vomiting, Risk of blindness, Gastric perforation, Irritation, Cough, Dyspnoea

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! dry extinguishing powder, BC-powder, carbon dioxide (CO₂), dry sand

Unsuitable extinguishing media

foam, water

5.2 Special hazards arising from the substance or mixture

Material reacts vigorously with water emitting flammable gases. Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Sulphur oxides (SOx), Hydrogen chloride (HCl), Chlorine (CI₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Thionyl chloride ≥98 %, for synthesis

article number: 4024

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory). Handle and open container with care. Provision of sufficient ventilation. Clear contaminated areas thoroughly. Avoid: Aerosol or mist formation.

Advice on general occupational hygiene

Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed. May cause decomposition by long-term light influence.

Incompatible substances or mixtures

Observe hints for combined storage.

Protect against external exposure, such as

humidity, UV-radiation/sunlight, direct light irradiation, contact with air/oxygen

Consideration of other advice:

Store locked up.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Thionyl chloride ≥98 %, for synthesis

article number: 4024

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	thionyl chloride	7719-09- 7	WEL			1	4,9				EH40/ 2005

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

Human health values

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	1 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
DNEL	1 mg/m ³	human, inhalatory	worker (industry)	acute - local effects

8.2 **Exposure controls**

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Thionyl chloride ≥98 %, for synthesis

article number: 4024

- type of material
- FKM (fluoro rubber)
- material thickness

0,4 mm

• breakthrough times of the glove material

>240 minutes (permeation: level 5)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: B (against inorganic gases and vapours, colour code: Grey).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid	
Colour	yellow	
Odour	pungent	
Melting point/freezing point	-104,5 °C (ECHA)	
Boiling point or initial boiling point and boiling range	76 °C at 1.000 hPa (ECHA)	
Flammability	non-combustible	
Lower and upper explosion limit	not determined	
Flash point	not determined	
Auto-ignition temperature	not determined	
Decomposition temperature	not relevant	
pH (value)	not determined	
Kinematic viscosity	not determined	
Dynamic viscosity	0,81 mPa s at 0 °C	
Solubility(ies)		
Water solubility	not determined	
Partition coefficient		
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)	

acc. to Regulation (EC) No. 1907/2006 (REACH)

Thionyl chloride ≥98 %, for synthesis

article number: 4024



Vapour pressure	129 hPa at 20 °C
Density and/or relative density	
Density	1,64 ^g / _{cm³} at 20 °C (ECHA)
Particle characteristics	not relevant (liquid)
Other safety parameters	
Oxidising properties	none
Other information	
Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics:	There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

Moisture-sensitive. May cause decomposition by long-term light influence.

10.3 Possibility of hazardous reactions

Violent reaction with: Alkali metals, Alcohols, Amines, Ammonia (NH3), Fluorine, Sodium, Nitric acid, Tetrahydrofurane, Water

10.4 Conditions to avoid

Humidity. UV-radiation/sunlight. Direct light irradiation.

10.5 Incompatible materials

Rubber articles, different plastics

Release of toxic materials with

Water. UV-radiation/sunlight.

10.6 Hazardous decomposition products Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if swallowed. Toxic if inhaled.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Thionyl chloride ≥98 %, for synthesis



article number: 4024

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	324 ^{mg} / _{kg}	rat		ECHA
inhalation: vapour	LC50	2,717 ^{mg} / _l /4h	rat		ECHA

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

• If inhaled

Irritation to respiratory tract, cough, Dyspnoea, varying degrees of pulmonary injury

• If on skin

causes severe burns, causes poorly healing wounds

• Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

11.3 Information on other hazards

There is no additional information.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Thionyl chloride ≥98 %, for synthesis

article number: 4024

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

- **12.2 Persistence and degradability** Data are not available.
- **12.3 Bioaccumulative potential** Data are not available.
- **12.4 Mobility in soil** Data are not available.
- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6** Endocrine disrupting properties Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- HP 5 specific target organ toxicity (STOT)/aspiration toxicity
- HP 6 acute toxicity
- HP 8 corrosive
- **HP 12** release of an acute toxic gas

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Thionyl chloride ≥98 %, for synthesis

article number: 4024

SEC	TION 14: Transport information	
14.1	UN number or ID number	
	ADRRID	UN 1836
	IMDG-Code	UN 1836
14.2	UN proper shipping name	
	ADRRID	THIONYL CHLORIDE
	IMDG-Code	THIONYL CHLORIDE
14.3	Transport hazard class(es)	
	ADRRID	8
	IMDG-Code	8
14.4	Packing group	
	ADRRID	I
	IMDG-Code	I
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional
information

Proper shipping name	THIONYL CHLORIDE
Particulars in the transport document	UN1836, THIONYL CHLORIDE, 8, I, (E)
Classification code	C1
Danger label(s)	8
Excepted quantities (EQ)	EO
Limited quantities (LQ)	0
Transport category (TC)	1
Tunnel restriction code (TRC)	E
Hazard identification No	X88
Emergency Action Code	4WE
Regulations concerning the International Carria information	age of Dangerous Goods by Rail (RID)Additional
Classification code	C1

acc. to Regulation (EC) No. 1907/2006 (REACH)

Thionyl chloride ≥98 %, for synthesis

article number: 4024



Danger label(s)	8
Excepted quantities (EQ)	EO
Limited quantities (LQ)	0
Transport category (TC)	1
Hazard identification No	X88
International Maritime Dangerous Goods (Code (IMDG) - Additional information
Proper shipping name	THIONYL CHLORIDE
Particulars in the shipper's declaration	UN1836, THIONYL CHLORIDE, 8, I
Marine pollutant	-
Danger label(s)	8
Excepted quantities (EQ)	EO
Limited quantities (LQ)	0
EmS	F-A, S-B
Stowage category	C
Segregation group	1 - Acids
International Civil Aviation Organization ()	ICAO IATA/DCP) Additional information

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Carriage prohibited.

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 **Relevant provisions of the European Union (EU)**

Seveso Directive

2012/18/EU (Seveso III)					
Νο	Dangerous substance/hazard categories	ories Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements		Notes	
H2	acute toxic (cat. 2 + cat. 3, inhal.)	50	200	41)	
03	other hazards (EUH029)	50	200	60)	

Notation

41)

- Category 2, all exposure routes - category 3, inhalation exposure route Substances or mixtures with hazard statement EUH029 60)

acc. to Regulation (EC) No. 1907/2006 (REACH)



Thionyl chloride ≥98 %, for synthesis

article number: 4024

Deco-Paint Directive VOC content 0 % VOC content 0 g/l

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)				
Name of substance	Name acc. to inventory	CAS No	No	
Thionyl chloride	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3	

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Thionyl chloride ≥98 %, for synthesis



article number: 4024

National inventories	Na	tion	al inv	/ento	ries
----------------------	----	------	--------	-------	------

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

ina
ı

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes

acc. to Regulation (EC) No. 1907/2006 (REACH)

Thionyl chloride ≥98 %, for synthesis



article number: 4024

Section	Former entry (text/value)	Actual entry (text/value)	Safety relev- ant
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information	yes
14.8		Classification code: C1	yes
14.8		Danger label(s): 8	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Excepted quantities (EQ): E0	yes
14.8		Limited quantities (LQ): 0	yes
14.8		Transport category (TC): 1	yes
14.8		Hazard identification No: X88	yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: Not listed.		yes
15.1	VOC content: 0 % , 0 ^g / _l	VOC content: 0 %	yes
15.1		VOC content: 0 ^g / _l	yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: not listed	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

acc. to Regulation (EC) No. 1907/2006 (REACH)

® Roth

Thionyl chloride ≥98 %, for synthesis

article number: 4024

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)	
ATE	Acute Toxicity Estimate	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)	
ED	Endocrine disruptor	
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)	
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na tions	
ΙΑΤΑ	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 9 lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
ppm	Parts per million	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)	
STEL	Short-term exposure limit	
TWA	Time-weighted average	

acc. to Regulation (EC) No. 1907/2006 (REACH)



Thionyl chloride ≥98 %, for synthesis

article number: **4024**

Abbr.	Descriptions of used abbreviations
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.