
acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 60 000, high viscous, 60 000 cSt

article number: 4080 Version: **6.0 en** Revision: 2024-03-03

Replaces version of: 2022-10-24

Version: (5)



SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance Silicone oil M 60 000, high viscous, 60 000 cSt

Article number 4080

EC number 613-156-5 CAS number 63148-62-9

Polydimethylsiloxane Alternative name(s)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

> Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

This substance does not meet the criteria for classification.

2.2 **Label elements**

Labelling


not required

United Kingdom (en) Page 1 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 60 000, high viscous, 60 000 cSt

article number: 4080





Special danger of slipping by leaking/spilling product.

Results of PBT and vPvB assessment

The substance was identified as a PBT (persistent, bioaccumulative and toxic). The substance was identified as a vPvB (very persistent and very bioaccumulative). Non-classified PBT substance. Nonclassified vPvB substance.

Endocrine disrupting properties

The substance has an endocrine disrupting potential.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

Name of substance Silicone oil Molecular formula (C₂H₆OSi)n CAS No 63148-62-9 EC No 613-156-5

Impurities/additives/constituents:

Name of substance	Identifier	Wt%
Dodecamethylcyclohexasiloxane	CAS No 540-97-6	0,1 - 3
	EC No 208-762-8	
Decamethylcyclopentasiloxane	CAS No 541-02-6	0,1 - 3
	EC No 208-764-9	
Octamethylcyclotetrasiloxane	CAS No 556-67-2	0,1 – 1
	EC No 209-136-7	
	Index No 014-018-00-1	

Remarks

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 **Description of first aid measures**



General notes

No special measures are necessary.


United Kingdom (en) Page 2 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 60 000, high viscous, 60 000 cSt

article number: 4080



Provide fresh air.

Following eye contact

Rinse cautiously with water for several minutes.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

Suitable extinguishing media

Unsuitable extinguishing media

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

onable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Special danger of slipping by leaking/spilling product.

6.2 **Environmental precautions**

of it.

United Kingdom (en) Page 3 / 17



Following inhalation

Following skin contact

Wash with plenty of soap and water.

SECTION 5: Firefighting measures

5.1 Extinguishing media



co-ordinate firefighting measures to the fire surroundings! water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reas-

6.1



Keep away from drains, surface and ground water. Retain contaminated washing water and dispose

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 60 000, high viscous, 60 000 cSt

article number: 4080



6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

Relevant DNELs of components

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Dodecamethylcyclo- hexasiloxane	540-97-6	DNEL	11 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Dodecamethylcyclo- hexasiloxane	540-97-6	DNEL	1,22 mg/ m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Dodecamethylcyclo- hexasiloxane	540-97-6	DNEL	6,1 mg/m ³	human, inhalat- ory	worker (industry)	acute - local ef- fects
Decamethylcyclo- pentasiloxane	541-02-6	DNEL	97,3 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects

United Kingdom (en) Page 4 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 60 000, high viscous, 60 000 cSt

article number: 4080



Relevant DNELs of components

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Decamethylcyclo- pentasiloxane	541-02-6	DNEL	97,3 mg/ m³	human, inhalat- ory	worker (industry)	acute - systemic effects
Decamethylcyclo- pentasiloxane	541-02-6	DNEL	24,2 mg/ m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Decamethylcyclo- pentasiloxane	541-02-6	DNEL	24,2 mg/ m³	human, inhalat- ory	worker (industry)	acute - local ef- fects
Octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m³	human, inhalat- ory	worker (industry)	acute - systemic effects
Octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m³	human, inhalat- ory	worker (industry)	acute - local ef- fects

Relevant PNECs of components

CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
540-97-6	PNEC	1 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
540-97-6	PNEC	13 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
540-97-6	PNEC	1,3 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
540-97-6	PNEC	3,77 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
541-02-6	PNEC	1,2 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
541-02-6	PNEC	0,12 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
541-02-6	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
541-02-6	PNEC	11 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
541-02-6	PNEC	1,1 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
541-02-6	PNEC	1,27 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
556-67-2	PNEC	1,5 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
556-67-2	PNEC	0,15 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
556-67-2	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
	540-97-6 540-97-6 540-97-6 540-97-6 541-02-6 541-02-6 541-02-6 541-02-6 541-02-6 556-67-2	point 540-97-6 PNEC 540-97-6 PNEC 540-97-6 PNEC 540-97-6 PNEC 541-02-6 PNEC 556-67-2 PNEC 556-67-2 PNEC	point d level 540-97-6 PNEC 1 mg/ _I 540-97-6 PNEC 13 mg/ _{kg} 540-97-6 PNEC 1,3 mg/ _{kg} 540-97-6 PNEC 3,77 mg/ _{kg} 541-02-6 PNEC 1,2 μg/ _I 541-02-6 PNEC 0,12 μg/ _I 541-02-6 PNEC 10 mg/ _I 541-02-6 PNEC 1,1 mg/ _{kg} 541-02-6 PNEC 1,27 mg/ _{kg} 541-02-6 PNEC 1,27 mg/ _{kg} 541-02-6 PNEC 1,5 μg/ _I 556-67-2 PNEC 0,15 μg/ _I	pointd level $540-97-6$ PNEC $1 ^{mg}/_{kg}$ aquatic organisms $540-97-6$ PNEC $13 ^{mg}/_{kg}$ aquatic organisms $540-97-6$ PNEC $1,3 ^{mg}/_{kg}$ aquatic organisms $540-97-6$ PNEC $3,77 ^{mg}/_{kg}$ terrestrial organisms $541-02-6$ PNEC $1,2 ^{\mu g}/_{l}$ aquatic organisms $541-02-6$ PNEC $10 ^{mg}/_{l}$ aquatic organisms $541-02-6$ PNEC $11 ^{mg}/_{kg}$ aquatic organisms $541-02-6$ PNEC $1,1 ^{mg}/_{kg}$ aquatic organisms $541-02-6$ PNEC $1,27 ^{mg}/_{kg}$ terrestrial organisms $541-02-6$ PNEC $1,27 ^{mg}/_{kg}$ terrestrial organisms $541-02-6$ PNEC $1,5 ^{\mu g}/_{l}$ aquatic organisms $556-67-2$ PNEC $0,15 ^{\mu g}/_{l}$ aquatic organisms $556-67-2$ PNEC $0,15 ^{\mu g}/_{l}$ aquatic organisms $556-67-2$ PNEC $10 ^{mg}/_{l}$ aquatic organisms	pointd levelcompartment540-97-6PNEC1 mg/Iaquatic organismssewage treatment plant (STP)540-97-6PNEC13 mg/kgaquatic organismsfreshwater sediment540-97-6PNEC1,3 mg/kgaquatic organismssoil540-97-6PNEC3,77 mg/kgterrestrial organismssoil541-02-6PNEC1,2 μg/Iaquatic organismsmarine water541-02-6PNEC0,12 μg/Iaquatic organismssewage treatment plant (STP)541-02-6PNEC11 mg/kgaquatic organismsfreshwater sediment541-02-6PNEC1,1 mg/kgaquatic organismsmarine sediment541-02-6PNEC1,1 mg/kgaquatic organismssoil541-02-6PNEC1,27 mg/kgterrestrial organismssoil541-02-6PNEC1,5 μg/Iaquatic organismssoil556-67-2PNEC0,15 μg/Iaquatic organismsmarine water556-67-2PNEC0,15 μg/Iaquatic organismssewage treatment

United Kingdom (en) Page 5 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 60 000, high viscous, 60 000 cSt

article number: 4080



Relevant PNECs of components

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time	
Octamethylcyclotet- rasiloxane	556-67-2	PNEC	3 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)	
Octamethylcyclotet- rasiloxane	556-67-2	PNEC	0,3 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)	
Octamethylcyclotet- rasiloxane	556-67-2	PNEC	0,54 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)	

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 $^{\circ}$ C , colour code: Brown). Usually no personal respirative protection necessary.

Environmental exposure controls

Keep away from drains, surface and ground water.

United Kingdom (en) Page 6 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 60 000, high viscous, 60 000 cSt

article number: 4080



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Form viscous

Colour colourless

Odour odourless

Melting point/freezing point -50 °C

Boiling point or initial boiling point and boiling

range

not determined

Flammability this material is combustible, but will not ignite

readily

Lower and upper explosion limit not determined

Flash point 320 °C

Auto-ignition temperature not determined

Decomposition temperature >150 °C

pH (value) not determined

Kinematic viscosity $57.000 - 63.000 \,^{\text{mm}^2}/_{\text{s}}$ at 25 °C

Solubility(ies)

Water solubility (The study does not need to be conducted be-

cause the substance is known to be insoluble in

water)

Solubility in hydrocarbons, aliphatic soluble Solubility in hydrocarbons, aromatic soluble

Solubility in ethylene glycol practically insoluble

Solubility in ethyl acetate soluble
Solubility in n-butyl acetate soluble
Solubility in toluene soluble
Solubility in trichloroethylene soluble

Solubility in methanol practically insoluble

Solubility in trichloromethane (chloroform) soluble

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure not determined

Density and/or relative density

Density 0,97 – 0,98 ^g/_{cm³} at 25 °C

United Kingdom (en) Page 7 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 60 000, high viscous, 60 000 cSt

article number: 4080

Relative vapour density Information on this property is not available.

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

If heated

Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >150 °C.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

This substance does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful in contact with skin.

Acute toxicity

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>5.000 ^{mg} / _{kg}	rat		TOXNET
dermal	LD50	>2.000 ^{mg} / _{kg}	rabbit		TOXNET

United Kingdom (en) Page 8 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 60 000, high viscous, 60 000 cSt

article number: 4080



rat

Acute toxicity of components										
Name of substance	CAS No	Exposure route	Endpoint	Value	Species					
Dodecamethylcyclohexasiloxane	540-97-6	oral	LD50	>2.000 ^{mg} / _{kg}	rat					
Dodecamethylcyclohexasiloxane	540-97-6	dermal	LD50	>2.000 ^{mg} / _{kg}	rat					
Decamethylcyclopentasiloxane	541-02-6	oral	LD50	>5.000 ^{mg} / _{kg}	rat					
Decamethylcyclopentasiloxane	541-02-6	inhalation: dust/mist	LC50	8,67 ^{mg} / _l /4h	rat					
Decamethylcyclopentasiloxane	541-02-6	dermal	LD50	>2.000 ^{mg} / _{kg}	rabbit					
Octamethylcyclotetrasiloxane	556-67-2	oral	LD50	>4.800 ^{mg} / _{kg}	rat					

inhalation:

dust/mist

LC50

36 ^{mg}/_I/4h

Skin corrosion/irritation

Octamethylcyclotetrasiloxane

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

556-67-2

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

Data are not available.

• If in eyes

Data are not available.

• If inhaled

Data are not available.

• If on skin

United Kingdom (en) Page 9 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 60 000, high viscous, 60 000 cSt

article number: 4080

Data are not available.

Other information

Health effects are not known. This information is based upon the present state of our knowledge.

11.2 Endocrine disrupting properties

Not listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Dodecamethylcyclo- hexasiloxane	540-97-6	ErC50	>2 ^{µg} / _l	algae	72 h
Decamethylcyclo- pentasiloxane	541-02-6	LC50	>16 ^{µg} / _I	fish	96 h
Decamethylcyclo- pentasiloxane	541-02-6	EC50	>2,9 ^{µg} / _l	aquatic invertebrates	48 h
Octamethylcyclotet- rasiloxane	556-67-2	LC50	>22 ^{µg} / _l	fish	96 h
Octamethylcyclotet- rasiloxane	556-67-2	EC50	>15 ^{µg} / _l	aquatic invertebrates	48 h
Octamethylcyclotet- rasiloxane	556-67-2	ErC50	>22 ^{µg} / _l	algae	96 h

Aquatic toxicity (chronic) of components

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time		
Dodecamethylcyclo- hexasiloxane	540-97-6	EC50	>100 ^{mg} / _l	microorganisms	3 h		
Decamethylcyclo- pentasiloxane	541-02-6	EC50	>15 ^{µg} / _l	aquatic invertebrates	21 d		
Octamethylcyclotet- rasiloxane	556-67-2	EC50	>15 ^{µg} / _l	aquatic invertebrates	21 d		

12.2 Persistence and degradability

Biodegradation

Not readily biodegradable.

United Kingdom (en) Page 10 / 17



income on wi oo ooo, mgn viscous, oo ooo csc

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 60 000, high viscous, 60 000 cSt

article number: 4080



Degradability of components

Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Dodecamethyl- cyclohexasilox- ane	540-97-6	carbon dioxide generation	4,47 %	28 d		ECHA
Decamethyl- cyclopentas- iloxane	541-02-6	carbon dioxide generation	0,14 %	28 d		ECHA
Octamethylcyc- lotetrasiloxane	556-67-2	carbon dioxide generation	3,7 %	29 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Dodecamethylcyclohexasiloxane	540-97-6	1.160	8,87 (23,6 °C)	
Decamethylcyclopentasiloxane	541-02-6	7.060	8,023 (25,3 °C)	
Octamethylcyclotetrasiloxane	556-67-2	12.400	6,488 (25,1 °C)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

The substance was identified as a PBT (persistent, bioaccumulative and toxic). The substance was identified as a vPvB (very persistent and very bioaccumulative).

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

United Kingdom (en) Page 11 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 60 000, high viscous, 60 000 cSt

article number: 4080



13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP 10 toxic for reproduction

HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1	UN number or ID number	not subject to transport regulations

14.2 UN proper shipping name not assigned

14.3 Transport hazard class(es) none

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/	2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes	
	not assigned			

Deco-Paint Directive

United Kingdom (en) Page 12 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 60 000, high viscous, 60 000 cSt

article number: 4080



VOC content	0 %
VOC content	0 ^g / _l

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 g/l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Octamethylcyclotetrasiloxane	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

Legend

a) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

United Kingdom (en) Page 13 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 60 000, high viscous, 60 000 cSt

article number: 4080



List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

Substance of Very High Concern (SVHC) acc. to GB REACH and HSE

Name of substance	CAS No	Listed in	Remarks
Dodecamethylcyclohexasiloxane	540-97-6	Candidate list	PBT A57d vPvB A57e desc-cand-5 rem-cand-3
Decamethylcyclopentasiloxane	541-02-6	Candidate list	PBT A57d vPvB A57e desc-cand-7 rem-cand-4
Octamethylcyclotetrasiloxane	556-67-2	Candidate list	PBT A57d vPvB A57e desc-cand-3

Legend

Candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

list

desc-cand-3 D4

desc-cand-5 D6 desc-cand-7 D5

PBT (Article 57d) PBT A57d

rem-cand-3 Dodecamethylcyclohexasiloxane (D6) meets the criteria of Article 57 (d) of Regulation (EC) 1907/2006 (REACH) as a substance which is persistent, bioaccumulative and toxic when it contains ≥ 0.1 % w/w octamethylcyclotetrasiloxane (D4) (EC No. 209-136-7). In addition to its intrinsic properties, it also meets the criteria of Article 57 (e) of Regulation (EC) 1907/2006 (REACH) as a substance which is very persistent and very bioaccumulative (vPvB) when it contains ≥ 0.1 % w/w decamethylcyclopentasiloxane (D5) (EC No. 208-764-9) or ≥ 0.1% w/w octamethylcyclotetrasiloxane (D4) (EC No. 208-136-7). ane (D4) (EC No. 209-136-7).

rem-cand-4 Decamethylcyclopentasiloxane (D5) meets the criteria of Article 57 (d) of Regulation (EC) 1907/2006 (REACH) as a substance which is persistent, bioaccumulative and toxic when it contains ≥ 0.1 % w/w octamethylcyclotetrasilox-

ane (D4) (EC No: 209-136-7).

vPvB A57e VPvB (Article 57e)

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)

Name of substance	Name acc. to inventory	CAS No	No
Dodecamethylcyclohexasiloxane	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3
Decamethylcyclopentasiloxane	Decamethylcyclopentasiloxane (D5)	541-02-6	70(b)
Decamethylcyclopentasiloxane	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3
Octamethylcyclotetrasiloxane	Octamethylcyclotetrasiloxane (D4)	556-67-2	70(a)
Octamethylcyclotetrasiloxane	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3
Octamethylcyclotetrasiloxane	flammable / pyrophoric		40

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

United Kingdom (en) Page 14 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 60 000, high viscous, 60 000 cSt

article number: 4080



National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)
VN	NCI	all ingredients are listed

Legend

AIIC Australian Inventory of Industrial Chemicals
CICR Chemical Inventory and Control Regulation
CSCL-ENCS
DSL Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China INSQ National Inventory of Chemical Substances
KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.
TCSI Taiwan Chemical Substances
Taiwan Chemical Substance Inventory
Toxic Substance Control Act

TSCA Toxic Substance Control Act

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3	Results of PBT and vPvB assessment: Containing a PBT-/vPvB-substance in a concentration of ≥ 0,1%.	Results of PBT and vPvB assessment: The substance was identified as a PBT (persistent, bioaccumulative and toxic). The substance was identified as a vPvB (very persistent and very bioaccumulative). Non-classified PBT substance. Non-classified vPvB substance.	yes
14.8	Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information: Not subject to ADR, RID and ADN.		yes

United Kingdom (en) Page 15 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 60 000, high viscous, 60 000 cSt

article number: 4080



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1	VOC content: 0 % 0 ^g / _l	VOC content: 0 %	yes
15.1		VOC content: 0 ^g / _l	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HSE	Health and Safety Executive
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
LD50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance of lethality during a specified time interval Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethal specified time interval

United Kingdom (en) Page 16 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 60 000, high viscous, 60 000 cSt

article number: 4080



Abbr.	Descriptions of used abbreviations	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and very Bioaccumulative	

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 17 / 17