

#### Silicone oil M 100 000, high viscous, 100 000 cSt

article number: **4085** Version: **5.0 en** Replaces version of: 24.10.2022 Version: (4)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

4085

613-156-5

63148-62-9

Polydimethylsiloxane

Laboratory chemical

1.1 Product identifier

Identification of the substance

Article number

Registration number (REACH)

EC number

CAS number

Alternative name(s)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory and analytical use Do not use for private purposes (household).

Silicone oil M 100 000, high viscous, 100 000 cSt

The substance does not require registration according to Regulation (EC) No 1907/2006 [REACH].

Food, drink and animal feedingstuffs.

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

#### e-mail (competent person):

#### sicherheit@carlroth.de

#### 1.4 Emergency telephone number

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 (CLP)

This substance does not meet the criteria for classification in accordance with Regulation No 1272/ 2008/EC.

#### 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008 (CLP)

not required

#### 2.3 Other hazards

Special danger of slipping by leaking/spilling product.

date of compilation: 17.03.2016 Revision: 03.03.2024 Silicone oil M 100 000, high viscous, 100 000 cSt



#### article number: 4085

#### Results of PBT and vPvB assessment

The substance was identified as a PBT (persistent, bioaccumulative and toxic). The substance was identified as a vPvB (very persistent and very bioaccumulative). Non-classified PBT substance. Non-classified vPvB substance.

#### **Endocrine disrupting properties**

The substance has an endocrine disrupting potential.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance	Silicone oil
Molecular formula	(C₂H₀OSi)n
CAS No	63148-62-9
EC No	613-156-5

#### Impurities/additives/constituents:

Name of substance	Identifier	Wt%
Dodecamethylcyclohexasiloxane	CAS No 540-97-6	0,1 – 3
	EC No 208-762-8	
Decamethylcyclopentasiloxane	CAS No 541-02-6	0,1 - 3
	EC No 208-764-9	
Octamethylcyclotetrasiloxane	CAS No 556-67-2	0,1 – 1
	EC No 209-136-7	
	Index No 014-018-00-1	

#### Remarks

For full text of abbreviations: see SECTION 16

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

No special measures are necessary.

#### **Following inhalation**

Provide fresh air.

according to Regulation (EC) No. 1907/2006 (REACH)

#### Silicone oil M 100 000, high viscous, 100 000 cSt



article number: 4085

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Rinse cautiously with water for several minutes.

#### **Following ingestion**

Rinse mouth. Call a doctor if you feel unwell.

- **4.2** Most important symptoms and effects, both acute and delayed Symptoms and effects are not known to date.
- **4.3** Indication of any immediate medical attention and special treatment needed none

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible.

#### Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Special danger of slipping by leaking/spilling product.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

according to Regulation (EC) No. 1907/2006 (REACH)

#### Silicone oil M 100 000, high viscous, 100 000 cSt



article number: 4085

#### Advice on how to contain a spill

Covering of drains.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

7.1 Precautions for safe handling

Provision of sufficient ventilation.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

#### **SECTION 8: Exposure controls/personal protection**

8.1 Control parameters

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**

This information is not available.

Relevant DNELs of components									
Name of sub- stance	CAS No	End- point			Used in	Exposure time			
Dodecamethylcyclo- hexasiloxane	540-97-6	DNEL	11 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - systemic effects			
Dodecamethylcyclo- hexasiloxane	540-97-6	DNEL	1,22 mg/ m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - local ef- fects			
Dodecamethylcyclo- hexasiloxane	540-97-6	DNEL	6,1 mg/m³	human, inhalat- ory	worker (industry)	acute - local ef- fects			
Decamethylcyclo- pentasiloxane	541-02-6	DNEL	97,3 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects			
Decamethylcyclo- pentasiloxane	541-02-6	DNEL	97,3 mg/ m³	human, inhalat- ory	worker (industry)	acute - systemic effects			

according to Regulation (EC) No. 1907/2006 (REACH)

### Silicone oil M 100 000, high viscous, 100 000 cSt




#### article number: 4085

Relevant DNELs of components									
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time			
Decamethylcyclo- pentasiloxane	541-02-6	DNEL	24,2 mg/ m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects			
Decamethylcyclo- pentasiloxane	541-02-6	DNEL	24,2 mg/ m <sup>3</sup>	human, inhalat- ory	worker (industry)	acute - local ef- fects			
Octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - systemic effects			
Octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	acute - systemic effects			
Octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - local ef- fects			
Octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	acute - local ef- fects			
Relevant PNECs of components									
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time			

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Dodecamethylcyclo- hexasiloxane	540-97-6	PNEC	1 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Dodecamethylcyclo- hexasiloxane	540-97-6	PNEC	13 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Dodecamethylcyclo- hexasiloxane	540-97-6	PNEC	1,3 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
Dodecamethylcyclo- hexasiloxane	540-97-6	PNEC	3,77 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Decamethylcyclo- pentasiloxane	541-02-6	PNEC	1,2 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Decamethylcyclo- pentasiloxane	541-02-6	PNEC	0,12 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Decamethylcyclo- pentasiloxane	541-02-6	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Decamethylcyclo- pentasiloxane	541-02-6	PNEC	11 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Decamethylcyclo- pentasiloxane	541-02-6	PNEC	1,1 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
Decamethylcyclo- pentasiloxane	541-02-6	PNEC	1,27 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Octamethylcyclotet- rasiloxane	556-67-2	PNEC	1,5 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Octamethylcyclotet- rasiloxane	556-67-2	PNEC	0,15 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Octamethylcyclotet- rasiloxane	556-67-2	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Octamethylcyclotet- rasiloxane	556-67-2	PNEC	3 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	1 5	

according to Regulation (EC) No. 1907/2006 (REACH)





#### article number: 4085

Relevant PNECs of components										
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time				
Octamethylcyclotet- rasiloxane	556-67-2	PNEC	0,3 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)				
Octamethylcyclotet- rasiloxane	556-67-2	PNEC	0,54 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)				

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.

#### **Skin protection**



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

#### • type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65  $^{\circ}$ C, colour code: Brown). Usually no personal respirative protection necessary.

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

according to Regulation (EC) No. 1907/2006 (REACH)

### Silicone oil M 100 000, high viscous, 100 000 cSt



article number: 4085

### **SECTION 9: Physical and chemical properties**

9.1	Information on basic physical and chemical pro	operties
	Physical state	liquid
	Form	viscous
	Colour	colourless
	Odour	odourless
	Melting point/freezing point	-50 °C
	Boiling point or initial boiling point and boiling range	not determined
	Flammability	this material is combustible, but will not ignite readily
	Lower and upper explosion limit	not determined
	Flash point	320 °C
	Auto-ignition temperature	not determined
	Decomposition temperature	>150 °C
	pH (value)	not determined
	Kinematic viscosity	95.000 – 105.000 <sup>mm²</sup> / <sub>s</sub> at 25 °C
	Solubility(ies)	
	Water solubility	(The study does not need to be conducted be- cause the substance is known to be insoluble in water)
	Solubility in hydrocarbons, aliphatic	soluble
	Solubility in hydrocarbons, aromatic	soluble
	Solubility in ethylene glycol	practically insoluble
	Solubility in ethyl acetate	soluble
	Solubility in n-butyl acetate	soluble
	Solubility in toluene	soluble
	Solubility in trichloroethylene	soluble
	Solubility in methanol	practically insoluble
	Solubility in trichloromethane (chloroform)	soluble
	Partition coefficient	
	Partition coefficient n-octanol/water (log value):	this information is not available
	Vapour pressure	not determined
	Density and/or relative density	
	Density	0,97 – 0,98 <sup>g</sup> / <sub>cm³</sub> at 25 °C

according to Regulation (EC) No. 1907/2006 (REACH)

#### Silicone oil M 100 000, high viscous, 100 000 cSt



article number: 4085

	Relative vapour density	Information on this property is not available.
	Particle characteristics	not relevant (liquid)
	Other safety parameters	
	Oxidising properties	none
2	Other information	
	Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
	Other safety characteristics:	
	Temperature class (EU, acc. to ATEX)	T2 Maximum permissible surface temperature on the equipment: 300°C

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

9.2

This material is not reactive under normal ambient conditions.

#### If heated

Vapours may form explosive mixtures with air.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### **10.3** Possibility of hazardous reactions

Violent reaction with: strong oxidiser

#### 10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >150 °C.

#### **10.5** Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Classification according to GHS (1272/2008/EC, CLP)

This substance does not meet the criteria for classification in accordance with Regulation No 1272/ 2008/EC.

#### Acute toxicity

Shall not be classified as acutely toxic.

according to Regulation (EC) No. 1907/2006 (REACH)

#### Silicone oil M 100 000, high viscous, 100 000 cSt



article number: 4085

Acute toxicity									
Exposure route	Endpoint	Value	S	pecie	es	М	ethod		Source
oral	LD50	>5.000 <sup>mg</sup> / <sub>kg</sub>		rat					TOXNET
dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>		rabbit					TOXNET
Acute toxicity of components									
Name of su	ıbstance	CAS No	Exposu route		Endp	ooint	Value		Species
Dodecamethylcyc	lohexasiloxane	540-97-6	oral		LD	50	>2.000 <sup>mg</sup> /	'kg	rat
Dodecamethylcyc	lohexasiloxane	540-97-6	derma	I	LD	50	>2.000 <sup>mg</sup> /	′kg	rat
Decamethylcyclo	pentasiloxane	541-02-6	oral		LD	50	>5.000 <sup>mg</sup> /	′kg	rat
Decamethylcyclopentasiloxane		541-02-6		nhalation: LC50 dust/mist		LC50 8,67 <sup>mg</sup>		1h	rat
Decamethylcyclopentasiloxane		541-02-6	derma	I	LD50 >2.		>2.000 <sup>mg</sup> /	'kg	rabbit
Octamethylcyclo	tetrasiloxane	556-67-2	oral	oral L[		50	>4.800 <sup>mg</sup> /	'kg	rat
Octamethylcyclo	tetrasiloxane	556-67-2	inhalatic dust/mi		LC	50	36 <sup>mg</sup> / <sub>l</sub> /4l	h	rat

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH)

#### Silicone oil M 100 000, high viscous, 100 000 cSt



#### article number: 4085

#### • If in eyes

Data are not available.

#### • If inhaled

Data are not available.

#### • If on skin

Data are not available.

#### • Other information

Health effects are not known. This information is based upon the present state of our knowledge.

#### 11.2 Endocrine disrupting properties

Endocrine disrupting chemicals (EDC)							
Name of substance	CAS No	Combined cat- egory	Human health category	Wildlife cat- egory			
Octamethylcyclotetrasiloxane	556-67-2	CAT1	CAT1	CAT3b			

Legend

CAT1 CAT3b Category 1 - evidence of endocrine disruption in at least one species using intact animals Category 3b - no evidence of endocrine disruption or no data available

#### 11.3 Information on other hazards

There is no additional information.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components										
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time					
Dodecamethylcyclo- hexasiloxane	540-97-6	ErC50	>2 <sup>µg</sup> / <sub>l</sub>	algae	72 h					
Decamethylcyclo- pentasiloxane	541-02-6	LC50	>16 <sup>µg</sup> / <sub>l</sub>	fish	96 h					
Decamethylcyclo- pentasiloxane	541-02-6	EC50	>2,9 <sup>µg</sup> / <sub>l</sub>	aquatic invertebrates	48 h					
Octamethylcyclotet- rasiloxane	556-67-2	LC50	>22 <sup>µg</sup> / <sub>l</sub>	fish	96 h					
Octamethylcyclotet- rasiloxane	556-67-2	EC50	>15 <sup>µg</sup> / <sub>l</sub>	aquatic invertebrates	48 h					
Octamethylcyclotet- rasiloxane	556-67-2	ErC50	>22 <sup>µg</sup> / <sub>l</sub>	algae	96 h					

according to Regulation (EC) No. 1907/2006 (REACH)

#### Silicone oil M 100 000, high viscous, 100 000 cSt



#### article number: 4085

Aquatic toxicity (chronic) of components									
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time				
Dodecamethylcyclo- hexasiloxane	540-97-6	EC50	>100 <sup>mg</sup> / <sub>l</sub>	microorganisms	3 h				
Decamethylcyclo- pentasiloxane	541-02-6	EC50	>15 <sup>µg</sup> / <sub>l</sub>	aquatic invertebrates	21 d				
Octamethylcyclotet- rasiloxane	556-67-2	EC50	>15 <sup>µg</sup> / <sub>l</sub>	aquatic invertebrates	21 d				

#### 12.2 Persistence and degradability

#### Biodegradation

Not readily biodegradable.

Degradability of components							
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source	
Dodecamethyl- cyclohexasilox- ane	540-97-6	carbon dioxide generation	4,47 %	28 d		ECHA	
Decamethyl- cyclopentas- iloxane	541-02-6	carbon dioxide generation	0,14 %	28 d		ECHA	
Octamethylcyc- lotetrasiloxane	556-67-2	carbon dioxide generation	3,7 %	29 d		ECHA	

#### 12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components							
Name of substance	CAS No	BCF	Log KOW	BOD5/COD			
Dodecamethylcyclohexasiloxane	540-97-6	1.160	8,87 (23,6 °C)				
Decamethylcyclopentasiloxane	541-02-6	7.060	8,023 (25,3 °C)				
Octamethylcyclotetrasiloxane	556-67-2	12.400	6,488 (25,1 °C)				

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

The substance was identified as a PBT (persistent, bioaccumulative and toxic). The substance was identified as a vPvB (very persistent and very bioaccumulative).

#### 12.6 Endocrine disrupting properties

according to Regulation (EC) No. 1907/2006 (REACH)

#### Silicone oil M 100 000, high viscous, 100 000 cSt



article number: 4085

Г

Endocrine disrupting chemicals (EDC)						
Name of substance	CAS No	Combined cat- egory	Human health category	Wildlife cat- egory		
Octamethylcyclotetrasiloxane	556-67-2	CAT1	CAT1	CAT3b		

Legend

CAT1 Category 1 - evidence of endocrine disruption in at least one species using intact animals

CAT3b Category 3b - no evidence of endocrine disruption or no data available

#### 12.7 Other adverse effects

Data are not available.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

**HP 10** toxic for reproduction

HP 14 ecotoxic

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

#### **SECTION 14: Transport information**

- 14.1 UN number or ID number
- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards

### not subject to transport regulations not assigned

none

not assigned

non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

There is no additional information.

#### 14.7 Maritime transport in bulk according to IMO instruments

according to Regulation (EC) No. 1907/2006 (REACH)

#### Silicone oil M 100 000, high viscous, 100 000 cSt



article number: 4085

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

> International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Not subject to ICAO-IATA.

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

**Restrictions according to REACH, Annex XVII** 

Dangerous substances with restrictions (REACH, Annex XVII)					
Name of substance	Name acc. to inventory	CAS No	Restriction	No	
Dodecamethylcyclohexasiloxane	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3	
Decamethylcyclopentasiloxane	decamethylcyclopentasiloxane	541-02-6	R70	70	
Decamethylcyclopentasiloxane	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3	
Octamethylcyclotetrasiloxane	octamethylcyclotetrasiloxane	556-67-2	R70	70	
Octamethylcyclotetrasiloxane	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3	
Octamethylcyclotetrasiloxane	flammable / pyrophoric		R40	40	
Octamethylcyclotetrasiloxane	substances in tattoo inks and perman- ent make-up		R75	75	

#### Legend

R3

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

tricks and jokes

 games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
 Articles not complying with paragraph 1 shall not be placed on the market.
 Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

can be used as fuel in decorative oil lamps for supply to the general public, and

present an aspiration hazard and are labelled with H304.
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black on a containers not exceeding 1 litre by 1 December 2010;

opaque containers not exceeding 1 litre by 1 December 2010.';

according to Regulation (EC) No. 1907/2006 (REACH)

#### Silicone oil M 100 000, high viscous, 100 000 cSt

#### article number: 4085

#### Legend R40

- 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following: metallic glitter intended mainly for decoration,
- artificial snow and frost,
- 'whoopee' cushions,
- silly string aerosols,

- imitation excrement, horns for parties, decorative flakes and foams,
- artificial cobwebs, stink bombs.

2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: (For professional users only.

3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).

4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to

 The durements indicated.
 Shall not be placed on the market in wash-off cosmetic products in a concentration equal to or greater than 0,1 % by weight of either substance, after 31 January 2020.
 For the purposes of this entry, "wash-off cosmetic products" means cosmetic products as defined in Article 2(1)(a) of Regulation (EC) No 1223/2009 that, under normal conditions of use, are washed off with water after application. R70

according to Regulation (EC) No. 1907/2006 (REACH)

#### Silicone oil M 100 000, high viscous, 100 000 cSt



#### article number: 4085



tattooing purposes.

according to Regulation (EC) No. 1907/2006 (REACH)



#### Silicone oil M 100 000, high viscous, 100 000 cSt

#### article number: 4085

#### Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or gener-ate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market of a mixture for tattooing purposes, of to the use of a mixture for tattooing purposes, of to the use of a mixture for tattooing purposes, of to the use of a mixture for tattooing purposes, of to the use of a mixture for tattooing purposes, of to the use of a mixture for tattooing purposes, of to the use of a mixture for tattooing purposes, of to the use of a mixture for tattooing purposes, of to the use of a mixture for tattooing purposes, of to the use of a mixture for tattooing purposes, of to the use of a mixture for tattooing purposes, of the use of a mixture for tattooing purposes, of the use of a mixture for tattooing purposes, of the use of a mixture for tattooing purposes, of the use of a mixture for tattooing purposes, of the use of a mixture for tattooing purposes, of the use of a mixture for tattooing purposes, of the use of a mixture for tattooing purposes, of the use of a mixture for tattooing purposes, of the use of a mixture for tattooing purposes, of the use of the Regulation shall apply cumulatively.

#### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Substance of Very High Concern (SVHC)							
Name acc. to invent- ory	CAS No	Listed in	Remarks	Latest ap- plication date	Sunset date	Date of in- clusion	
dodecamethylcyclo- hexasiloxane	540-97- 6	Candidate list	PBT A57d vPvB A57e			27.06.2018	
decamethylcyclopentasilox- ane	541-02- 6	Candidate list	PBT A57d vPvB A57e			27.06.2018	
octamethylcyclotetrasilox- ane	556-67- 2	Candidate list	PBT A57d vPvB A57e			27.06.2018	

#### Legend

Candidate list Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV PBT A57d Persistent, Bioaccumulative and Toxic (article 57d) vPvB A57e Very Persistent and very Bioaccumulative (article 57e)

#### **Seveso Directive**

2012/	2012/18/EU (Seveso III)								
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes						
	not assigned								

#### **Deco-Paint Directive**

VOC content	0 %
VOC content	0 <sup>g</sup> / <sub>l</sub>

#### Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 <sup>g</sup> / <sub>l</sub>

#### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

#### Regulation concerning the establishment of a European Pollutant Release and Transfer **Register (PRTR)**

not listed

according to Regulation (EC) No. 1907/2006 (REACH)



#### Silicone oil M 100 000, high viscous, 100 000 cSt

article number: 4085

Vater Framework Directive (WFD)					
List of pollutants (WFD)					
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks	
Octamethylcyclotetrasiloxane	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)		

#### Legend

a) Indicative list of the main pollutants

### Regulation on the marketing and use of explosives precursors

not listed

#### **Regulation on drug precursors**

not listed

#### Regulation on substances that deplete the ozone layer (ODS)

not listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

#### **Regulation on persistent organic pollutants (POP)**

not listed

#### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed

according to Regulation (EC) No. 1907/2006 (REACH)



#### Silicone oil M 100 000, high viscous, 100 000 cSt

article number: 4085

Country	Inventory	Status
US	TSCA	all ingredients are listed (ACTIVE)
VN	NCI	all ingredients are listed
CICR CSCL-ENCS DSL ECSI IECSC INSQ KECI NZIOC PICCS REACH Reg. TCSI	Domestic Substances List EC Substance Inventory (I Inventory of Existing Chen National Inventory of Che Korea Existing Chemicals National Chemical Invent New Zealand Inventory of	Control Regulation Chemical Substances (CSCL-ENCS) (DSL) EINECS, ELINCS, NLP) mical Substances Produced or Imported in China emical Substances Inventory ory of Chemicals nemicals and Chemical Substances (PICCS) nees ces ce Inventory

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance. According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

### **SECTION 16: Other information**

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3	Results of PBT and vPvB assessment: Containing a PBT-/vPvB-substance in a concen- tration of $\ge 0,1\%$ .	Results of PBT and vPvB assessment: The substance was identified as a PBT (persist- ent, bioaccumulative and toxic). The substance was identified as a vPvB (very persistent and very bioaccumulative). Non-classified PBT sub- stance. Non-classified vPvB substance.	yes
14.8	Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional in- formation: Not subject to ADR, RID and ADN.		yes
15.1		Substance of Very High Concern (SVHC): change in the listing (table)	yes
15.1	VOC content: 7 % , 63,7 <sup>g</sup> / <sub>l</sub>	VOC content: 0 %	yes
15.1		VOC content: 0 <sup>g</sup> /۱	yes
15.1	VOC content: 7 %	VOC content: 0 %	yes
15.1	VOC content: 63,7 <sup>g</sup> / <sub>l</sub>	VOC content: 0 <sup>g</sup> / <sub>l</sub>	yes
15.1		National inventories: change in the listing (table)	yes

according to Regulation (EC) No. 1907/2006 (REACH)



### Silicone oil M 100 000, high viscous, 100 000 cSt

article number: 4085

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.2	Chemical Safety Assessment: No Chemical Safety Assessment has been car- ried out for this substance.	Chemical safety assessment: No Chemical Safety Assessment has been car- ried out for this substance. According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or compon- ents of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic

according to Regulation (EC) No. 1907/2006 (REACH)

# ® Roth

#### Silicone oil M 100 000, high viscous, 100 000 cSt

#### article number: **4085**

Abbr.	Descriptions of used abbreviations
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
SVHC	Substance of Very High Concern
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.