

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde Mini-Pack 25% in water, for electromicroscopy

article number: **4157**
Version: **2.0 en**
Replaces version of: 21.12.2017
Version: (1)

date of compilation: 21.12.2017
Revision: 22.09.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

| | |
|---------------------------------|---|
| Identification of the substance | Glutaraldehyde Mini-Pack 25% in water, for electromicroscopy |
| Article number | 4157 |
| Registration number (REACH) | not relevant (mixture) |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| | |
|---------------------------|---|
| Relevant identified uses: | Laboratory chemical Laboratory and analytical use |
| Uses advised against: | Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). |

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone: +49 (0) 721 - 56 06 0
Telefax: +49 (0) 721 - 56 06 149
e-mail: sicherheit@carlroth.de
Website: www.carlroth.de

Competent person responsible for the safety data sheet: :Department Health, Safety and Environment

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class | Category | Hazard class and category | Hazard statement |
|---------|-----------------------------------|----------|---------------------------|------------------|
| 3.10 | Acute toxicity (oral) | 4 | Acute Tox. 4 | H302 |
| 3.11 | Acute toxicity (inhal.) | 2 | Acute Tox. 2 | H330 |
| 3.2 | Skin corrosion/irritation | 1B | Skin Corr. 1B | H314 |
| 3.3 | Serious eye damage/eye irritation | 1 | Eye Dam. 1 | H318 |
| 3.4R | Respiratory sensitisation | 1 | Resp. Sens. 1 | H334 |
| 3.4S | Skin sensitisation | 1 | Skin Sens. 1 | H317 |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde Mini-Pack 25% in water, for electromicroscopy

article number: 4157

| Section | Hazard class | Cat-egory | Hazard class and category | Hazard statement |
|---------|---|-----------|---------------------------|------------------|
| 3.8R | Specific target organ toxicity - single exposure (respiratory tract irritation) | 3 | STOT SE 3 | H335 |
| 4.1A | Hazardous to the aquatic environment - acute hazard | 1 | Aquatic Acute 1 | H400 |
| 4.1C | Hazardous to the aquatic environment - chronic hazard | 2 | Aquatic Chronic 2 | H411 |

Supplemental hazard information

| Code | Supplemental hazard information |
|--------|------------------------------------|
| EUH071 | corrosive to the respiratory tract |

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word

Danger

Pictograms

GHS05, GHS06,
GHS08, GHS09



Hazard statements

H302 Harmful if swallowed
H314 Causes severe skin burns and eye damage
H317 May cause an allergic skin reaction
H330 Fatal if inhaled
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335 May cause respiratory irritation
H410 Very toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P260 Do not breathe mist/vapours
P270 Do not eat, drink or smoke when using this product
P280 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of water
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 Immediately call a POISON CENTER

Supplemental hazard information

EUH071 Corrosive to the respiratory tract.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde Mini-Pack 25% in water, for electromicroscopy

article number: 4157

Hazardous ingredients for labelling:

Glutardialdehyde, Methanol

Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



| | |
|----------------|--|
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H330 | Fatal if inhaled. |
| H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| P260 | Do not breathe mist/vapours. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P302+P352 | IF ON SKIN: Wash with plenty of water. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310 | Immediately call a POISON CENTER. |
| EUH071 | Corrosive to the respiratory tract. |
| contains: | Glutardialdehyde, Methanol |

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

| Name of substance | Identifier | Wt% | Classification acc. to GHS | Pictograms | Notes |
|-------------------|--|-----------|---|------------|-----------------|
| Glutardialdehyde | CAS No 111-30-8 EC No 203-856-5 Index No 605-022-00-X REACH Reg. No 01-2119455549- 26-xxxx | ≤ 25 | Acute Tox. 3 / H301 Acute Tox. 2 / H330 Skin Corr. 1B / H314 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 STOT SE 3 / H335 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411 EUH071 | | |
| Methanol | CAS No 67-56-1 EC No 200-659-6 Index No 603-001-00-X REACH Reg. No 01-2119433307- 44-xxxx | 0,3 - < 1 | Flam. Liq. 2 / H225 Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 STOT SE 1 / H370 | | GHS-HC IOELV |

Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde Mini-Pack 25% in water, for electromicroscopy

article number: 4157

Notes

IOELV: Substance with a community indicative occupational exposure limit value

| Name of substance | Identifier | Specific Conc. Limits | M-Factors | ATE | Exposure route |
|-------------------|--|---|-----------|--|---|
| Glutardialdehyde | CAS No 111-30-8 EC No 203-856-5 Index No 605-022-00-X | Skin Corr. 1B; H314: C ≥ 10 % Skin Irrit. 2; H315: 0,5 % ≤ C < 10 % Skin Sens. 1; H317: C ≥ 0,5 % | - | 246 mg/kg 0,5 mg/l/4h 0,28 mg/l/4h | oral inhalation: vapour inhalation: dust/mist |
| Methanol | CAS No 67-56-1 EC No 200-659-6 Index No 603-001-00-X | STOT SE 1; H370: C ≥ 10 % STOT SE 2; H371: 3 % ≤ C < 10 % | - | 100 mg/kg 300 mg/kg 3 mg/l/4h | oral dermal inhalation: vapour |

Substance of Very High Concern (SVHC)

| Name of substance | Name acc. to inventory | CAS No | EC No | Listed in | Remarks |
|-------------------|------------------------|----------|-----------|----------------|--------------|
| Glutardialdehyde | glutaral | 111-30-8 | 203-856-5 | Candidate list | RSP (57f-hh) |

Legend

candidate list Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV list
RSP (57f-hh) Respiratory sensitising properties (article 57(f) - human health)

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure. In case of skin reactions, consult a physician.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde Mini-Pack 25% in water, for electromicroscopy

article number: 4157

Following ingestion

Rinse mouth immediately and drink plenty of water. Rinse mouth with water (only if the person is conscious). Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Vomiting, Risk of blindness, Gastric perforation, Risk of serious damage to eyes, Irritation, Allergic reactions, Cough, Dyspnoea

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings
water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Ingredients of the mixture combustible. The product itself does not burn.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde Mini-Pack 25% in water, for electromicroscopy

article number: 4157

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory). Handle and open container with care. Provision of sufficient ventilation. Clear contaminated areas thoroughly.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde Mini-Pack 25% in water, for electromicroscopy

article number: 4157

| Country | Name of agent | CAS No | Identifier | TWA [ppm] | TWA [mg/m ³] | STEL [ppm] | STEL [mg/m ³] | Ceiling-C [ppm] | Ceiling-C [mg/m ³] | Notation | Source |
|---------|---------------|---------|------------|-----------|--------------------------|------------|---------------------------|-----------------|--------------------------------|----------|------------|
| EU | methanol | 67-56-1 | IOELV | 200 | 260 | | | | | | 2006/15/EC |
| MT | methanol | 67-56-1 | OELV | 200 | 260 | | | | | | CAP. 424 |

Notation

| | |
|-----------|--|
| Ceiling-C | Ceiling value is a limit value above which exposure should not occur |
| STEL | Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) |
| TWA | Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) |

Relevant DNELs of components of the mixture

| Name of substance | CAS No | End-point | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
|-------------------|---------|-----------|-----------------------|------------------------------------|-------------------|----------------------------|
| Methanol | 67-56-1 | DNEL | 130 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| Methanol | 67-56-1 | DNEL | 130 mg/m ³ | human, inhalatory | worker (industry) | acute - systemic effects |
| Methanol | 67-56-1 | DNEL | 130 mg/m ³ | human, inhalatory | worker (industry) | chronic - local effects |
| Methanol | 67-56-1 | DNEL | 130 mg/m ³ | human, inhalatory | worker (industry) | acute - local effects |
| Methanol | 67-56-1 | DNEL | 20 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| Methanol | 67-56-1 | DNEL | 20 mg/kg bw/day | human, dermal | worker (industry) | acute - systemic effects |

Relevant PNECs of components of the mixture

| Name of substance | CAS No | End-point | Threshold level | Organism | Environmental compartment | Exposure time |
|-------------------|----------|-----------|-----------------|-----------------------|------------------------------|------------------------------|
| Glutaraldehyde | 111-30-8 | PNEC | 0,003 mg/l | aquatic organisms | freshwater | short-term (single instance) |
| Glutaraldehyde | 111-30-8 | PNEC | 0 mg/l | aquatic organisms | marine water | short-term (single instance) |
| Glutaraldehyde | 111-30-8 | PNEC | 0,8 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| Glutaraldehyde | 111-30-8 | PNEC | 0,091 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| Glutaraldehyde | 111-30-8 | PNEC | 0,009 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| Glutaraldehyde | 111-30-8 | PNEC | 0,21 mg/kg | terrestrial organisms | soil | short-term (single instance) |
| Methanol | 67-56-1 | PNEC | 20,8 mg/l | aquatic organisms | freshwater | short-term (single instance) |
| Methanol | 67-56-1 | PNEC | 2,08 mg/l | aquatic organisms | marine water | short-term (single instance) |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde Mini-Pack 25% in water, for electromicroscopy

article number: 4157

| Relevant PNECs of components of the mixture | | | | | | |
|---|---------|-----------|-----------------|-----------------------|------------------------------|------------------------------|
| Name of substance | CAS No | End-point | Threshold level | Organism | Environmental compartment | Exposure time |
| Methanol | 67-56-1 | PNEC | 100 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| Methanol | 67-56-1 | PNEC | 77 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| Methanol | 67-56-1 | PNEC | 7,7 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| Methanol | 67-56-1 | PNEC | 100 mg/kg | terrestrial organisms | soil | short-term (single instance) |

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Skin protection



• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

Butyl caoutchouc (butyl rubber)

• material thickness

0,7mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde Mini-Pack 25% in water, for electromicroscopy

article number: 4157

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--|---|
| Physical state | liquid |
| Colour | colourless - light yellow |
| Odour | characteristic |
| Melting point/freezing point | -6 °C |
| Boiling point or initial boiling point and boiling range | >100 °C at 1.013 hPa |
| Flammability | non-combustible |
| Lower and upper explosion limit | not determined |
| Flash point | not determined |
| Auto-ignition temperature | not determined |
| Decomposition temperature | not relevant |
| pH (value) | >3 (20 °C) |
| Kinematic viscosity | not determined |
| <u>Solubility(ies)</u> | |
| Water solubility | miscible in any proportion |
| <u>Partition coefficient</u> | |
| Partition coefficient n-octanol/water (log value): | this information is not available |
| Vapour pressure | 0,27 hPa at 20 °C |
| Density | 1,06 g/cm ³ at 20 °C |
| Relative vapour density | information on this property is not available |
| Particle characteristics | not relevant (liquid) |

Other safety parameters

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde Mini-Pack 25% in water, for electromicroscopy

article number: 4157

Oxidising properties none

9.2 Other information

Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics:

Miscibility completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Strong alkali

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if swallowed. Fatal if inhaled.

| Acute toxicity estimate (ATE) of components of the mixture | | | |
|--|----------|-----------------------|--------------|
| Name of substance | CAS No | Exposure route | ATE |
| Glutardialdehyde | 111-30-8 | oral | 246 mg/kg |
| Glutardialdehyde | 111-30-8 | inhalation: vapour | 0,5 mg/l/4h |
| Glutardialdehyde | 111-30-8 | inhalation: dust/mist | 0,28 mg/l/4h |
| Methanol | 67-56-1 | oral | 100 mg/kg |
| Methanol | 67-56-1 | dermal | 300 mg/kg |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde Mini-Pack 25% in water, for electromicroscopy

article number: 4157

| Acute toxicity estimate (ATE) of components of the mixture | | | |
|--|---------|--------------------|-----------------------|
| Name of substance | CAS No | Exposure route | ATE |
| Methanol | 67-56-1 | inhalation: vapour | 3 mg _i /4h |

| Acute toxicity of components of the mixture | | | | | |
|---|----------|-----------------------|----------|---------------------------------|---------|
| Name of substance | CAS No | Exposure route | Endpoint | Value | Species |
| Glutardialdehyde | 111-30-8 | oral | LD50 | 246 mg _i /kg | rat |
| Glutardialdehyde | 111-30-8 | inhalation: dust/mist | LC50 | 0,28 – 0,39 mg _i /4h | rat |
| Glutardialdehyde | 111-30-8 | dermal | LD50 | >2.000 mg _i /kg | rabbit |
| Methanol | 67-56-1 | inhalation: vapour | LC50 | 131 mg _i /4h | rat |
| Methanol | 67-56-1 | oral | LD50 | 5.628 mg _i /kg | rat |
| Methanol | 67-56-1 | oral | LDLo | 143 mg _i /kg | human |
| Methanol | 67-56-1 | dermal | LD50 | 15.800 mg _i /kg | rabbit |

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde Mini-Pack 25% in water, for electromicroscopy

article number: 4157

- **If in eyes**

causes burns, Causes serious eye damage, risk of blindness

- **If inhaled**

Irritation to respiratory tract, corrosive to the respiratory tract, May produce an allergic reaction, cough, Dyspnoea

- **If on skin**

causes severe burns, causes poorly healing wounds, May produce an allergic reaction, pruritis, localised redness

- **Other information**

none

11.2 Endocrine disrupting properties

None of the ingredients are listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

| Aquatic toxicity (acute) of components of the mixture | | | | | |
|---|----------|----------|-------------|-----------------------|---------------|
| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
| Glutardialdehyde | 111-30-8 | LC50 | 10 mg/l | fish | 96 h |
| Glutardialdehyde | 111-30-8 | EC50 | 29,73 mg/l | aquatic invertebrates | 48 h |
| Glutardialdehyde | 111-30-8 | ErC50 | 1,2 mg/l | algae | 72 h |
| Methanol | 67-56-1 | LC50 | 15.400 mg/l | fish | 96 h |
| Methanol | 67-56-1 | ErC50 | 22.000 mg/l | algae | 96 h |

| Aquatic toxicity (chronic) of components of the mixture | | | | | |
|---|----------|----------|---------|----------------|---------------|
| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
| Glutardialdehyde | 111-30-8 | EC50 | 80 mg/l | microorganisms | 30 min |

Biodegradation

Data are not available.

12.2 Process of degradability

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde Mini-Pack 25% in water, for electromicroscopy

article number: 4157

| Degradability of components of the mixture | | | | | | |
|--|----------|---------------------------|------------------|------|--------|--------|
| Name of substance | CAS No | Process | Degradation rate | Time | Method | Source |
| Glutardialdehyde | 111-30-8 | DOC removal | 90 - 100 % | 28 d | | ECHA |
| Glutardialdehyde | 111-30-8 | carbon dioxide generation | 90 - 100 % | 70 d | | ECHA |
| Methanol | 67-56-1 | biotic/abiotic | 99 % | 30 d | | |
| Methanol | 67-56-1 | oxygen depletion | 69 % | 5 d | | ECHA |

12.3 Bioaccumulative potential

Data are not available.

| Bioaccumulative potential of components of the mixture | | | | |
|--|----------|-----|----------------------------|----------|
| Name of substance | CAS No | BCF | Log KOW | BOD5/COD |
| Glutardialdehyde | 111-30-8 | | -0,36 (pH value: 7, 23 °C) | |
| Methanol | 67-56-1 | | -0,77 | |

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde Mini-Pack 25% in water, for electromicroscopy

article number: 4157

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

| | |
|-------------|---------|
| ADR/RID/ADN | UN 2927 |
| IMDG-Code | UN 2927 |
| ICAO-TI | UN 2927 |

14.2 UN proper shipping name

| | |
|--|--|
| ADR/RID/ADN | TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. |
| IMDG-Code | TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. |
| ICAO-TI | Toxic liquid, corrosive, organic, n.o.s. |
| Technical name (hazardous ingredients) | Glutardialdehyde, Methanol |

14.3 Transport hazard class(es)

| | |
|-------------|---------|
| ADR/RID/ADN | 6.1 (8) |
| IMDG-Code | 6.1 (8) |
| ICAO-TI | 6.1 (8) |

14.4 Packing group

| | |
|-------------|----|
| ADR/RID/ADN | II |
| IMDG-Code | II |
| ICAO-TI | II |

14.5 Environmental hazards

| | |
|--|--------------------------------------|
| | hazardous to the aquatic environment |
| Environmentally hazardous substance (aquatic environment): | Glutardialdehyde |

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

| | |
|---------------------------------------|---|
| Proper shipping name | TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. |
| Particulars in the transport document | UN2927, TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S., (contains: Glutardialdehyde, Methanol), 6.1 (8), II, (D/E), environmentally hazardous |
| Classification code | TC1 |
| Danger label(s) | 6.1+8, "Fish and tree" |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde Mini-Pack 25% in water, for electromicroscopy

article number: 4157



| | |
|-------------------------------|--|
| Environmental hazards | yes (hazardous to the aquatic environment) |
| Special provisions (SP) | 274, 802(ADN) |
| Excepted quantities (EQ) | E4 |
| Limited quantities (LQ) | 100 ml |
| Transport category (TC) | 2 |
| Tunnel restriction code (TRC) | D/E |
| Hazard identification No | 68 |

International Maritime Dangerous Goods Code (IMDG) - Additional information

| | |
|--|---|
| Proper shipping name | TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. |
| Particulars in the shipper's declaration | UN2927, TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S., (contains: Glutardialdehyde, Methanol), 6.1 (8), II, MARINE POLLUTANT |
| Marine pollutant | yes (hazardous to the aquatic environment), (Glutardialdehyde) |
| Danger label(s) | 6.1+8, "Fish and tree" |



| | |
|--------------------------|----------|
| Special provisions (SP) | 274 |
| Excepted quantities (EQ) | E4 |
| Limited quantities (LQ) | 100 mL |
| EmS | F-A, S-B |
| Stowage category | B |

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

| | |
|--|---|
| Proper shipping name | Toxic liquid, corrosive, organic, n.o.s. |
| Particulars in the shipper's declaration | UN2927, Toxic liquid, corrosive, organic, n.o.s., (contains: Glutardialdehyde, Methanol), 6.1 (8), II |
| Environmental hazards | yes (hazardous to the aquatic environment) |
| Danger label(s) | 6.1+8 |



| | |
|--------------------------|----------|
| Special provisions (SP) | A4, A137 |
| Excepted quantities (EQ) | E4 |
| Limited quantities (LQ) | 0,5 L |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde Mini-Pack 25% in water, for electromicroscopy

article number: 4157

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

| Dangerous substances with restrictions (REACH, Annex XVII) | | | | |
|--|--|---------|-------------|----|
| Name of substance | Name acc. to inventory | CAS No | Restriction | No |
| Glutaraldehyde | this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC | | R3 | 3 |
| Glutardialdehyde | substances in tattoo inks and permanent make-up | | R75 | 75 |
| Methanol | methanol | 67-56-1 | R69 | 69 |
| Methanol | flammable / pyrophoric | | R40 | 40 |

Legend

- R3 1. Shall not be used in:
- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
2. Articles not complying with paragraph 1 shall not be placed on the market.
3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
— can be used as fuel in decorative oil lamps for supply to the general public, and
— present an aspiration hazard and are labelled with H304.
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter fluid may lead to life threatening lung damage";
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.;
- R40 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
- metallic glitter intended mainly for decoration,
- artificial snow and frost,
- 'whoopie' cushions,
- silly string aerosols,
- imitation excrement,
- horns for parties,
- decorative flakes and foams,
- artificial cobwebs,
- stink bombs.
2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:
'For professional users only'.
3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.
- R69 Shall not be placed on the market to the general public after 9 May 2019 in windscreen washing or defrosting fluids, in a concentration equal to or greater than 0,6 % by weight.

Glutaraldehyde Mini-Pack 25% in water, for electromicroscopy

article number: 4157

Legend

- R75
1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:
 - (a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
 - (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
 - (c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
 - (d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:
 - (i) 0,1 % by weight, if the substance is used solely as a pH regulator;
 - (ii) 0,01 % by weight, in all other cases;
 - (e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
 - (f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:
 - (i) "Rinse-off products";
 - (ii) "Not to be used in products applied on mucous membranes";
 - (iii) "Not to be used in eye products";
 - (g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;
 - (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.
 2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.
 3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.
 4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
 - (a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
 - (b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).
 5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.
 6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.
 7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:
 - (a) the statement "Mixture for use in tattoos or permanent make-up";
 - (b) a reference number to uniquely identify the batch;
 - (c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;
 - (d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;
 - (e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;
 - (f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;
 - (g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.The information shall be clearly visible, easily legible and marked in a way that is indelible. The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise. Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use. Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.
 8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde Mini-Pack 25% in water, for electromicroscopy

article number: 4157

Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

| Substance of Very High Concern (SVHC) | | | |
|---------------------------------------|----------|----------------|--------------|
| Name acc. to inventory | CAS No | Listed in | Remarks |
| glutaral | 111-30-8 | Candidate list | RSP (57f-hh) |

Legend

candidate list Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV
RSP (57f-hh) Respiratory sensitising properties (article 57(f) - human health)

Seveso Directive

| 2012/18/EU (Seveso III) | | | | |
|-------------------------|--|---|-----|-------|
| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | | Notes |
| E1 | environmental hazards (hazardous to the aquatic environment, cat. 1) | 100 | 200 | 56) |
| H2 | acute toxic (cat. 2 + cat. 3, inhal.) | 50 | 200 | 41) |

Notation

- 41) - Category 2, all exposure routes
- category 3, inhalation exposure route
56) Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

Deco-Paint Directive

| | |
|-------------|-----------------------|
| VOC content | 25,9 % , 1.291 g/l |
|-------------|-----------------------|

Industrial Emissions Directive (IED)

| | |
|---|-----------|
| VOC content | 25,9 % |
| VOC content | 1.060 g/l |
| VOC content Water content was discounted | 1.291 g/l |

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde Mini-Pack 25% in water, for electromicroscopy

article number: 4157

Water Framework Directive (WFD)

| List of pollutants (WFD) | | | | |
|--------------------------|---|--------|-----------|---------|
| Name of substance | Name acc. to inventory | CAS No | Listed in | Remarks |
| Methanol | Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment | | A) | |

Legend

A) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

| Country | Inventory | Status |
|---------|------------|--------------------------------|
| AU | AICS | all ingredients are listed |
| CA | DSL | all ingredients are listed |
| CN | IECSC | all ingredients are listed |
| EU | ECSI | all ingredients are listed |
| EU | REACH Reg. | all ingredients are listed |
| JP | CSCL-ENCS | all ingredients are listed |
| KR | KECI | all ingredients are listed |
| MX | INSQ | all ingredients are listed |
| NZ | NZIoC | all ingredients are listed |
| PH | PICCS | all ingredients are listed |
| TR | CICR | not all ingredients are listed |
| TW | TCSI | all ingredients are listed |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde Mini-Pack 25% in water, for electromicroscopy

article number: 4157

| Country | Inventory | Status |
|---------|-----------|----------------------------|
| US | TSCA | all ingredients are listed |

Legend

| | |
|------------|---|
| AICS | Australian Inventory of Chemical Substances |
| CICR | Chemical Inventory and Control Regulation |
| CSCL-ENCS | List of Existing and New Chemical Substances (CSCL-ENCS) |
| DSL | Domestic Substances List (DSL) |
| ECSI | EC Substance Inventory (EINECS, ELINCS, NLP) |
| IECSC | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ | National Inventory of Chemical Substances |
| KECI | Korea Existing Chemicals Inventory |
| NZIoC | New Zealand Inventory of Chemicals |
| PICCS | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| REACH Reg. | REACH registered substances |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|---|---|-----------------|
| 2.1 | | Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table) | yes |
| 2.1 | | Supplemental hazard information: change in the listing (table) | yes |
| 2.1 | | The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Spillage and fire water can cause pollution of watercourses. | yes |
| 2.2 | | Pictograms: change in the listing (table) | yes |
| 2.2 | | Hazard statements: change in the listing (table) | yes |
| 2.2 | | Precautionary statements - response: change in the listing (table) | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.3 | Other hazards: There is no additional information. | Other hazards | yes |
| 2.3 | | Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB. | yes |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde Mini-Pack 25% in water, for electromicroscopy

article number: 4157

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------------|---|
| 2006/15/EC | Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC |
| Acute Tox. | Acute toxicity |
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) |
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road) |
| ADR/RID/ADN | Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN) |
| Aquatic Acute | Hazardous to the aquatic environment - acute hazard |
| Aquatic Chronic | Hazardous to the aquatic environment - chronic hazard |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BOD | Biochemical Oxygen Demand |
| CAP. 424 | Occupational Health and Safety Authority Act (CAP. 424) |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| COD | Chemical oxygen demand |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| Flam. Liq. | Flammable liquid |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde Mini-Pack 25% in water, for electromicroscopy

article number: 4157

| Abbr. | Descriptions of used abbreviations |
|-------------|---|
| IMDG-Code | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| IOELV | Indicative occupational exposure limit value |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| log KOW | n-Octanol/water |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| ppm | Parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| Resp. Sens. | Respiratory sensitisation |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |
| Skin Corr. | Corrosive to skin |
| Skin Irrit. | Irritant to skin |
| Skin Sens. | Skin sensitisation |
| STEL | Short-term exposure limit |
| STOT SE | Specific target organ toxicity - single exposure |
| SVHC | Substance of Very High Concern |
| TWA | Time-weighted average |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture.

Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde Mini-Pack 25% in water, for electromicroscopy

article number: 4157

List of relevant phrases (code and full text as stated in chapter 2 and 3)

| Code | Text |
|------|--|
| H225 | Highly flammable liquid and vapour. |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H311 | Toxic in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H331 | Toxic if inhaled. |
| H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| H335 | May cause respiratory irritation. |
| H370 | Causes damage to organs. |
| H400 | Very toxic to aquatic life. |
| H411 | Toxic to aquatic life with long lasting effects. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.