according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Benzaldehyde ≥99,5 %, for synthesis

article number: **4372** Version: **3.0 en** Replaces version of: 2022-08-02 Version: (2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance	Benzaldehyde ≥99,5 %, for synthesis
Article number	4372
Registration number (REACH)	01-2119455540-44-xxxx
Index number in CLP Annex VI	605-012-00-5
EC number	202-860-4
CAS number	100-52-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	+353 1 809 2166	https:// www.poisons.ie/

date of compilation: 2020-01-30 Revision: 2024-05-03

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Benzaldehyde ≥99,5 %, for synthesis

article number: 4372

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class		Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1I	3.1I Acute toxicity (inhal.)		Acute Tox. 4	H332
3.2	3.2 Skin corrosion/irritation		Skin Irrit. 2	H315
3.3	3.3 Serious eye damage/eye irritation		Eye Irrit. 2	H319
3.7	Reproductive toxicity	1B	Repr. 1B	H360Df
3.8R Specific target organ toxicity - single exposure (respirat- ory tract irritation)		3	STOT SE 3	H335
4.1C	Hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS09



Hazard statements

H302+H332 H315	Harmful if swallowed or if inhaled Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H360Df	May damage the unborn child. Suspected of damaging fertility
H411	Toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P273	Avoid release to the environment
P280	Wear protective gloves/eye protection/face protection

Precautionary statements - response

P302+P352	IF ON SKIN: Wash with plenty of soap and water
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing
P312	Call a POISON CENTRE/doctor if you feel unwell

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Benzaldehyde ≥99,5 %, for synthesis

article number: 4372

For professional users only

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)



H335	May cause respiratory irritation.
H360Df	May damage the unborn child. Suspected of damaging fertility.
P280	Wear protective gloves/eye protection/face protection.
P312	Call a POISON CENTRE/doctor if you feel unwell.

2.3 Other hazards

This material is combustible, but will not ignite readily.

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Benzaldehyde
Molecular formula	C ₇ H ₆ O
Molar mass	106,1 ^g / _{mol}
REACH Reg. No	01-2119455540-44-xxxx
CAS No	100-52-7
EC No	202-860-4
Index No	605-012-00-5

Substance, Specific Conc. Limits, M-factors, ATE			
Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	1.430 ^{mg} / _{kg} 11 ^{mg} / _I /4h >1 ^{mg} / _I /4h	oral inhalation: vapour inhalation: dust/ mist

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Benzaldehyde ≥99,5 %, for synthesis

article number: 4372

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth with water (only if the person is conscious). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Vomiting, Irritation, Cough, Dyspnoea

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Benzaldehyde ≥99,5 %, for synthesis

article number: 4372

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid exposure.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep under nitrogen.

Incompatible substances or mixtures

Observe hints for combined storage.

Protect against external exposure, such as

humidity, UV-radiation/sunlight, contact with air/oxygen

Consideration of other advice:

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Benzaldehyde ≥99,5 %, for synthesis

article number: 4372

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

Human health values

Relevant DNELs and other threshold levels

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	9,8 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	9,8 mg/m³	human, inhalatory	worker (industry)	chronic - local effects
DNEL	1,14 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects

Environmental values

Relevant	Relevant PNECs and other threshold levels				
End- point	Threshold level	Organism	Environmental com- partment	Exposure time	
PNEC	0 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)	
PNEC	0 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)	
PNEC	7,59 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)	
PNEC	0,004 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)	
PNEC	0 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)	
PNEC	0,001 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)	

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Benzaldehyde ≥99,5 %, for synthesis

article number: 4372

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

Butyl caoutchouc (butyl rubber)

material thickness

0,5 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 $^{\circ}$ C, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	•
Physical state	liquid
Colour	colourless - light yellow
Odour	like bitter almonds
Melting point/freezing point	-26 °C (ECHA)
Boiling point or initial boiling point and boiling range	179 °C (ECHA)
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	1,4 vol% (LEL) - 8,5 vol% (UEL)
Flash point	64 °C
Auto-ignition temperature	190 °C
Decomposition temperature	not relevant
pH (value)	5,9 (20 °C)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Benzaldehyde ≥99,5 %, for synthesis

	Kinematic viscosity	not determined
	Dynamic viscosity	1,3 – 1,4 mPa s at 25 °C
	Solubility(ies)	
	Water solubility	6,95 ^g / _l at 25 °C
	water solubility	0,00 -110(20 C
	Partition coefficient	
	Partition coefficient n-octanol/water (log value):	1,4 (25 °C) (ECHA)
	Vapour pressure	1,3 hPa at 20 °C
	· ·	
	Density and/or relative density	
	Density	1,05 ^g / _{cm³} at 20 °C
	Relative vapour density	3,66 at 20 °C (air = 1)
	Particle characteristics	not relevant (liquid)
	Other safety parameters	
	Oxidising properties	none
2	Other information	
	Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
		(physical flazards). flot relevant
	Other safety characteristics:	
	Surface tension	70,5 ^{mN} / _m (20 °C) (ECHA)
	Temperature class (EU, acc. to ATEX)	T4 Maximum permissible surface temperature on
		the equipment: 135°C

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

This material is not reactive under normal ambient conditions.

If heated

Vapours may form explosive mixtures with air.

If exposed to air

Peroxide formation possible with air oxygen.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Alkalis, Alkali metals, Aluminium, Iron, Phenol, Oxygen

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Benzaldehyde ≥99,5 %, for synthesis

article number: 4372

10.4 Conditions to avoid

UV-radiation/sunlight. Humidity. Contact with air/oxygen. Keep away from heat.

10.5 Incompatible materials aluminium, iron, copper, bronze, brass, Rubber articles, different plastics

10.6 Hazardous decomposition products Hazardous combustion products: see section 5. Peroxides.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if swallowed. Harmful if inhaled.

Acute toxicityExposure routeEndpointValue

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	1.430 ^{mg} / _{kg}	rat		ECHA
dermal	LD50	>2.000 ^{mg} / _{kg}	rabbit		ECHA
inhalation: dust/ mist	LC50	1 – 5 ^{mg} / _l /4h	rat		ECHA

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

May damage the unborn child. Suspected of damaging fertility.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Benzaldehyde ≥99,5 %, for synthesis

article number: 4372

If swallowed

vomiting, nausea

• If in eyes

Causes serious eye irritation

If inhaled

Irritation to respiratory tract, cough, Dyspnoea

If on skin

causes skin irritation

Other information

Other adverse effects: Liver and kidney damage, Headache, Vertigo, Dyspnoea, Spasms, Dizziness, Unconsciousness

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	1,07 ^{mg} / _l	fish	ECHA	96 h
EC50	19,7 ^{mg} / _l	aquatic invertebrates	ECHA	48 h
ErC50	33,1 ^{mg} / _l	algae	ECHA	72 h

12.2 Persistence and degradability

Theoretical Oxygen Demand: 2,412 ^{mg}/_{mg} Theoretical Carbon Dioxide: 2,903 ^{mg}/_{mg}

Biodegradation

The substance is readily biodegradable.

Process of degradability		
Process	Degradation rate	Time
biotic/abiotic	95 %	28 d
DOC removal	100 %	19 d
oxygen depletion	>60 %	28 d
carbon dioxide generation	95 %	28 d

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Benzaldehyde ≥99,5 %, for synthesis

article number: 4372

n-octanol/water (log KOW)	1,4 (25 °C) (ECHA)
---------------------------	--------------------

12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6** Endocrine disrupting properties Does not contain an endocrine disruptor (ED) at a concentration of \ge 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- **HP 4** irritant skin irritation and eye damage
- HP 5 specific target organ toxicity (STOT)/aspiration toxicity
- **HP6** acute toxicity
- **HP 10** toxic for reproduction **HP 14** ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Benzaldehyde ≥99,5 %, for synthesis

article number: 4372

SEC	SECTION 14: Transport information		
14.1	UN number or ID number		
	ADRRID	UN 1990	
	IMDG-Code	UN 1990	
	ICAO-TI	UN 1990	
14.2	UN proper shipping name		
	ADRRID	BENZALDEHYDE	
	IMDG-Code	BENZALDEHYDE	
	ICAO-TI	Benzaldehyde	
14.3	Transport hazard class(es)		
	ADRRID	9	
	IMDG-Code	9	
	ICAO-TI	9	
14.4	Packing group		
	ADRRID	III	
	IMDG-Code	III	
	ICAO-TI	III	
14.5	Environmental hazards	hazardous to the aquatic environment	

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name	BENZALDEHYDE
Particulars in the transport document	UN1990, BENZALDEHYDE, 9, III, (E), environment- ally hazardous
Classification code	M11
Danger label(s)	9, "Fish and tree"
Environmental hazards	Yes (hazardous to the aquatic environment)
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	
Transport category (TC)	3

Safety data sheet according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Tunnel restriction code (TRC)	E
Hazard identification No	90
Regulations concerning the International (Carriage of Dangerous Goods by Rail (RID)Addition
Classification code	M11
Danger label(s)	9, "Fish and tree"
Environmental hazards	Yes Hazardous to water
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Hazard identification No	90
International Maritime Dangerous Goods (Code (IMDG) - Additional information
Proper shipping name	BENZALDEHYDE
Particulars in the shipper's declaration	UN1990, BENZALDEHYDE, 9, III, MARINE POLI ANT
Marine pollutant	Yes (hazardous to the aquatic environment)
Danger label(s)	9, "Fish and tree"
Special provisions (SP)	-
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-A
Stowage category	A
International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information
Proper shipping name	Benzaldehyde
Particulars in the shipper's declaration	UN1990, Benzaldehyde, 9, III
Environmental hazards	Yes (hazardous to the aquatic environment)
Danger label(s)	9
Excepted quantities (EQ)	E1

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Benzaldehyde ≥99,5 %, for synthesis

article number: 4372

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII) Name of substance Name acc. to inventory CAS No Restriction No Benzaldehyde >=99,5 %, for synthesis this product meets the criteria for R3 3 classification in accordance with Regulation No 1272/2008/EC Benzaldehyde >=99,5 %, for synthesis toxic for reproduction R28-30 30 Benzaldehyde >=99,5 %, for synthesis substances in tattoo inks and perman-75 R75 ent make-up

Legend

R3

R28-30 1. Shall not be placed on the market, or used,

- as substances - as constituents of other substances, or,

in mixtures.

for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:

either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,
 the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC) No 1272/2008.
 Without prejudice to the implementation of other Community provisions relating to the classification, packaging and

labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows: 'Restricted to professional users'.

2. By way of derogation, paragraph 1 shall not apply to:
 (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;
 (b) cosmetic products as defined by Directive 76/768/EEC;

 c) the following fuels and oil products:
 - motor fuels which are covered by Directive 98/70/EC. - mineral oil products intended for use as fuel in mobile or fixed combustion plants,

fuels sold in closed systems (e.g. liquid gas bottles);
(d) artists' paints covered by Regulation (EC) No 1272/2008;
(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date;
(f) devices covered by Regulation (EU) 2017/745.

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

tricks and iokes.

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
Articles not complying with paragraph 1 shall not be placed on the market.
Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both. if they


can be used as fuel in decorative oil lamps for supply to the general public, and present an aspiration hazard and are labelled with H304.

4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN)

5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU





R75



tattooing purposes.



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Benzaldehyde ≥99,5 %, for synthesis

article number: 4372

Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

not listed

Seveso Directive

2012/18/EU (Seveso III)				
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes	
E2	environmental hazards (hazardous to the aquatic en- vironment, cat. 2)	200 500	57)	

Notation

57) Hazardous to the Aquatic Environment in category Chronic 2

Deco-Paint Directive

VOC content	100 %
VOC content	1.050 ^g / _l

Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	1.050 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Benzaldehyde >=99,5 %, for syn- thesis	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

Legend a)

Indicative list of the main pollutants

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Benzaldehyde ≥99,5 %, for synthesis

article number: 4372

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

SCL-ENCS)
uced or Imported in China
·
Substances (PICCS)
ι

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Benzaldehyde ≥99,5 %, for synthesis

article number: 4372

15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.2	Signal word: Warning	Signal word: Danger	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Warning	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.5	Environmental hazards: not assigned	Environmental hazards: hazardous to the aquatic environment	yes
14.8	Particulars in the transport document: UN1990, BENZALDEHYDE, 9, III, (E)	Particulars in the transport document: UN1990, BENZALDEHYDE, 9, III, (E), environ- mentally hazardous	yes
14.8	Danger label(s): 9	Danger label(s): 9, "Fish and tree"	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Environmental hazards: yes (hazardous to the aquatic environment)	yes
14.8	Danger label(s): 9	Danger label(s): 9, "Fish and tree"	yes

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Benzaldehyde ≥99,5 %, for synthesis

article number: 4372



Section	Former entry (text/value) Actual entry (text/value)		Safety- relev- ant
14.8		Danger label(s): change in the listing (table)	yes
14.8		Environmental hazards: Yes Hazardous to water	yes
14.8	Particulars in the shipper's declaration: UN1990, BENZALDEHYDE, 9, III	Particulars in the shipper's declaration: UN1990, BENZALDEHYDE, 9, III, MARINE POL- LUTANT	yes
14.8	Marine pollutant:	Marine pollutant: yes (hazardous to the aquatic environment)	yes
14.8	Danger label(s): 9	Danger label(s): 9, "Fish and tree"	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Environmental hazards: yes (hazardous to the aquatic environment)	yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1		2012/18/EU (Seveso III): change in the listing (table)	yes
15.1	VOC content: 100 % 1.050 ^g / _l	VOC content: 100 %	yes
15.1		VOC content: 1.050 ^g / _l	yes
15.1	Water Framework Directive (WFD): not listed	Water Framework Directive (WFD)	yes
15.1		List of pollutants (WFD): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes
15.2	Chemical Safety Assessment: No Chemical Safety Assessment has been car- ried out for this substance.	Chemical safety assessment: According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Benzaldehyde ≥99,5 %, for synthesis

article number: 4372

Abbr.	Descriptions of used abbreviations
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
SVHC	Substance of Very High Concern
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Benzaldehyde ≥99,5 %, for synthesis

article number: 4372

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H411	Toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.