acc. to Regulation (EC) No. 1907/2006 (REACH)

#### 1,2-Dichlorobenzene ≥98 %, for synthesis

article number: **4374** Version: **4.0 en** Replaces version of: 2021-05-04 Version: (3)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

<b>1,2-Dichlorobenzene</b> ≥98 %, for synthesis
4374
602-034-00-7
202-425-9
95-50-1

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

#### **1.3** Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

#### e-mail (competent person):

#### sicherheit@carlroth.de

Laboratory chemical

Laboratory and analytical use

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

**Classification acc. to GHS** 



date of compilation: 2018-01-11 Revision: 2024-03-03

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### 1,2-Dichlorobenzene ≥98 %, for synthesis



#### article number: 4374

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.2	Skin corrosion/irritation		Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.8R	Specific target organ toxicity - single exposure (respirat- ory tract irritation)	3	STOT SE 3	H335
4.1A	Hazardous to the aquatic environment - acute hazard		Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16

#### The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

#### Labelling

Signal word Warning

#### **Pictograms**

GHS07, GHS09



#### **Hazard statements**

H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H410	Very toxic to aquatic life with long lasting effects.
H410	Very toxic to aquatic life with long lasting effects

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P273	Avoid release to the environment
P280	Wear protective clothing/eye protection/face protection

#### **Precautionary statements - response**

P302+P352	IF ON SKIN: Wash with plenty of soap and water
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing
P312	Call a POISON CENTRE/doctor if you feel unwell

#### 2.3 Other hazards

This material is combustible, but will not ignite readily.

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### 1,2-Dichlorobenzene ≥98 %, for synthesis



article number: 4374

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance	1,2-Dichlorobenzene
Molecular formula	$C_6H_4Cl_2$
Molar mass	147 <sup>g</sup> / <sub>mol</sub>
CAS No	95-50-1
EC No	202-425-9
Index No (GB CLP)	602-034-00-7

Substance, Specific Conc. Limits, M-factors, ATE						
Specific Conc. Limits	M-Factors	ATE	Exposure route			
-	-	500 <sup>mg</sup> / <sub>kg</sub>	oral			

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

#### **Following ingestion**

Rinse mouth with water (only if the person is conscious). Call a doctor. Observe aspiration hazard if vomiting occurs.

#### 4.2 Most important symptoms and effects, both acute and delayed

Vomiting, Irritation, Headache, Vertigo, Cough, Dyspnoea

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### 1,2-Dichlorobenzene ≥98 %, for synthesis



article number: **4374** 

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

#### Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Hydrogen chloride (HCl)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### 1,2-Dichlorobenzene ≥98 %, for synthesis



article number: 4374

### **SECTION 7: Handling and storage**

**Precautions for safe handling** 7.1

Provision of sufficient ventilation. Use extractor hood (laboratory).

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

#### Measures to protect the environment

Avoid release to the environment.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### **Consideration of other advice:**

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 **Control parameters**

#### National limit values

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	1,2-dichlorobenzene	95-50-1	IOELV	20	122	50	306			Н	2000/39/ EC
GB	1,2-dichlorobenzene (o-dichlorobenzene)	95-50-1	WEL	25	153	50	306				EH40/ 2005

Notation

Ceiling value is a limit value above which exposure should not occur Ceiling-C

- H STEL
- Absorbed through the skin Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

TWA

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### 1,2-Dichlorobenzene ≥98 %, for synthesis



#### article number: 4374

Human health values								
Relevant DNELs and other threshold levels								
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time				
DNEL	4,2 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects				
DNEL	21 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects				
DNEL	1,2 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects				
DNEL	6 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects				

#### **Environmental values**

#### Relevant PNECs and other threshold levels

End- point	Threshold level	Organism	Environmental com- partment	Exposure time
PNEC	0,004 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
PNEC	0 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)
PNEC	4,7 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	0,177 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	0,018 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
PNEC	0,033 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.

**Skin protection** 



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### 1,2-Dichlorobenzene ≥98 %, for synthesis



article number: **4374** 

- type of material
- FKM (fluoro rubber)
- material thickness
- ≥0,4 mm
- breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65  $^{\circ}$ C, colour code: Brown).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	-
Colour	clear - colourless
Odour	stinging
Melting point/freezing point	-17,03 °C (ECHA)
Boiling point or initial boiling point and boiling range	180,5 °C at 1.013 hPa (ECHA)
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	103 g/m³ (LEL) - 735 g/m³ (UEL) / 1,7 vol% (LEL) - 12 vol% (UEL)
Flash point	66 °C (ECHA)
Auto-ignition temperature	640 °C (ECHA)
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Dynamic viscosity	1,324 mPa s at 25 °C
Solubility(ies)	
Water solubility	155,8 <sup>mg</sup> / <sub>l</sub> at 25 °C (ECHA)

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### 1,2-Dichlorobenzene ≥98 %, for synthesis

article number: 4374



Partition coefficient	
Partition coefficient n-octanol/water (log value):	3,433 (25 °C) (ECHA)
Soil organic carbon/water (log KOC)	2,647 (ECHA)
Vapour pressure	1,33 hPa at 20 °C
Density and/or relative density	
Density	1,306 <sup>g</sup> / <sub>cm³</sub> at 20 °C (ECHA)
Relative vapour density	5,08 (air = 1)
Particle characteristics	not relevant (liquid)
Other safety parameters	
Oxidising properties	none
Other information	
Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics:	
Gas group (explosion group)	IIA Maximum Experimental Safe Gap value; MESG > 0,9 mm
Maximum explosion pressure	6,9 bar
Surface tension	36,61 <sup>mN</sup> / <sub>m</sub> (ECHA)

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

9.2

This material is not reactive under normal ambient conditions.

#### If heated

Vapours may form explosive mixtures with air.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Alkali metals, Alkaline earth metal, Nitric acid, Sulphuric acid

#### 10.4 Conditions to avoid

Keep away from heat.

#### 10.5 Incompatible materials

different plastics, Rubber articles, Light metals, aluminium, zinc

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### 1,2-Dichlorobenzene ≥98 %, for synthesis



article number: 4374

#### **10.6** Hazardous decomposition products

Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Classification acc. to GHS**

#### Acute toxicity

Harmful if swallowed.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA
dermal	LD50	10.000 <sup>mg</sup> / <sub>kg</sub>	rabbit		TOXNET

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

May cause respiratory irritation.

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

vomiting, presenting an aspiration hazard

#### • If in eyes

Causes serious eye irritation

#### • If inhaled

vertigo, headache, Irritation to respiratory tract, cough, Dyspnoea

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### 1,2-Dichlorobenzene ≥98 %, for synthesis



#### article number: 4374

#### • If on skin

causes skin irritation

#### Other information

Other adverse effects: Liver and kidney damage

#### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

#### 11.3 Information on other hazards

There is no additional information.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Endpoint	Value	Species	Source	Exposure time
LC50	1,58 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h
EC50	0,66 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h
ErC50	2,2 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	96 h

#### Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
EC50	0,55 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	14 d
EC50	10 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	3 h

#### 12.2 Persistence and degradability

Theoretical Oxygen Demand: 1,415 <sup>mg</sup>/<sub>mg</sub> Theoretical Carbon Dioxide: 1,796 <sup>mg</sup>/<sub>mg</sub>

#### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	3,433 (25 °C) (ECHA)
BCF	150 – 230 (ECHA)

#### 12.4 Mobility in soil

The Organic Carbon normalised adsorption coefficient	2,647 (ECHA)
	2,647 (ECHA)

#### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### 12.6 Endocrine disrupting properties

acc. to Regulation (EC) No. 1907/2006 (REACH)

# 1,2-Dichlorobenzene ≥98 %, for synthesis



#### article number: 4374

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

#### 12.7 Other adverse effects

Data are not available.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

- HP 4
- irritant skin irritation and eye damage specific target organ toxicity (STOT)/aspiration toxicity HP 5
- HP 6 acute toxicity
- HP 14 ecotoxic

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

	ADRRID	UN 1591
	IMDG-Code	UN 1591
	ICAO-TI	UN 1591
14.2	UN proper shipping name	
	ADRRID	o-DICHLOROBENZENE
	IMDG-Code	o-DICHLOROBENZENE
	ICAO-TI	o-Dichlorobenzene
14.3	Transport hazard class(es)	
	ADRRID	6.1
	IMDG-Code	6.1

acc. to Regulation (EC) No. 1907/2006 (REACH)

1	2-Dichlo	robenzene	≥98 %.	for s	vnthesis
/			,		,

1,2-D	ichlorobenzene ≥98 %, for synthesis	
article	e number: <b>4374</b>	
	ICAO-TI	6.1
14.4	Packing group	
	ADRRID	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	hazardous to the aquatic environment
14.6	Special precautions for user	
	Provisions for dangerous goods (ADR) should	d be complied within the premises.
14.7	Maritime transport in bulk according to IN	
	The cargo is not intended to be carried in bu	lk.
14.8	Information for each of the UN Model Reg	ulations
	Agreement concerning the International ( information	Carriage of Dangerous Goods by Road (ADR)Additional
	Proper shipping name	o-DICHLOROBENZENE
	Particulars in the transport document	UN1591, o-DICHLOROBENZENE, 6.1, III, (E), envir- onmentally hazardous
	Classification code	T1
	Danger label(s)	6.1, "Fish and tree"
	Environmental hazards	<b>yes</b> (hazardous to the aquatic environment)
	Special provisions (SP)	279, 802(ADN)
	Excepted quantities (EQ)	E1
	Limited quantities (LQ)	5 L
	Transport category (TC)	2
	Tunnel restriction code (TRC)	E
	Hazard identification No	60
	Emergency Action Code	2Z
	Regulations concerning the International information	Carriage of Dangerous Goods by Rail (RID)Additional
	Classification code	T1
	Danger label(s)	6.1, "Fish and tree"
	Environmental hazards	Yes Hazardous to water
	Special provisions (SP)	279, 802(ADN)

E1

**Excepted quantities (EQ)** 

acc. to Regulation (EC) No. 1907/2006 (REACH)

R

1,2-Dichlorobenzene	≥98 %, for s	ynthesis
•		

Limited quantities (LQ)	5 L
Transport category (TC)	2
Hazard identification No	60
International Maritime Dangerous Goods (	Code (IMDG) - Additional information
Proper shipping name	o-DICHLOROBENZENE
Particulars in the shipper's declaration	UN1591, o-DICHLOROBENZENE, 6.1, III, MARINI POLLUTANT
Marine pollutant	<b>Yes</b> (hazardous to the aquatic environment)
Danger label(s)	6.1, "Fish and tree"
Special provisions (SP)	279
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-A
Stowage category	A
Segregation group	10 - Liquid halogenated hydrocarbons
International Civil Aviation Organization (	ICAO-IATA/DGR) - Additional information
Proper shipping name	o-Dichlorobenzene
Particulars in the shipper's declaration	UN1591, o-Dichlorobenzene, 6.1, III
Environmental hazards	<b>yes</b> (hazardous to the aquatic environment)
Danger label(s)	6.1
Special provisions (SP)	A113
Excepted quantities (EQ)	E1
Limited quantities (LQ)	2 L

## **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso	Seveso Directive				
2012/	2012/18/EU (Seveso III)				
Νο	Dangerous substance/hazard categories	Qualifying quantity ( plication of lower a quirem		Notes	
E1	environmental hazards (hazardous to the aquatic en- vironment, cat. 1)	100	200	56)	

acc. to Regulation (EC) No. 1907/2006 (REACH)

### 1,2-Dichlorobenzene ≥98 %, for synthesis



#### article number: 4374

#### Notation

56) Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

#### **Deco-Paint Directive**

VOC content	100 %
VOC content	1.306 <sup>g</sup> / <sub>l</sub>

#### Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	1.306 <sup>g</sup> / <sub>l</sub>

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

#### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
1,2-Dichlorobenzene	Organohalogen compounds and substances which may form such compounds in the aquatic envir- onment		a)	

Legend

a) Indicative list of the main pollutants

### Regulation on the marketing and use of explosives precursors

not listed

#### **Regulation on drug precursors**

not listed

#### Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

#### **Regulation on persistent organic pollutants (POP)**

not listed

#### National regulations(GB)

# List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### 1,2-Dichlorobenzene ≥98 %, for synthesis



#### article number: 4374

estrictions according to GB REACH, Annex 17			
Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
1,2-Dichlorobenzene	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

#### Legend

Australian Inventory of Industrial Chemicals List of Existing and New Chemical Substances (CSCL-ENCS) Domestic Substances List (DSL) EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances AIIC CSCL-ENCS DSL ECSI IECSC INSQ KECI Korea Existing Chemicals Inventory NCI National Chemical Inventory NZIOC New Zealand Inventory of Chemicals PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS) REACH Reg. REACH registered substances TCSI Taiwan Chemical Substance Inventory SECA Toxic Substance Control Act TSCA Toxic Substance Control Act

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### 1,2-Dichlorobenzene ≥98 %, for synthesis



article number: **4374** 

### **SECTION 16: Other information**

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety relev- ant
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Warning		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information	yes
14.8		Classification code: T1	yes
14.8		Danger label(s): 6.1, "Fish and tree"	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Environmental hazards: Yes Hazardous to water	yes
14.8		Special provisions (SP): 279, 802(ADN)	yes
14.8		Excepted quantities (EQ): E1	yes
14.8		Limited quantities (LQ): 5 L	yes
14.8		Transport category (TC): 2	yes
14.8		Hazard identification No: 60	yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: Not listed.		yes
15.1	VOC content: 100 % 1.306 <sup>g</sup> /l	VOC content: 100 %	yes
15.1		VOC content: 1.306 <sup>g</sup> / <sub>l</sub>	yes

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### 1,2-Dichlorobenzene ≥98 %, for synthesis



#### article number: 4374

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: not listed	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restric- tions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	yes
15.1		National inventories: change in the listing (table)	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)	
ED	Endocrine disruptor	
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)	
GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)		

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### 1,2-Dichlorobenzene ≥98 %, for synthesis



#### article number: **4374**

Abbr.	Descriptions of used abbreviations	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions	
ΙΑΤΑ	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
IOELV	Indicative occupational exposure limit value	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
LEL	Lower explosion limit (LEL)	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
ppm	Parts per million	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)	
STEL	Short-term exposure limit	
TWA	Time-weighted average	
UEL	Upper explosion limit (UEL)	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and very Bioaccumulative	
WEL	Workplace exposure limit	

#### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

acc. to Regulation (EC) No. 1907/2006 (REACH)

### 1,2-Dichlorobenzene ≥98 %, for synthesis



#### article number: **4374**

Code	Text
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.