

Revision: 2024-03-03

date of compilation: 2018-01-11

### 1,2-Dichlorobenzene ≥98 %, for synthesis

article number: **4374** Version: **4.0 en** Replaces version of: 2021-05-04 Version: (3)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Registration number (REACH)

**1,2-Dichlorobenzene** ≥98 %, for synthesis

4374

602-034-00-7

202-425-9

95-50-1

It is not required to list the identified uses because the substance is not subject to registration according to REACH (< 1 t/a).

Index number in CLP Annex VI

EC number

CAS number

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Laboratory chemical Laboratory and analytical use

Uses advised against:

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

### **1.3** Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

### e-mail (competent person):

### sicherheit@carlroth.de

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	+353 1 809 2166	https:// www.poisons.ie/

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### 1,2-Dichlorobenzene ≥98 %, for synthesis

article number: 4374

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.8R	Specific target organ toxicity - single exposure (respirat- ory tract irritation)	3	STOT SE 3	H335
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16

### The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

### 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Warning

### **Pictograms**

GHS07, GHS09



### **Hazard statements**

H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H410	Very toxic to aquatic life with long lasting effects

### **Precautionary statements**

#### **Precautionary statements - prevention**

P273	Avoid release to the environment
P280	Wear protective clothing/eye protection/face protection

### **Precautionary statements - response**

P302+P352	IF ON SKIN: Wash with plenty of soap and water
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing
P312	Call a POISON CENTRE/doctor if you feel unwell

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

### 1,2-Dichlorobenzene ≥98 %, for synthesis



article number: 4374

Labelling of packages where the contents do not exceed 125 ml Signal word: Warning

Symbol(s)



May cause respiratory irritation.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE/doctor if you feel unwell.

#### 2.3 **Other hazards**

H335

P312

This material is combustible, but will not ignite readily.

### **Results of PBT and vPvB assessment**

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### SECTION 3: Composition/information on ingredients

3.1 Substances	3.1	Sub	stan	ces
----------------	-----	-----	------	-----

Name of substance	1,2-Dichlorobenzene
Molecular formula	$C_6H_4Cl_2$
Molar mass	147 <sup>g</sup> / <sub>mol</sub>
CAS No	95-50-1
EC No	202-425-9
Index No	602-034-00-7

Substance, Specific Conc. Limits, M-factors, ATE								
Specific Conc. Limits	M-Factors	ATE	Exposure route					
-	-	500 <sup>mg</sup> / <sub>kg</sub>	oral					

### **SECTION 4: First aid measures**

#### 4.1 **Description of first aid measures**



### **General notes**

Take off contaminated clothing.

### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

### Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

# ® Roth

### 1,2-Dichlorobenzene ≥98 %, for synthesis

### article number: 4374

### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

#### **Following ingestion**

Rinse mouth with water (only if the person is conscious). Call a doctor. Observe aspiration hazard if vomiting occurs.

### **4.2 Most important symptoms and effects, both acute and delayed** Vomiting, Irritation, Headache, Vertigo, Cough, Dyspnoea

Indication of any immediate medical attention and special treatment needed

### none

4.3

### SECTION 5: Firefighting measures

### 5.1 Extinguishing media



### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

### Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Hydrogen chloride (HCl)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures



### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### 1,2-Dichlorobenzene ≥98 %, for synthesis

article number: 4374

### 6.3 Methods and material for containment and cleaning up

### Advice on how to contain a spill

Covering of drains.

### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Provision of sufficient ventilation. Use extractor hood (laboratory).

### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

#### Measures to protect the environment

Avoid release to the environment.

### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

### Incompatible substances or mixtures

Observe hints for combined storage.

### Consideration of other advice:

### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

**7.3** Specific end use(s) No information available.

### **SECTION 8: Exposure controls/personal protection**

8.1 Control parameters National limit values

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### 1,2-Dichlorobenzene ≥98 %, for synthesis

article number: 4374

### **Occupational exposure limit values (Workplace Exposure Limits)**

_	-	-			-	-						
	Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
	EU	1,2-dichlorobenzene	95-50-1	IOELV	20	122	50	306			Н	2000/39/ EC
	IE	1,2-dichlorobenzene	95-50-1	OELV	20	122	50	306			Н	S.I. No. 619 of 2001

#### Notation

 Ceiling-C
 Ceiling value is a limit value above which exposure should not occur
 H
 Absorbed through the skin
 STEL
 Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)
 TWA
 Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

### Human health values

### **Relevant DNELs and other threshold levels**

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	4,2 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	21 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
DNEL	1,2 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects
DNEL	6 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects

### **Environmental values**

Relevant	Relevant PNECs and other threshold levels									
End- point	Threshold level	Organism	Environmental com- partment	Exposure time						
PNEC	0,004 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)						
PNEC	0 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)						
PNEC	4,7 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)						
PNEC	0,177 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)						
PNEC	0,018 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)						
PNEC	0,033 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)						

### 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

### 1,2-Dichlorobenzene ≥98 %, for synthesis

article number: 4374

#### **Eye/face protection**



Use safety goggle with side protection.

### **Skin protection**



### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

FKM (fluoro rubber)

#### material thickness

≥0,4 mm

### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

### **Environmental exposure controls**

Keep away from drains, surface and ground water.



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### 1,2-Dichlorobenzene ≥98 %, for synthesis

article number: **4374** 

## **SECTION 9: Physical and chemical properties**

9.1	Information on basic physical and chemical properties			
	Physical state	liquid		
	Form	-		
	Colour	clear - colourless		
	Odour	stinging		
	Melting point/freezing point	-17,03 °C (ECHA)		
	Boiling point or initial boiling point and boiling range	180,5 °C at 1.013 hPa (ECHA)		
	Flammability	this material is combustible, but will not ignite readily		
	Lower and upper explosion limit	103 g/m³ (LEL) - 735 g/m³ (UEL) / 1,7 vol% (LEL) - 12 vol% (UEL)		
	Flash point	66 °C (ECHA)		
	Auto-ignition temperature	640 °C (ECHA)		
	Decomposition temperature	not relevant		
	pH (value)	not determined		
	Kinematic viscosity	not determined		
	Dynamic viscosity	1,324 mPa s at 25 °C		
	Solubility(ies)			
	Water solubility	155,8 <sup>mg</sup> / <sub>l</sub> at 25 °C (ECHA)		
	Partition coefficient			
	Partition coefficient n-octanol/water (log value):	3,433 (25 °C) (ECHA)		
	Soil organic carbon/water (log KOC)	2,647 (ECHA)		
	Vapour pressure	1,33 hPa at 20 °C		
	Density and/or relative density			
	Density	1,306 <sup>g</sup> / <sub>cm³</sub> at 20 °C (ECHA)		
	Relative vapour density	5,08 (air = 1)		
	Particle characteristics	not relevant (liquid)		
	Other safety parameters			
	Oxidising properties	none		

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### 1,2-Dichlorobenzene ≥98 %, for synthesis

article number: 4374

9.2	Other information	
	Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
	Other safety characteristics:	
	Gas group (explosion group)	IIA Maximum Experimental Safe Gap value; MESG > 0,9 mm
	Maximum explosion pressure	6,9 bar
	Surface tension	36,61 <sup>mN</sup> / <sub>m</sub> (ECHA)
	Temperature class (EU, acc. to ATEX)	T1 Maximum permissible surface temperature on the equipment: 450°C

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

### If heated

Vapours may form explosive mixtures with air.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Alkali metals, Alkaline earth metal, Nitric acid, Sulphuric acid

### 10.4 Conditions to avoid

Keep away from heat.

# **10.5 Incompatible materials** different plastics, Rubber articles, Light metals, aluminium, zinc

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

### Acute toxicity

Harmful if swallowed.

Acute toxicity						
Exposure route	Endpoint	Value	Species	Method	Source	
oral	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA	
dermal	LD50	10.000 <sup>mg</sup> / <sub>kg</sub>	rabbit		TOXNET	

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### 1,2-Dichlorobenzene ≥98 %, for synthesis

#### article number: 4374

### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

May cause respiratory irritation.

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

### • If swallowed

vomiting, presenting an aspiration hazard

### • If in eyes

Causes serious eye irritation

### • If inhaled

vertigo, headache, Irritation to respiratory tract, cough, Dyspnoea

### • If on skin

causes skin irritation

### • Other information

Other adverse effects: Liver and kidney damage

### **11.2** Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### **11.3** Information on other hazards

There is no additional information.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### 1,2-Dichlorobenzene ≥98 %, for synthesis

article number: 4374

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

### Aquatic toxicity (acute)

Endpoint	Value Species		Source	Exposure time
LC50	1,58 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h
EC50	0,66 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h
ErC50	2,2 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	96 h

### Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
EC50	0,55 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	14 d
EC50	10 <sup>mg</sup> /l	algae	ECHA	3 h

### 12.2 Persistence and degradability

Theoretical Oxygen Demand: 1,415 <sup>mg</sup>/<sub>mg</sub> Theoretical Carbon Dioxide: 1,796 <sup>mg</sup>/<sub>mg</sub>

### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	3,433 (25 °C) (ECHA)
BCF	150 – 230 (ECHA)

### 12.4 Mobility in soil

The Organic Carbon normalised adsorption coefficient	2,647 (ECHA)
--	--------------

### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\ge 0,1\%$ .

### **12.7** Other adverse effects

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

### 1,2-Dichlorobenzene ≥98 %, for synthesis



article number: **4374** 

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

- **HP 4** irritant skin irritation and eye damage
- HP 5 specific target organ toxicity (STOT)/aspiration toxicity
- HP 6 acute toxicity
- HP 14 ecotoxic

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

	ADRRID	UN 1591
	IMDG-Code	UN 1591
	ICAO-TI	UN 1591
2	UN proper shipping name	
	ADRRID	o-DICHLOROBENZENE
	IMDG-Code	o-DICHLOROBENZENE
	ICAO-TI	o-Dichlorobenzene
3	Transport hazard class(es)	
	ADRRID	6.1
	IMDG-Code	6.1
	ICAO-TI	6.1
ŀ	Packing group	
	ADRRID	III

14.2

14.3

14.4

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### 1,2-Dichlorobenzene ≥98 %, for synthesis

### article number: **4374**

in creit		
	IMDG-Code	III
	ICAO-TI	III
4.5	Environmental hazards	hazardous to the aquatic environment
4.6	Special precautions for user	
	Provisions for dangerous goods (ADR) should be	e complied within the premises.
4.7	Maritime transport in bulk according to IMO	instruments
	The cargo is not intended to be carried in bulk.	
4.8	Information for each of the UN Model Regula	ations
	Agreement concerning the International Car information	riage of Dangerous Goods by Road (ADR)Addition
	Proper shipping name	o-DICHLOROBENZENE
	Particulars in the transport document	UN1591, o-DICHLOROBENZENE, 6.1, III, (E), envi onmentally hazardous
	Classification code	T1
	Danger label(s)	6.1, "Fish and tree"
	Environmental hazards	<b>Yes</b> (hazardous to the aquatic environment)
	Special provisions (SP)	279, 802(ADN)
	Excepted quantities (EQ)	E1
	Limited quantities (LQ)	5 L
	Transport category (TC)	2
	Tunnel restriction code (TRC)	E
	Hazard identification No	60
	Regulations concerning the International Ca information	rriage of Dangerous Goods by Rail (RID)Additiona
	Classification code	T1
	Danger label(s)	6.1, "Fish and tree"
	Environmental hazards	Yes Hazardous to water
	Special provisions (SP)	279, 802(ADN)
	Excepted quantities (EQ)	E1
	Limited quantities (LQ)	5 L
	Transport category (TC)	2
	Hazard identification No	60

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### 1,2-Dichlorobenzene ≥98 %, for synthesis

article number: 4374

International Maritime Dangerous Goods Code (IMDG) - Additional information			
o-DICHLOROBENZENE			
UN1591, o-DICHLOROBENZENE, 6.1, III, MARINE POLLUTANT			
<b>Yes</b> (hazardous to the aquatic environment)			
6.1, "Fish and tree"			
279			
E1			
5 L			
F-A, S-A			
A			
10 - Liquid halogenated hydrocarbons			
IATA/DGR) - Additional information			
o-Dichlorobenzene			
UN1591, o-Dichlorobenzene, 6.1, III			
<b>Yes</b> (hazardous to the aquatic environment)			
6.1			
A113			
E1			
2 L			

### **SECTION 15: Regulatory information**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 **Relevant provisions of the European Union (EU)**

### **Restrictions according to REACH, Annex XVII**

Dangerous substances with restrictions (REACH, Annex XVII)					
Name of substance	Name acc. to inventory	CAS No	Restriction	No	
1,2-Dichlorobenzene	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3	
1,2-Dichlorobenzene	substances in tattoo inks and perman- ent make-up		R75	75	

Legend R3

1. Shall not be used in:
 ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
 tricks and jokes,

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

### 1,2-Dichlorobenzene ≥98 %, for synthesis

#### article number: 4374

#### Legend

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
  Articles not complying with paragraph 1 shall not be placed on the market.
  Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume,
- or both, if they

a can be used as fuel in decorative oil lamps for supply to the general public, and
present an aspiration hazard and are labelled with H304.
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and pack-aging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black on a containers not exceeding 1 litre by 1 December 2010; opaque containers not exceeding 1 litre by 1 December 2010.';





### article number: 4374

Legend	
R75	1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such sub-
	stances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or
	are present in the following circumstances: (a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category
	1Å, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration
	equal to or greater than 0,00005 % by weight; (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant
	category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by
	weight; (c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser cat-
	egory 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by
	weight; (d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive cat-
	egory 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the
	substance is present in the mixture in a concentration equal to or greater than: (i) 0,1 % by weight, if the substance is used solely as a pH regulator;
	(ii) 0,01 % by weight, in all other cases;
	(e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
	(f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g
	(Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:
	(i) "Rinse-off products";
	(ii) "Not to be used in products applied on mucous membranes"; (iii) "Not to be used in eye products";
	(g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use
	preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;
	(h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concen-
	tration equal to or greater than the concentration limit specified for that substance in that Appendix. 2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mix-
	ture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures com-
	monly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.
	3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest
	concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of
	paragraph 1 shall apply to that substance.
	4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023: (a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
	(b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).
	5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a sub- stance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such
	that it then falls within a different one of those points from the one within which it fell previously, and the date of ap-
	plication of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, para- graph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as
	taking effect on the date of application of that new or revised classification.
	6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or
	such that it then falls within a different one of those points from the one within which it fell previously, and the
	amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the
	date falling 18 months after entry into force of the act by which that amendment was made.
	7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:
	(a) the statement "Mixture for use in tattoos or permanent make-up";
	(b) a reference number to uniquely identify the batch; (c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient
	names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall
	be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means
	any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Im- purities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of
	this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredi-
	ent does not need to be marked in accordance with this Regulation.
	(d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1; (e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentra-
	tion limit specified in Appendix 13; (f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below
	the concentration limit specified in Appendix 13;
	(g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.
	The information shall be clearly visible, easily legible and marked in a way that is indelible.
	The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.
	Where necessary because of the size of the package, the information listed in the first subparagraph, except for point
	(a), shall be included instead in the instructions for use.
	Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this para-
	graph. 8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.



### 1,2-Dichlorobenzene ≥98 %, for synthesis

### article number: **4374**

#### Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

### **Seveso Directive**

2012/18/EU (Seveso III)						
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes			
E1	environmental hazards (hazardous to the aquatic en- vironment, cat. 1)	100 200	56)			

#### Notation

56) Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

#### **Deco-Paint Directive**

VOC content	100 %
VOC content	1.306 <sup>g</sup> / <sub>l</sub>

#### Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	1.306 <sup>g</sup> / <sub>l</sub>

## Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

#### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
1,2-Dichlorobenzene	Organohalogen compounds and substances which may form such compounds in the aquatic envir- onment		a)	

Legend

a) Indicative list of the main pollutants

**Regulation on the marketing and use of explosives precursors** not listed



### 1,2-Dichlorobenzene ≥98 %, for synthesis

article number: 4374

#### **Regulation on drug precursors**

not listed

### Regulation on substances that deplete the ozone layer (ODS)

not listed

### Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

### **Regulation on persistent organic pollutants (POP)**

not listed

### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### National inventories

Country	Inventory	Status	
AU	AIIC	substance is listed	
CA	DSL	substance is listed	
CN	IECSC	substance is listed	
EU	ECSI	substance is listed	
EU	REACH Reg.	substance is listed	
JP	CSCL-ENCS	substance is listed	
KR	KECI	substance is listed	
MX	INSQ	substance is listed	
NZ	NZIoC	substance is listed	
PH	PICCS	substance is listed	
TW	TCSI	substance is listed	
US	TSCA	substance is listed (ACTIVE)	
VN	NCI	substance is listed	

#### Legend

Australian Inventory of Industrial Chemicals List of Existing and New Chemical Substances (CSCL-ENCS) AIIC CSCL-ENCS DSL ECSI Domestic Substances List (DSL) EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances Korea Existing Chemicals Inventory IECSC INSO KECI NCI Notional Chemical Inventory NCI National Chemical Inventory NZIOC New Zealand Inventory of Chemicals PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS) REACH Reg. REACH registered substances TCSI Taiwan Chemical Substance Inventory TSCA Toxic Substance Control Act

#### 15.2 **Chemical safety assessment**

No Chemical Safety Assessment has been carried out for this substance.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### 1,2-Dichlorobenzene ≥98 %, for synthesis

article number: **4374** 

### **SECTION 16: Other information**

### Indication of changes (revised safety data sheet)

Section Former entry (text/value)		Actual entry (text/value)		
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes	
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes	
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of $\geq$ 0,1%.		
14.8		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information		
14.8		Classification code: T1	yes	
14.8		Danger label(s): 6.1, "Fish and tree"	yes	
14.8		Danger label(s): yes change in the listing (table)		
14.8		Environmental hazards: Yes Hazardous to water	yes	
14.8		Special provisions (SP): 279, 802(ADN)	yes	
14.8		Excepted quantities (EQ): E1	yes	
14.8		Limited quantities (LQ): 5 L	yes	
14.8		Transport category (TC): 2	yes	
14.8		Hazard identification No: ye 60		
15.1	VOC content: 100 % 1.306 <sup>g</sup> / <sub>l</sub>	VOC content: ye 100 %		
15.1		VOC content: 1.306 <sup>g</sup> / <sub>l</sub>		
15.1		Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restric- tions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.		
15.1		National inventories: change in the listing (table)	yes	

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

# ® ROTH

### 1,2-Dichlorobenzene ≥98 %, for synthesis

### article number: 4374

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concer ing the International Carriage of Dangerous Goods by Road)	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances	
Ceiling-C	Ceiling value	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an iden fier of substances commercially available within the EU (European Union)	
ED	Endocrine disruptor	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
ErC50	EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na tions	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
IOELV	Indicative occupational exposure limit value	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
LEL	Lower explosion limit (LEL)	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



### 1,2-Dichlorobenzene ≥98 %, for synthesis

### article number: **4374**

Abbr.	Descriptions of used abbreviations	
PNEC	Predicted No-Effect Concentration	
ppm	Parts per million	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)	
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001	
STEL	Short-term exposure limit	
SVHC	Substance of Very High Concern	
TWA	Time-weighted average	
UEL	Upper explosion limit (UEL)	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and very Bioaccumulative	

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text	
H302	Harmful if swallowed.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.