

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Acetonitrile $\geq 99,5$ %, for synthesis

article number: **4380**
Version: **4.0 en**
Replaces version of: 2018-05-30
Version: (3)

date of compilation: 2015-10-20
Revision: 2020-09-03

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

| | |
|---------------------------------|--|
| Identification of the substance | Acetonitrile $\geq 99,5$ %, for synthesis |
| Article number | 4380 |
| Registration number (REACH) | 01-2119471307-38-xxxx |
| Index No | 608-001-00-3 |
| EC number | 200-835-2 |
| CAS number | 75-05-8 |

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: laboratory chemical
laboratory and analytical use

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone: +49 (0) 721 - 56 06 0
Telefax: +49 (0) 721 - 56 06 149
e-mail: sicherheit@carlroth.de
Website: www.carlroth.de

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

| Name | Street | Postal code/ city | Telephone | Website |
|---|-----------|----------------------|--------------|---------|
| National Poisons Information Service City Hospital | Dudley Rd | B187QH Birmingham | 844 892 0111 | |

Emergency information service **+49/(0)89 19240**

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Acetonitrile $\geq 99,5$ %, for synthesis

article number: 4380

| Classification acc. to GHS | | | |
|----------------------------|-----------------------------------|---------------------------|------------------|
| Section | Hazard class | Hazard class and category | Hazard statement |
| 2.6 | flammable liquid | (Flam. Liq. 2) | H225 |
| 3.1O | acute toxicity (oral) | (Acute Tox. 4) | H302 |
| 3.1D | acute toxicity (dermal) | (Acute Tox. 4) | H312 |
| 3.1I | acute toxicity (inhal.) | (Acute Tox. 4) | H332 |
| 3.3 | serious eye damage/eye irritation | (Eye Irrit. 2) | H319 |

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word

Danger

Pictograms

GHS02, GHS07



Hazard statements

H225 Highly flammable liquid and vapour
H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled
H319 Causes serious eye irritation

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280 Wear protective gloves/eye protection.

Precautionary statements - response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Precautionary statements - storage

P403+P235 Store in a well-ventilated place. Keep cool.

Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Acetonitrile $\geq 99,5\%$, for synthesis

article number: 4380

2.3 Other hazards

There is no additional information.

SECTION 3: Composition/information on ingredients

3.1 Substances

| | |
|-----------------------------|-----------------------|
| Name of substance | Acetonitrile |
| Index No | 608-001-00-3 |
| Registration number (REACH) | 01-2119471307-38-xxxx |
| EC number | 200-835-2 |
| CAS number | 75-05-8 |
| Molecular formula | C_2H_3N |
| Molar mass | 41,05 g/mol |

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

After eye contact: Irritant effects, Conjunctival redness of the eyes,
Following skin contact: Localised redness, oedema, pruritis and/or pain,
Following ingestion: Vomiting, Irritation, Headaches and dizziness may occur,
Following inhalation: Cough, pain, choking, and breathing difficulties

4.3 Indication of any immediate medical attention and special treatment needed

none

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Acetonitrile $\geq 99,5$ %, for synthesis

article number: 4380

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings
water spray, foam, dry extinguishing powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours can form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: nitrogen oxides (NO_x), carbon monoxide (CO), carbon dioxide (CO₂)

5.3 Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Explosive properties.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Acetonitrile $\geq 99,5\%$, for synthesis

article number: 4380

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

- Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

Ground/bond container and receiving equipment.

- Ventilation requirements

Use local and general ventilation.

- Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Country | Name of agent | CAS No | Notation | Identifier | TWA [ppm] | TWA [mg/m ³] | STEL [ppm] | STEL [mg/m ³] | Ceiling-C [ppm] | Ceiling-C [mg/m ³] | Source |
|---------|---------------|---------|----------|------------|-----------|--------------------------|------------|---------------------------|-----------------|--------------------------------|------------|
| EU | acetonitrile | 75-05-8 | | IOELV | 40 | 70 | | | | | 2006/15/EC |
| GB | acetonitrile | 75-05-8 | | WEL | 40 | 68 | 60 | 102 | | | EH40/2005 |

Notation

Ceiling-C
STEL

Ceiling value is a limit value above which exposure should not occur
Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Acetonitrile $\geq 99,5\%$, for synthesis

article number: 4380

Relevant DNELs/DMELs/PNECs and other threshold levels

• human health values

| Endpoint | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
|----------|----------------------|------------------------------------|-------------------|----------------------------|
| DNEL | 68 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| DNEL | 68 mg/m ³ | human, inhalatory | worker (industry) | acute - systemic effects |
| DNEL | 68 mg/m ³ | human, inhalatory | worker (industry) | chronic - local effects |
| DNEL | 68 mg/m ³ | human, inhalatory | worker (industry) | acute - local effects |
| DNEL | 32,2 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |

• environmental values

| Endpoint | Threshold level | Environmental compartment | Exposure time |
|----------|-----------------|------------------------------|------------------------------|
| PNEC | 10 mg/l | freshwater | short-term (single instance) |
| PNEC | 1 mg/l | marine water | short-term (single instance) |
| PNEC | 32 mg/l | sewage treatment plant (STP) | short-term (single instance) |
| PNEC | 7,53 mg/kg | freshwater sediment | short-term (single instance) |
| PNEC | 2,41 mg/kg | soil | short-term (single instance) |

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggles with side protection.

Skin protection



• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

Butyl caoutchouc (butyl rubber)

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Acetonitrile $\geq 99,5\%$, for synthesis

article number: 4380

- **material thickness**

0,5 mm

- **breakthrough times of the glove material**

>480 minutes (permeation: level 6)

- **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of $> 65\text{ }^{\circ}\text{C}$, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

| | |
|-----------------|---------------------------|
| Physical state | liquid (fluid) |
| Colour | colourless |
| Odour | characteristic mild sweet |
| Odour threshold | No data available |

Other physical and chemical parameters

| | |
|---|---|
| pH (value) | This information is not available. |
| Melting point/freezing point | $-45,7\text{ }^{\circ}\text{C}$ |
| Initial boiling point and boiling range | $81,6\text{ }^{\circ}\text{C}$ at 1.013 hPa |
| Flash point | $12,8\text{ }^{\circ}\text{C}$ |
| Evaporation rate | no data available |
| Flammability (solid, gas) | not relevant (fluid) |
| <u>Explosive limits</u> | |
| • lower explosion limit (LEL) | 4,4 vol% (50 g/m ³) |
| • upper explosion limit (UEL) | 16 vol% (274 g/m ³) |
| Explosion limits of dust clouds | not relevant |
| Vapour pressure | 94,51 hPa at $20\text{ }^{\circ}\text{C}$ |
| Density | 0,782 g/cm ³ at $20\text{ }^{\circ}\text{C}$ |
| Vapour density | 1,42 (air = 1) |
| Bulk density | Not applicable |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Acetonitrile ≥99,5 %, for synthesis

article number: **4380**

| | |
|--------------------------------------|--|
| Relative density | Information on this property is not available. |
| <u>Solubility(ies)</u> | |
| Water solubility | 1.000 g/l at 25 °C |
| <u>Partition coefficient</u> | |
| n-octanol/water (log KOW) | -0,34 |
| Soil organic carbon/water (log KOC) | 0,654 (ECHA) |
| Auto-ignition temperature | 524 °C - ECHA 524 °C |
| Decomposition temperature | no data available |
| Viscosity | |
| • kinematic viscosity | 0,4987 mm ² /s at 20 °C |
| • dynamic viscosity | 0,39 mPa s at 20 °C |
| Explosive properties | Shall not be classified as explosive |
| Oxidising properties | none |
| 9.2 Other information | |
| Refractive index | 1,344 |
| Temperature class (EU, acc. to ATEX) | T1 (Maximum permissible surface temperature on the equipment: 450°C) |

SECTION 10: Stability and reactivity

10.1 Reactivity

Risk of ignition. Vapours can form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Peroxides, Strong oxidiser, Strong acid

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Rubber articles

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Acetonitrile $\geq 99,5\%$, for synthesis

article number: 4380

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

| Exposure route | Endpoint | Value | Species | Source |
|----------------|----------|--------------|---------|--------|
| oral | LD50 | 469 mg/kg | mouse | ECHA |
| dermal | LD50 | >2.000 mg/kg | rabbit | ECHA |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

- **Specific target organ toxicity - single exposure**

Shall not be classified as a specific target organ toxicant (single exposure).

- **Specific target organ toxicity - repeated exposure**

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

- **If swallowed**

nausea, vomiting, dizziness

- **If in eyes**

slightly irritant but not relevant for classification

- **If inhaled**

cough, pain, choking, and breathing difficulties

- **If on skin**

Prolonged or repeated contact with skin or mucous membrane result in irritation symptoms such as redness, blistering, dermatitis, etc

Other information

None

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Acetonitrile $\geq 99,5$ %, for synthesis

article number: 4380

SECTION 12: Ecological information

12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

| Endpoint | Value | Species | Source | Exposure time |
|----------|------------|---------|--------|---------------|
| LC50 | 1.640 mg/l | fish | ECHA | 96 h |
| ErC50 | 9.696 mg/l | algae | ECHA | 72 h |

Aquatic toxicity (chronic)

| Endpoint | Value | Species | Source | Exposure time |
|----------|----------|---------|--------|---------------|
| NOEC | 102 mg/l | fish | ECHA | 21 d |

12.2 Process of degradability

Not readily biodegradable. Theoretical Oxygen Demand with nitrification: 2,923 mg/mg

Theoretical Oxygen Demand: 1,559 mg/mg

Theoretical Carbon Dioxide: 2,144 mg/mg

| Process | Degradation rate | Time |
|---------------------------|------------------|------|
| biotic/abiotic | 98 % | 28 d |
| carbon dioxide generation | 70 % | 21 d |

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW) -0,34

12.4 Mobility in soil

Henry's law constant 3,5 Pa m³/mol at 20 °C

The Organic Carbon normalised adsorption coefficient 0,654

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Acetonitrile $\geq 99,5$ %, for synthesis

article number: 4380

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.



13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

| | | |
|------|---|---|
| 14.1 | UN number | 1648 |
| 14.2 | UN proper shipping name | ACETONITRILE |
| | Hazardous ingredients | Acetonitrile |
| 14.3 | Transport hazard class(es) |  |
| | Class | 3 (flammable liquids) |
| 14.4 | Packing group | II (substance presenting medium danger) |
| 14.5 | Environmental hazards | NONE (non-environmentally hazardous acc. to the dangerous goods regulations) |
| 14.6 | Special precautions for user | |
| | | Provisions for dangerous goods (ADR) should be complied within the premises. |
| 14.7 | Transport in bulk according to Annex II of MARPOL and the IBC Code | |
| | | The cargo is not intended to be carried in bulk. |
| 14.8 | Information for each of the UN Model Regulations | |
| | • Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) | |
| | UN number | 1648 |
| | Proper shipping name | ACETONITRILE |
| | Particulars in the transport document | UN1648, ACETONITRILE, 3, II, (D/E) |
| | Class | 3 |
| | Classification code | F1 |
| | Packing group | II |
| | Danger label(s) | 3 |
| |  | |
| | Excepted quantities (EQ) | E2 |
| | Limited quantities (LQ) | 1 L |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Acetonitrile $\geq 99,5$ %, for synthesis

article number: **4380**

| | |
|---|--|
| Transport category (TC) | 2 |
| Tunnel restriction code (TRC) | D/E |
| Hazard identification No | 33 |
| Emergency Action Code | 2YE |
| • International Maritime Dangerous Goods Code (IMDG) | |
| UN number | 1648 |
| Proper shipping name | ACETONITRILE |
| Particulars in the shipper's declaration | UN1648, ACETONITRILE, 3, II, 12,8°C c.c. |
| Class | 3 |
| Marine pollutant | - |
| Packing group | II |
| Danger label(s) | 3 |



| | |
|--------------------------|----------|
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 1 L |
| EmS | F-E, S-D |
| Stowage category | B |

• International Civil Aviation Organization (ICAO-IATA/DGR)

| | |
|--|-----------------------------|
| UN number | 1648 |
| Proper shipping name | Acetonitrile |
| Particulars in the shipper's declaration | UN1648, Acetonitrile, 3, II |
| Class | 3 |
| Packing group | II |
| Danger label(s) | 3 |



| | |
|--------------------------|-----|
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 1 L |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Acetonitrile $\geq 99,5$ %, for synthesis

article number: 4380

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

- **Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)**

Not listed.

- **Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)**

Not listed.

- **Regulation 850/2004/EC on persistent organic pollutants (POP)**

Not listed.

- **Restrictions according to REACH, Annex XVII**

| Name of substance | Type of registration | Conditions of restriction | No |
|-------------------|-------------------------|---------------------------|----|
| Acetonitrile | 1907/2006/EC annex XVII | R3 | 3 |
| Acetonitrile | 1907/2006/EC annex XVII | R40 | 40 |

Legend

R3

1. Shall not be used in:
 - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
 - tricks and jokes,
 - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
2. Articles not complying with paragraph 1 shall not be placed on the market.
3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
 - can be used as fuel in decorative oil lamps for supply to the general public, and,
 - present an aspiration hazard and are labelled with R65 or H304,
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
 - (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';
 - (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
 - (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.
7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.

R40

1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
 - metallic glitter intended mainly for decoration,
 - artificial snow and frost,
 - 'whoopie' cushions,
 - silly string aerosols,
 - imitation excrement,
 - horns for parties,
 - decorative flakes and foams,
 - artificial cobwebs,
 - stink bombs.
2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:
'For professional users only'.
3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Acetonitrile ≥99,5 %, for synthesis

article number: 4380

- **Restrictions according to REACH, Title VIII**

None.

- **List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list**

not listed

- **Seveso Directive**

| 2012/18/EU (Seveso III) | | | | |
|-------------------------|---------------------------------------|---|--------|-------|
| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | | Notes |
| P5c | flammable liquids (cat. 2, 3) | 5.000 | 50.000 | 51) |

Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

- **Directive 75/324/EEC relating to aerosol dispensers**

Filling batch

Deco-Paint Directive (2004/42/EC)

| | |
|-------------|------------------|
| VOC content | 100 % 782 g/l |
|-------------|------------------|

Directive on industrial emissions (VOCs, 2010/75/EU)

| | |
|-------------|---------|
| VOC content | 100 % |
| VOC content | 782 g/l |

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

not listed

Regulation 98/2013/EU on the marketing and use of explosives precursors

not listed

Regulation 111/2005/EC laying down rules for the monitoring of trade between the Community and third countries in drug precursors

not listed

National inventories

Substance is listed in the following national inventories:

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Acetonitrile ≥99,5 %, for synthesis

article number: 4380

| Country | National inventories | Status |
|---------|----------------------|---------------------|
| AU | AICS | substance is listed |
| CA | DSL | substance is listed |
| CN | IECSC | substance is listed |
| EU | ECSI | substance is listed |
| EU | REACH Reg. | substance is listed |
| JP | CSCL-ENCS | substance is listed |
| KR | KECI | substance is listed |
| MX | INSQ | substance is listed |
| NZ | NZIoC | substance is listed |
| PH | PICCS | substance is listed |
| TR | CICR | substance is listed |
| TW | TCSI | substance is listed |
| US | TSCA | substance is listed |

Legend

| | |
|------------|---|
| AICS | Australian Inventory of Chemical Substances |
| CICR | Chemical Inventory and Control Regulation |
| CSCL-ENCS | List of Existing and New Chemical Substances (CSCL-ENCS) |
| DSL | Domestic Substances List (DSL) |
| ECSI | EC Substance Inventory (EINECS, ELINCS, NLP) |
| IECSC | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ | National Inventory of Chemical Substances |
| KECI | Korea Existing Chemicals Inventory |
| NZIoC | New Zealand Inventory of Chemicals |
| PICCS | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| REACH Reg. | REACH registered substances |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|-------------------------------|--|-----------------|
| 2.2 | | Pictograms: change in the listing (table) | yes |
| 8.1 | | Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table) | yes |
| 8.1 | | • environmental values: change in the listing (table) | yes |
| 14.8 | Special provisions (SP): - | | yes |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Acetonitrile ≥99,5 %, for synthesis

article number: 4380

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|------------|---|
| 2006/15/EC | Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC |
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) |
| ADR | Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road) |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | ceiling value |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| CMR | Carcinogenic, Mutagenic or toxic for Reproduction |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DMEL | Derived Minimal Effect Level |
| DNEL | Derived No-Effect Level |
| EH40/2005 | EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods Code |
| index No | the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| IOELV | indicative occupational exposure limit value |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| MARPOL | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant") |
| NLP | No-Longer Polymer |
| NOEC | No Observed Effect Concentration |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| ppm | parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Acetonitrile $\geq 99,5$ %, for synthesis

article number: **4380**

| Abbr. | Descriptions of used abbreviations |
|-------|--|
| STEL | short-term exposure limit |
| SVHC | Substance of Very High Concern |
| TWA | time-weighted average |
| VOC | Volatile Organic Compounds |
| vPvB | very Persistent and very Bioaccumulative |
| WEL | workplace exposure limit |

Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)
- Dangerous Goods Regulations (DGR) for the air transport (IATA)
- International Maritime Dangerous Goods Code (IMDG)

List of relevant phrases (code and full text as stated in chapter 2 and 3)

| Code | Text |
|------|------------------------------------|
| H225 | highly flammable liquid and vapour |
| H302 | harmful if swallowed |
| H312 | harmful in contact with skin |
| H319 | causes serious eye irritation |
| H332 | harmful if inhaled |

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.