acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) nitrate hexahydrate \geq 99%, p.a.

article number: 4395 Version: 4.0 en Replaces version of: 2022-04-14 Version: (3)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance	Nickel(II) nitrate hexahydrate ≥ 99%, p.a.
Article number	4395
Index No (GB CLP)	028-012-00-1
EC number	236-068-5
CAS number	13478-00-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory and analytical use Do not use for products which come into contact with foodstuffs. Do not use for private purposes

(household). Food, drink and animal feedingstuffs.

Details of the supplier of the safety data sheet 1.3

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

Laboratory chemical

Emergency telephone number 1.4

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1



date of compilation: 2017-06-09

Revision: 2024-03-02

a.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) nitrate hexahydrate ≥ 99%, p.a.



article number: 4395

Classification	acc. to	GHS
----------------	---------	-----

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.14	Oxidising solid	2	Ox. Sol. 2	H272
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.4R	Respiratory sensitisation	1	Resp. Sens. 1	H334
3.4S	Skin sensitisation	1	Skin Sens. 1	H317
3.5	Germ cell mutagenicity	2	Muta. 2	H341
3.6	Carcinogenicity	1A	Carc. 1A	H350i
3.7	Reproductive toxicity	1B	Repr. 1B	H360D
3.9	Specific target organ toxicity - repeated exposure	1	STOT RE 1	H372
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS03, GHS05, GHS07, GHS08,

GHS09



Hazard statements

H272 H302+H332	May intensify fire; oxidiser Harmful if swallowed or if inhaled
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H341	Suspected of causing genetic defects
H350i	May cause cancer by inhalation
H360D	May damage the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H410	Very toxic to aquatic life with long lasting effects

acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) nitrate hexahydrate ≥ 99%, p.a.



article number: 4395

Precautionary statements

Precautionary statements - prevention

P201	Obtain special instructions before use
P220	Keep/store away from clothing/combustible materials
P280	Wear protective gloves/eye protection

Precautionary statements - response

P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing
P308+P313	IF exposed or concerned: Get medical advice/attention

For professional users only

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Nickel(II) nitrate hexahydrate
Molecular formula	$Ni(NO_3)_2 \cdot 6 H_2O$
Molar mass	290,8 ^g / _{mol}
CAS No	13478-00-7
EC No	236-068-5
Index No (GB CLP)	028-012-00-1

Substance, Specific Conc. Limits, M-factors, ATE			
Specific Conc. Limits	M-Factors	ATE	Exposure route
Skin Irrit. 2; H315: C ≥ 20 % Skin Sens. 1; H317: C ≥ 0,01 % STOT RE 1; H372: C ≥ 1 % STOT RE 2; H373: 0,1 % ≤ C < 1 %	M-factor (acute) = 1 M-factor (chronic) = 1	361,9 ^{mg} / _{kg} >1,5 ^{mg} / _l /4h	oral inhalation: dust/ mist

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Avoid exposure - obtain special instructions before use.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) nitrate hexahydrate ≥ 99%, p.a.



article number: **4395**

Following inhalation

Provide fresh air. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

Following skin contact

Rinse skin with water/shower. In case of skin reactions, consult a physician.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Dyspnoea, Irritation, Allergic reactions (such as skin rashes, hives, asthma or anaphylactic shock), Cough, Vomiting, Nausea, Risk of serious damage to eyes

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Oxidising property. Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Nickel(II) nitrate hexahydrate ≥ 99%, p.a.

article number: 4395

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory). Provision of sufficient ventilation. Avoid exposure. Avoid dust formation.

Measures to prevent fire as well as aerosol and dust generation

Keep away from combustible material.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage. Keep/store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles.

Protect against external exposure, such as

humidity, hygroscopic solid

Consideration of other advice:

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Nickel(II) nitrate hexahydrate ≥ 99%, p.a.

article number: 4395

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

Human health values

Relevant DNELs and other threshold levels

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	50 µg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	104 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
DNEL	50 µg/m³	human, inhalatory	worker (industry)	chronic - local effects
DNEL	1,6 mg/m³	human, inhalatory	worker (industry)	acute - local effects
DNEL	0,44 µg/cm²	human, dermal	worker (industry)	chronic - local effects

Environmental values

Relevant PNECs and other threshold levels End-Threshold Organism **Environmental com-Exposure time** point level partment 7,1 ^{µg}/_l PNEC aquatic organisms freshwater short-term (single instance) PNEC 8,6 ^{µg}/_l aquatic organisms marine water short-term (single instance) PNEC 0,33 ^{mg}/_l aquatic organisms sewage treatment plant short-term (single instance) (STP) 109 ^{mg}/_{kg} PNEC aquatic organisms freshwater sediment short-term (single instance) PNEC 109 ^{mg}/_{ka} aquatic organisms marine sediment short-term (single instance) PNEC 29,9 ^{mg}/_{kg} terrestrial organisms short-term (single instance) soil

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) nitrate hexahydrate ≥ 99%, p.a.



article number: **4395**

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid
Form	crystalline
Colour	green
Odour	like: Nitric acid
Melting point/freezing point	56,7 °C (ECHA)
Boiling point or initial boiling point and boiling range	136,7 °C (ECHA)
Flammability	non-combustible
Lower and upper explosion limit	0 vol% (LEL) - 0 vol% (UEL)
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	>137 °C

article number: 4395

acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) nitrate hexahydrate ≥ 99%, p.a.



	pH (value)	5 (in aqueous solution: 50 ^g / _l , 20 °C)
	Kinematic viscosity	not relevant
	Solubility(ies)	
	Water solubility	~940 ^g / _l at 20 °C
	Partition coefficient	
	Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
	Vapour pressure	<0,003 Pa at 25 °C
	Density and/or relative density	
	Density	2,05 ^g / _{cm³} at 0 °C (ECHA)
	Relative vapour density	Information on this property is not available.
	Bulk density	~800 ^{kg} / _{m³}
	Particle characteristics	No data available.
	Other safety parameters	
	Oxidising properties	oxidiser
9.2	Other information	
	Information with regard to physical hazard classes:	There is no additional information.
	Other safety characteristics:	There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Oxidising property.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Acid, Combustible materials, Reducing agents

10.4 Conditions to avoid

Keep away from heat. Decompositon takes place from temperatures above: >137 °C. Protect from moisture.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) nitrate hexahydrate ≥ 99%, p.a.



article number: 4395

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if swallowed. Harmful if inhaled.

Acute toxicity

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	361,9 ^{mg} / _{kg}	rat		ECHA

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

May cause cancer by inhalation.

Reproductive toxicity

May damage the unborn child.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

• If in eyes

Causes serious eye damage, risk of blindness

• If inhaled

May produce an allergic reaction, cough, Dyspnoea

• If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) nitrate hexahydrate ≥ 99%, p.a.



article number: **4395**

Other information

none

- **11.2** Endocrine disrupting properties Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.
- **11.3** Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acu	uatic toxicity (acute)				
Endpoint	Value	Value Species		Exposure time	
LC50	15,3 ^{mg} / _l	fish	ECHA	96 h	
EC50	406 ^{µg} / _l	aquatic invertebrates	ECHA	24 h	
ErC50	≤1.120 ^{µg} / _I	algae	ECHA	72 h	

Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
ErC50	8.363 ^{µg} / _l	fish	ECHA	40 d
LC50	≤144 ^{µg} / _I	aquatic invertebrates	ECHA	21 d
EC50	≤108 ^{µg} / _I	aquatic invertebrates	ECHA	21 d
EbC50	6,2 ^{µg} / _l	aquatic invertebrates	ECHA	30 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

45 (ECHA)

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of \ge 0,1%.

12.7 Other adverse effects

Data are not available.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Nickel(II) nitrate hexahydrate \geq 99%, p.a.

article number: 4395

SECTION 13: Disposal considerations

Waste treatment methods 13.1



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- HP 2 oxidising
- HP 4 irritant - skin irritation and eye damage
- HP 5 specific target organ toxicity (STOT)/aspiration toxicity
- HP 6 acute toxicity
- HP 7 carcinogenic
- HP 10 HP 11 toxic for reproduction
- mutagenic HP 13
- sensitising HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

	ADRRID	UN 2725
	IMDG-Code	UN 2725
	ICAO-TI	UN 2725
14.2	UN proper shipping name	
	ADRRID	NICKEL NITRATE
	IMDG-Code	NICKEL NITRATE
	ICAO-TI	Nickel nitrate
14.3	Transport hazard class(es)	
	ADRRID	5.1
	IMDG-Code	5.1

acc. to Regulation (EC) No. 1907/2006 (REACH)



Nickel(II) nitrate hexahydrate ≥ 99%, p.a.

article	number:	4395
---------	---------	------

article	e number: 4395	
	ICAO-TI	5.1
14.4	Packing group	
	ADRRID	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	hazardous to the aquatic environment
14.6	Special precautions for user	
	Provisions for dangerous goods (ADR) should be	complied within the premises.
14.7	Maritime transport in bulk according to IMO in	nstruments
	The cargo is not intended to be carried in bulk.	
14.8	Information for each of the UN Model Regulat	ions
		age of Dangerous Goods by Road (ADR)Additiona
	Proper shipping name	NICKEL NITRATE
	Particulars in the transport document	UN2725, NICKEL NITRATE, 5.1, III, (E), environ- mentally hazardous
	Classification code	02
	Danger label(s)	5.1, "Fish and tree"
	Environmental hazards	Yes (hazardous to the aquatic environment)
	Excepted quantities (EQ)	E1
	Limited quantities (LQ)	5 kg
	Transport category (TC)	3
	Tunnel restriction code (TRC)	E
	Hazard identification No	50
	Emergency Action Code	1Z
	Regulations concerning the International Carr information	iage of Dangerous Goods by Rail (RID)Additional
	Classification code	02
	Danger label(s)	5.1, "Fish and tree"
	Environmental hazards	Yes Hazardous to water
	Excepted quantities (EQ)	E1
	Limited quantities (LQ)	5 kg
		5

acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) nitrate hexahydrate ≥ 99%, p.a.



article number: **4395**

Hazard identification No	50		
International Maritime Dangerous Goods Coo	(IMDG) - Additional information		
Proper shipping name	NICKEL NITRATE		
Particulars in the shipper's declaration	UN2725, NICKEL NITRATE, 5.1, III, MARINE POL- LUTANT		
Marine pollutant	Yes (hazardous to the aquatic environment)		
Danger label(s)	5.1, "Fish and tree"		
Special provisions (SP)	-		
Excepted quantities (EQ)	E1		
Limited quantities (LQ)	5 kg		
EmS	F-A, S-Q		
Stowage category	A		
International Civil Aviation Organization (ICA	O-IATA/DGR) - Additional information		
Proper shipping name	Nickel nitrate		
Particulars in the shipper's declaration	UN2725, Nickel nitrate, 5.1, III		
Environmental hazards	Yes (hazardous to the aquatic environment)		
Danger label(s)	5.1		
Excepted quantities (EQ)	E1		
Limited quantities (LQ)	10 kg		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/	18/EU (Seveso III)			
Νο	Dangerous substance/hazard categories	Qualifying quantity plication of lower quirer		Notes
P8	oxidising liquids and solids	50	200	55)

Notation

55) Oxidising liquids, category 1, 2 or 3, or oxidising solids, category 1, 2 or 3

Deco-Paint Directive

VOC content	0 %
-------------	-----

acc. to Regulation (EC) No. 1907/2006 (REACH)



Nickel(II) nitrate hexahydrate \geq 99%, p.a.

article number: 4395

Industrial Emissions Directive (IED)		
VOC content	0 %	

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Nickel(II) nitrate hexahydrate	nickel compounds		b)	
Nickel(II) nitrate hexahydrate	nickel compounds	7440-02-0	c)	
Nickel(II) nitrate hexahydrate	Substances which contribute to eutrophication (in particular, ni- trates and phosphates)		a)	
Nickel(II) nitrate hexahydrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Nickel(II) nitrate hexahydrate	Metals and their compounds		a)	

Legend

a) b) c)

Indicative list of the main pollutants List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) nitrate hexahydrate ≥ 99%, p.a.



article number: 4395

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
Nickel(II) nitrate hexahydrate	Nickel compounds		27
Nickel(II) nitrate hexahydrate	carcinogenic		28
Nickel(II) nitrate hexahydrate	toxic for reproduction		30

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
VN	NCI	substance is listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
TCSI	Taiwan Chemical Substance Inventory

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes

acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) nitrate hexahydrate ≥ 99%, p.a.



article number: 4395

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
14.8	Classification code: 5.1	Classification code: O2	yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: Not listed.		yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: not listed	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EbC50	EC50: in this method, that concentration of test substance which results in a 50 % reduction in eigrowth (EbC50) or growth rate (ErC50) relative to the control	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)	
ED Endocrine disruptor		

acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) nitrate hexahydrate ≥ 99%, p.a.



article number: **4395**

Abbr.	Descriptions of used abbreviations
EINECS European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

acc. to Regulation (EC) No. 1907/2006 (REACH)

Nickel(II) nitrate hexahydrate ≥ 99%, p.a.



article number: 4395

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text	
H272	May intensify fire; oxidiser.	
H302	Harmful if swallowed.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H332	Harmful if inhaled.	
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
H341	Suspected of causing genetic defects.	
H350i	May cause cancer by inhalation.	
H360D	May damage the unborn child.	
H372	Causes damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.