acc. to Safe Work Australia - Code of Practice



date of compilation: 2016-05-30

Revision: 2024-03-02

Sodium formate ≥99 %, p.a., ACS

article number: 4404 Version: GHS 5.0 en Replaces version of: 2021-07-08 Version: (GHS 4)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance

Article number

CAS number

Sodium formate ≥99 %, p.a., ACS

4404

141-53-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Laboratory chemical Laboratory and analytical use

Uses advised against:

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

Details of the supplier of the safety data sheet 1.3

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 **Emergency telephone number**

| Name | Street | Postal code/city | Telephone | Website |
|--|-----------------|-------------------------|-----------|---------|
| NSW Poisons Information Centre Childrens Hospital | Hawkesbury Road | 2145 West- mead, NSW | 131126 | |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

This substance does not meet the criteria for classification.

Label elements 2.2

Labelling

Australia (en)

not required

acc. to Safe Work Australia - Code of Practice

Sodium formate ≥99 %, p.a., ACS

article number: 4404

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

| Name of substance | Sodium formate |
|-------------------|-------------------------------------|
| Molecular formula | CHO₂Na |
| Molar mass | 68.01 ^g / _{mol} |
| CAS No | 141-53-7 |

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed none



acc. to Safe Work Australia - Code of Practice



Sodium formate ≥99 %, p.a., ACS

article number: 4404

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

No special measures are necessary.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

acc. to Safe Work Australia - Code of Practice



Sodium formate ≥99 %, p.a., ACS

article number: 4404

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures are necessary.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

Human health values

| Relevant DNE | Relevant DNELs and other threshold levels | | | | |
|--------------|---|------------------------------------|-------------------|----------------------------|--|
| Endpoint | Threshold level | Protection goal, route of exposure | Used in | Exposure time | |
| DNEL | 35.26 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects | |
| DNEL | 10 mg/kg bw/ day | human, dermal | worker (industry) | chronic - systemic effects | |

Environmental values

| Relevant | Relevant PNECs and other threshold levels | | | | | |
|---------------|---|-----------------------|---------------------------------|------------------------------|--|--|
| End- point | | | Environmental com- partment | Exposure time | | |
| PNEC | 2 ^{mg} / _l | aquatic organisms | freshwater | short-term (single instance) | | |
| PNEC | 0.2 ^{mg} / _l | aquatic organisms | marine water | short-term (single instance) | | |
| PNEC | 2.21 ^{mg} / _l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) | | |
| PNEC | 13.4 ^{mg} / _{kg} | aquatic organisms | freshwater sediment | short-term (single instance) | | |
| PNEC | 1.34 ^{mg} / _{kg} | aquatic organisms | marine sediment | short-term (single instance) | | |
| PNEC | 1.5 ^{mg} / _{kg} | terrestrial organisms | soil | short-term (single instance) | | |

acc. to Safe Work Australia - Code of Practice

Sodium formate ≥99 %, p.a., ACS

article number: 4404

8.2 Exposure controls



Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P1 (filters at least 80 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Physical state | solid |
|--|-----------------------------|
| Form | crystalline |
| Colour | colourless |
| Odour | odourless |
| Melting point/freezing point | 253 °C |
| Boiling point or initial boiling point and boiling range | >411 °C at 101.3 kPa (ECHA) |

acc. to Safe Work Australia - Code of Practice

Sodium formate ≥99 %, p.a., ACS

article number: 4404



| Flammability | non-combustible |
|---|---|
| Lower and upper explosion limit | not determined |
| Flash point | not applicable |
| Auto-ignition temperature | >400 °C (ECHA) |
| Decomposition temperature | ≥411 °C at 101.3 kPa (ECHA) |
| pH (value) | 7 – 8.5 (in aqueous solution: 50 ^g / _l , 20 °C) |
| Kinematic viscosity | not relevant |
| Solubility(ies) | |
| Water solubility | 550 ^g / _l at 20 °C |
| Partition coefficient | |
| Partition coefficient n-octanol/water (log value): | -2.1 (pH value: 7, 23 °C) (ECHA) |
| Soil organic carbon/water (log KOC) | 1.492 (ECHA) |
| Vapour pressure | 0 Pa at 25 °C |
| Density and/or relative density | |
| Density | 1.92 ^g / _{cm³} at 20 °C |
| Relative vapour density | Information on this property is not available |
| Bulk density | ~635 ^{kg} / _{m³} |
| Particle characteristics | No data available. |
| Other safety parameters | |
| Oxidising properties | none |
| Other information | |
| Information with regard to physical hazard classes: | hazard classes acc. to GHS (physical hazards): not relevant |
| Other safety characteristics: | |
| Surface tension | 71 ^{mN} / _m (20 °C) (ECHA) |

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

acc. to Safe Work Australia - Code of Practice



Sodium formate ≥99 %, p.a., ACS

article number: 4404

10.3 Possibility of hazardous reactions No known hazardous reactions.

10.4 Conditions to avoid Keep away from heat. Decompositon takes place from temperatures above: ≥411 °C at 101.3 kPa.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

This substance does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful in contact with skin.

| Acute toxicity | | | | | |
|----------------|----------|--------------------------------------|---------|--------|--------|
| Exposure route | Endpoint | Value | Species | Method | Source |
| dermal | LD50 | >2,000 ^{mg} / _{kg} | rat | | ECHA |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

acc. to Safe Work Australia - Code of Practice

Sodium formate ≥99 %, p.a., ACS

article number: 4404



Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

• If in eyes

Data are not available.

• If inhaled

Data are not available.

• If on skin

Data are not available.

Other information

Health effects are not known. This information is based upon the present state of our knowledge.

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

| Aquatic toxicity (acu | Aquatic toxicity (acute) | | | | |
|-----------------------|-------------------------------------|-----------------------|--------|------------------|--|
| Endpoint | Value | Species | Source | Exposure time | |
| LC50 | >1,000 ^{mg} / _l | fish | ECHA | 96 h | |
| EC50 | >1,000 ^{mg} / _l | aquatic invertebrates | ECHA | 48 h | |
| ErC50 | >1,000 ^{mg} / _l | algae | ECHA | 72 h | |

12.2 Persistence and degradability

Theoretical Oxygen Demand (without nitrification): 0.2353 $^{mg}/_{mg}$ Theoretical Oxygen Demand (with nitrification): 0.2353 $^{mg}/_{mg}$ Theoretical Carbon Dioxide: 0.6471 $^{mg}/_{mg}$

Biodegradation

The substance is readily biodegradable.

| Process of degradability | | |
|--------------------------|------------------|------|
| Process | Degradation rate | Time |
| oxygen depletion | 7 % | 5 d |

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

| n-octanol/water (log KOW) | -2.1 (pH value: 7, 23 °C) (ECHA) | |
|---------------------------|----------------------------------|--|
| | | |

acc. to Safe Work Australia - Code of Practice



Sodium formate ≥99 %, p.a., ACS

article number: 4404

12.4 Mobility in soil

| Henry's law constant | 0.019 ^{Pa m³} / _{mol} at 25 °C (ECHA) |
|--|---|
| The Organic Carbon normalised adsorption coefficient | 1.492 (ECHA) |

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

- 14.1 UN number
- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards
- **14.6** Special precautions for user There is no additional information.
- **14.7** Transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

not subject to transport regulations

not assigned

not assigned

not assigned

non-environmentally hazardous acc. to the dangerous goods regulations

acc. to Safe Work Australia - Code of Practice

Sodium formate ≥99 %, p.a., ACS

article number: 4404

® Roth

14.8 Information for each of the UN Model Regulations

Transport informationNational regulationsAdditional information(UN RTDG) Not subject to transport regulations. UN RTDG

International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

National regulations(Australia)

Australian Inventory of Chemical Substances(AICS)

Substance is listed.

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

| Country | Inventory | Status |
|---------|------------|------------------------------|
| AU | AIIC | substance is listed |
| CA | DSL | substance is listed |
| CN | IECSC | substance is listed |
| EU | ECSI | substance is listed |
| EU | REACH Reg. | substance is listed |
| JP | CSCL-ENCS | substance is listed |
| KR | KECI | substance is listed |
| MX | INSQ | substance is listed |
| NZ | NZIoC | substance is listed |
| PH | PICCS | substance is listed |
| TR | CICR | substance is listed |
| TW | TCSI | substance is listed |
| US | TSCA | substance is listed (ACTIVE) |
| VN | NCI | substance is listed |

Legend

AIIC CICR CSCL-ENCS DSL ECSI IECSC INSQ KECI

Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) Domestic Substances List (DSL) EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances Korea Existing Chemicals Inventory acc. to Safe Work Australia - Code of Practice

Sodium formate ≥99 %, p.a., ACS



article number: 4404

| Legend | |
|------------|---|
| NCI | National Chemical Inventory |
| NZIoC | New Zealand Inventory of Chemicals |
| PICCS | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| REACH Reg. | REACH registered substances |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|---------------------------|---|--------------------------|
| 2.3 | | Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%. | yes |
| 15.1 | | Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restric- tions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. | yes |
| 15.1 | | National inventories: change in the listing (table) | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|----------|--|
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| ED | Endocrine disruptor |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods Code |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |

acc. to Safe Work Australia - Code of Practice



Sodium formate ≥99 %, p.a., ACS

article number: **4404**

| Abbr. | Descriptions of used abbreviations |
|---------|--|
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| UN RTDG | UN Recommendations on the Transport of Dangerous Good |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.