

# Safety data sheet Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Trichloromethane ROTIDRY® ≥99,8 % (≤50 ppm H<sub>2</sub>O)

article number: **4423**

Version: **6.0 en**

Replaces version of: 2024-10-10

Version: (5)

date of compilation: 2018-08-22

Revision: 2025-08-04

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Identification of the substance	<b>Trichloromethane ROTIDRY® ≥99,8 % (≤50 ppm H<sub>2</sub>O)</b>
Article number	4423
Index No (GB CLP)	602-006-00-4
EC number	200-663-8
CAS number	67-66-3
Alternative name(s)	Trichloro-methane

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	Laboratory chemical Laboratory and analytical use
Uses advised against:	Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-stuffs.

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:** +49 (0) 721 - 56 06 0

**Telefax:** +49 (0) 721 - 56 06 149

**e-mail:** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

**Website:** [www.carlroth.de](http://www.carlroth.de)

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

**e-mail (competent person):** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification acc. to GHS**

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® ≥99,8 % (≤50 ppm H<sub>2</sub>O)

article number: 4423

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.11	Acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.6	Carcinogenicity	2	Carc. 2	H351
3.7	Reproductive toxicity	2	Repr. 2	H361d
3.9	Specific target organ toxicity - repeated exposure	1	STOT RE 1	H372

For full text of abbreviations: see SECTION 16

## The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

## 2.2 Label elements

### Labelling

#### Signal word

**Danger**

#### Pictograms

GHS06, GHS08



### Hazard statements

H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
H331	Toxic if inhaled
H351	Suspected of causing cancer
H361d	Suspected of damaging the unborn child
H372	Causes damage to organs (liver, kidney) through prolonged or repeated exposure

### Precautionary statements

#### Precautionary statements - prevention

P202	Do not handle until all safety precautions have been read and understood
P260	Do not breathe mist/vapours/spray

#### Precautionary statements - response

P302+P352	IF ON SKIN: Wash with plenty of water
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P308+P313	IF exposed or concerned: Get medical advice/attention

For professional users only

## 2.3 Other hazards

### Results of PBT and vPvB assessment

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® ≥99,8 % (≤50 ppm H<sub>2</sub>O)

article number: 4423

According to the results of its assessment, this substance is not a PBT or a vPvB.

## Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Name of substance	Trichloromethane
Molecular formula	CHCl <sub>3</sub>
Molar mass	119,4 g/mol
CAS No	67-66-3
EC No	200-663-8
Index No (GB CLP)	602-006-00-4

#### To stabilise:

Name of substance	Identifier	Wt%
Amylene	CAS No 513-35-9  EC No 208-156-3	< 0,015

#### Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	908 mg/kg 3 mg/l/4h	oral inhalation: vapour

#### Remarks

For full text of abbreviations: see SECTION 16

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Self-protection of the first aider.

#### Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

#### Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). In case of accident or unwellness, seek med-

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® ≥99,8 % (≤50 ppm H<sub>2</sub>O)

article number: 4423

ical advice immediately (show directions for use or safety data sheet if possible).

#### 4.2 Most important symptoms and effects, both acute and delayed

Irritation, Cough, Dyspnoea, Spasms, Nausea, Vomiting, Headache, Vertigo, Dizziness, Unconsciousness, Loss of righting reflex, and ataxia

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings!  
water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Hydrogen chloride (HCl), Hydrogen halides (HX)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Provide adequate ventilation.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incom-

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® ≥99,8 % (≤50 ppm H<sub>2</sub>O)

article number: 4423

patible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Use extractor hood (laboratory). Avoid exposure. When not in use, keep containers tightly closed.

#### Advice on general occupational hygiene

Wash hands before breaks and after work.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight.

#### Incompatible substances or mixtures

Observe hints for combined storage. Incompatible materials: see section 10.

#### Consideration of other advice:

Store locked up.

#### Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

#### Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
EU	chloroform	67-66-3	IOELV	2	10					H	2000/39/EC
GB	chloroform	67-66-3	WEL	2	9,9					H	EH40/2005

#### Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

H Absorbed through the skin

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

#### Human health values

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	2,5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	333 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® ≥99,8 % (≤50 ppm H<sub>2</sub>O)

article number: 4423

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	2,5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
DNEL	0,94 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

## Environmental values

Relevant PNECs and other threshold levels				
End-point	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	0,146 mg/l	aquatic organisms	freshwater	short-term (single instance)
PNEC	0,015 mg/l	aquatic organisms	marine water	short-term (single instance)
PNEC	0,048 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	0,45 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	0,09 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
PNEC	0,56 mg/kg	terrestrial organisms	soil	short-term (single instance)

Relevant PNECs of components						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Amylene	513-35-9	PNEC	0,37 mg/l	aquatic organisms	freshwater	short-term (single instance)
Amylene	513-35-9	PNEC	0,37 mg/l	aquatic organisms	marine water	short-term (single instance)
Amylene	513-35-9	PNEC	5,77 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Amylene	513-35-9	PNEC	8,1 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Amylene	513-35-9	PNEC	8,1 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Amylene	513-35-9	PNEC	1,44 mg/kg	terrestrial organisms	soil	short-term (single instance)

## 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.

#### Skin protection



# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® ≥99,8 % (≤50 ppm H<sub>2</sub>O)

article number: 4423

## • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

## • type of material

FKM (fluoro rubber)

## • material thickness

≥0,4 mm

## • breakthrough times of the glove material

>480 minutes (permeation: level 6)

## • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

## Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: AX (gas filters and combined filters against low-boiling point organic compounds, colour code: Brown).

## Environmental exposure controls

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	characteristic
Odour threshold	85 – 202 ppm
Melting point/freezing point	-63 °C
Boiling point or initial boiling point and boiling range	61 °C at 1.013 hPa
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	0,38 mm <sup>2</sup> /s at 20 °C

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Trichloromethane ROTIDRY® ≥99,8 % (≤50 ppm H<sub>2</sub>O)

article number: 4423

Dynamic viscosity	0,56 mPa s at 20 °C
<u>Solubility(ies)</u>	
Water solubility	8,7 g/l at 23 °C (ECHA)
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	1,97 (25 °C) (Experimental data)
Soil organic carbon/water (log KOC)	1,8 – 2,6 (ECHA)
Vapour pressure	211 hPa at 20 °C
<u>Density and/or relative density</u>	
Density	1,48 g/cm <sup>3</sup> at 20 °C
Relative vapour density	4,25 (air = 1)
Particle characteristics	not relevant (liquid)
<u>Other safety parameters</u>	
Oxidising properties	none

### 9.2 Other information

Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics:	There is no additional information.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

**Violent reaction with:** strong oxidiser, Acetone, Alkali metals, Alkaline earth metal, Mineral acids, Strong alkali, Metal powder, Nitro compound, Peroxides,  
=> Explosive properties

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

different plastics, Rubber articles, Light metals

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® ≥99,8 % (≤50 ppm H<sub>2</sub>O)

article number: 4423

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

**Classification acc. to GHS**

**Acute toxicity**

Harmful if swallowed. Toxic if inhaled.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	908 mg/kg	rat		ECHA

**Skin corrosion/irritation**

Causes skin irritation.

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Respiratory or skin sensitisation**

Shall not be classified as a respiratory or skin sensitiser.

**Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

**Carcinogenicity**

Suspected of causing cancer.

**Reproductive toxicity**

Suspected of damaging the unborn child.

**Specific target organ toxicity - single exposure**

Shall not be classified as a specific target organ toxicant (single exposure).

**Specific target organ toxicity - repeated exposure**

Causes damage to organs (liver, kidney) through prolonged or repeated exposure.

Hazard category	Target organ	Exposure route
1	liver	if exposed
1	kidney	if exposed

**Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

**Endocrine disruptor for human health**

Shall not be classified as an endocrine disruptor for human health.

**Symptoms related to the physical, chemical and toxicological characteristics**

• **If swallowed**

vomiting, nausea

• **If in eyes**

Causes serious eye irritation

• **If inhaled**

vertigo, dizziness, deficits in perception and coordination, reaction time, or sleepiness, loss of righting reflex, and ataxia, cough, headache, poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® ≥99,8 % (≤50 ppm H<sub>2</sub>O)

article number: 4423

## • If on skin

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation), causes skin irritation

## • Other information

none

## 11.2 Information on other hazards

There is no additional information.

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
EC50	152,5 mg/l	aquatic invertebrates	ECHA	48 h
ErC50	13,3 mg/l	algae	ECHA	72 h

Aquatic toxicity (acute) of components					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Amylene	513-35-9	LC50	4,99 mg/l	fish	96 h
Amylene	513-35-9	EC50	3,84 mg/l	aquatic invertebrates	48 h
Amylene	513-35-9	ErC50	12 mg/l	algae	72 h

Aquatic toxicity (chronic)				
Endpoint	Value	Species	Source	Exposure time
EC50	0,48 mg/l	microorganisms	ECHA	24 h
NOEC	13 mg/l	aquatic invertebrates	ECHA	21 d

Aquatic toxicity (chronic) of components					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Amylene	513-35-9	NOEC	>2,1 mg/l	microorganisms	5 d

### 12.2 Persistence and degradability

Theoretical Oxygen Demand: 0,134 mg/mg  
Theoretical Carbon Dioxide: 0,3686 mg/mg

#### Biodegradation

Not readily biodegradable.

Process of degradability		
Process	Degradation rate	Time
biotic/abiotic	0 %	14 d

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® ≥99,8 % (≤50 ppm H<sub>2</sub>O)

article number: 4423

Degradability of components						
Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
Amylene	513-35-9	oxygen depletion	7 %	28 d		ECHA

## 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	1,97 (25 °C) (Experimental data)
---------------------------	----------------------------------

## 12.4 Mobility in soil

Henry's law constant	14.084 Pa m <sup>3</sup> /mol
The Organic Carbon normalised adsorption coefficient	1,8 – 2,6 (ECHA)

## 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

## 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.

## 12.7 Other adverse effects

Data are not available.

# SECTION 13: Disposal considerations

## 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

### Sewage disposal-relevant information

Do not empty into drains.

### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

## 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### Properties of waste which render it hazardous

- HP 4 irritant - skin irritation and eye damage
- HP 5 specific target organ toxicity (STOT)/aspiration toxicity
- HP 6 acute toxicity
- HP 7 carcinogenic
- HP 10 toxic for reproduction

## 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® ≥99,8 % (≤50 ppm H<sub>2</sub>O)

article number: 4423

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADRRID	UN 1888
IMDG-Code	UN 1888
ICAO-TI	UN 1888

### 14.2 UN proper shipping name

ADRRID	CHLOROFORM
IMDG-Code	CHLOROFORM
ICAO-TI	Chloroform

### 14.3 Transport hazard class(es)

ADRRID	6.1
IMDG-Code	6.1
ICAO-TI	6.1

### 14.4 Packing group

ADRRID	III
IMDG-Code	III
ICAO-TI	III

### 14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

#### Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) Additional information

Proper shipping name	CHLOROFORM
Particulars in the transport document	UN1888, CHLOROFORM, 6.1, III, (E)
Classification code	T1
Danger label(s)	6.1



Special provisions (SP)	802(ADN)
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	2

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



**Trichloromethane ROTIDRY® ≥99,8 % (≤50 ppm H<sub>2</sub>O)**

article number: **4423**

Tunnel restriction code (TRC)	E
Hazard identification No	60
<b>Emergency Action Code</b>	2Z

## **Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) Additional information**

<b>Classification code</b>	T1
<b>Danger label(s)</b>	6.1



<b>Special provisions (SP)</b>	802(ADN)
<b>Excepted quantities (EQ)</b>	E1
<b>Limited quantities (LQ)</b>	5 L
<b>Transport category (TC)</b>	2
<b>Hazard identification No</b>	60

## **International Maritime Dangerous Goods Code (IMDG) - Additional information**

Proper shipping name	CHLOROFORM
Particulars in the shipper's declaration	UN1888, CHLOROFORM, 6.1, III
Marine pollutant	-
Danger label(s)	6.1



Special provisions (SP)	-
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-A
Stowage category	A
Segregation group	10 - Liquid halogenated hydrocarbons

## **International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information**

Proper shipping name	Chloroform
Particulars in the shipper's declaration	UN1888, Chloroform, 6.1, III
Danger label(s)	6.1



Excepted quantities (EQ)	E1
Limited quantities (LQ)	2 L

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® ≥99,8 % (≤50 ppm H<sub>2</sub>O)

article number: 4423

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

##### Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
H2	acute toxic (cat. 2 + cat. 3, inhal.)	50 200	41)

##### Notation

- 41) - Category 2, all exposure routes  
- category 3, inhalation exposure route

##### Deco-Paint Directive

VOC content	100 %
VOC content	1.480 g/l

##### Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	1.480 g/l

##### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

##### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Pollutant release and transfer registers (PRTR)			
Name of substance	CAS No	Remarks	Threshold for releases to air (kg/year)
Trichloromethane	67-66-3		500

##### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Trichloromethane	trichloromethane (chloroform)	67-66-3	b)	
Trichloromethane	trichloromethane	67-66-3	c)	
Trichloromethane	Organohalogen compounds and substances which may form such compounds in the aquatic environment		a)	
Trichloromethane	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic		a)	

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® ≥99,8 % (≤50 ppm H<sub>2</sub>O)

article number: 4423

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
	properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment			

## Legend

- a) Indicative list of the main pollutants
- b) List of priority substances in the field of water policy
- c) Environmental Quality Standards for Priority Substances and certain other pollutants

## Regulation on the marketing and use of explosives precursors

not listed

## Regulation on drug precursors

not listed

## Regulation on substances that deplete the ozone layer (ODS)

not listed

## Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

Name of substance	Name acc. to inventory	CAS No	Wt%	Category / subcategory	Use limitation
Trichloromethane	chloroform	67-66-3	100	i(2)	b

## Legend

- b) Use limitation: ban (for the sub-category or sub-categories concerned) according to Union legislation
- i(2) Sub-category: i(2) - industrial chemical for public use

## Regulation on persistent organic pollutants (POP)

not listed

## National regulations(GB)

## List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

## Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
Trichloromethane	Chloroform	67-66-3	32
Trichloromethane	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		3

## Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® ≥99,8 % (≤50 ppm H<sub>2</sub>O)

article number: 4423

## National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)

### Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

## 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

## SECTION 16: Other information

### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
15.1		National inventories: change in the listing (table)	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® ≥99,8 % (≤50 ppm H<sub>2</sub>O)

article number: 4423

Abbr.	Descriptions of used abbreviations
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® ≥99,8 % (≤50 ppm H<sub>2</sub>O)

article number: 4423

Abbr.	Descriptions of used abbreviations
WEL	Workplace exposure limit

## Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H351	Suspected of causing cancer.
H361d	Suspected of damaging the unborn child.
H372	Causes damage to organs (liver, kidney) through prolonged or repeated exposure.

## Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.