

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Trichloromethane ROTISOLV® ≥99,8 %, UV/IR-Grade, stabilized

article number: **4432**  
Version: **4.0 en**  
Replaces version of: 20.12.2022  
Version: (3)

date of compilation: 19.05.2020  
Revision: 04.03.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

|                                 |  |
|---------------------------------|--|
| Identification of the substance | <b>Trichloromethane ROTISOLV® ≥99,8 %, UV/IR-Grade, stabilized</b> |
| Article number                  | 4432   |
| Registration number (REACH)     | 01-2119486657-20-xxxx  |
| Index number in CLP Annex VI    | 602-006-00-4   |
| EC number                       | 200-663-8  |
| CAS number                      | 67-66-3  |
| Alternative name(s)             | Chloroform   |

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

|                           |  |
|---------------------------|--|
| Relevant identified uses: | Laboratory chemical<br>Laboratory and analytical use   |
| Uses advised against:     | Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-stuffs. |

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:** +49 (0) 721 - 56 06 0  
**Telefax:** +49 (0) 721 - 56 06 149  
**e-mail:** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)  
**Website:** [www.carlroth.de](http://www.carlroth.de)

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

**e-mail (competent person):** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

### 1.4 Emergency telephone number

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Trichloromethane ROTISOLV® ≥99,8 %, UV/IR-Grade, stabilized

article number: 4432

| Section | Hazard class                                       | Cat-egory | Hazard class and category | Hazard statement |
|---------|--|-----------|---------------------------|------------------|
| 3.10    | Acute toxicity (oral)                              | 4         | Acute Tox. 4              | H302             |
| 3.11    | Acute toxicity (inhal.)                            | 3         | Acute Tox. 3              | H331             |
| 3.2     | Skin corrosion/irritation                          | 2         | Skin Irrit. 2             | H315             |
| 3.3     | Serious eye damage/eye irritation                  | 2         | Eye Irrit. 2              | H319             |
| 3.6     | Carcinogenicity                                    | 2         | Carc. 2                   | H351             |
| 3.7     | Reproductive toxicity                              | 2         | Repr. 2                   | H361d            |
| 3.9     | Specific target organ toxicity - repeated exposure | 1         | STOT RE 1                 | H372             |

For full text of abbreviations: see SECTION 16

### The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

## 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

#### Signal word

**Danger**

#### Pictograms

GHS06, GHS08



#### Hazard statements

|       |  |
|-------|--|
| H302  | Harmful if swallowed   |
| H315  | Causes skin irritation   |
| H319  | Causes serious eye irritation  |
| H331  | Toxic if inhaled   |
| H351  | Suspected of causing cancer  |
| H361d | Suspected of damaging the unborn child   |
| H372  | Causes damage to organs (liver, kidney) through prolonged or repeated exposure |

#### Precautionary statements

##### Precautionary statements - prevention

|      |  |
|------|--|
| P202 | Do not handle until all safety precautions have been read and understood |
| P260 | Do not breathe mist/vapours/spray  |

##### Precautionary statements - response

|                |   |
|----------------|---|
| P302+P352      | IF ON SKIN: Wash with plenty of water   |
| P304+P340      | IF INHALED: Remove person to fresh air and keep comfortable for breathing   |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing |
| P308+P313      | IF exposed or concerned: Get medical advice/attention   |

For professional users only

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Trichloromethane ROTISOLV® ≥99,8 %, UV/IR-Grade, stabilized

article number: 4432

### Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



|           |   |
|-----------|---|
| H331      | Toxic if inhaled.   |
| H351      | Suspected of causing cancer.  |
| H361d     | Suspected of damaging the unborn child.   |
| H372      | Causes damage to organs (liver, kidney) through prolonged or repeated exposure. |
| P202      | Do not handle until all safety precautions have been read and understood.       |
| P260      | Do not breathe mist/vapours/spray.  |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing.      |
| P308+P313 | IF exposed or concerned: Get medical advice/attention.                          |

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

|                   |                       |
|-------------------|-----------------------|
| Name of substance | Trichloromethane      |
| Molecular formula | CHCl <sub>3</sub>     |
| Molar mass        | 119,4 g/mol           |
| REACH Reg. No     | 01-2119486657-20-xxxx |
| CAS No            | 67-66-3               |
| EC No             | 200-663-8             |
| Index No          | 602-006-00-4          |

#### To stabilise:

| Name of substance | Identifier  | Wt%   |
|-------------------|---|-------|
| Ethanol           | CAS No<br>64-17-5<br><br>EC No<br>200-578-6<br><br>Index No<br>603-002-00-5 | < 2,5 |

#### Substance, Specific Conc. Limits, M-factors, ATE

| Specific Conc. Limits | M-Factors | ATE                    | Exposure route             |
|-----------------------|-----------|------------------------|----------------------------|
| -                     | -         | 908 mg/kg<br>3 mg/l/4h | oral<br>inhalation: vapour |

#### Remarks

For full text of abbreviations: see SECTION 16

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Trichloromethane ROTISOLV® ≥99,8 %, UV/IR-Grade, stabilized

article number: 4432

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Self-protection of the first aider.

#### Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

#### Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### 4.2 Most important symptoms and effects, both acute and delayed

Irritation, Cough, Dyspnoea, Spasms, Nausea, Vomiting, Headache, Vertigo, Dizziness, Unconsciousness, Loss of righting reflex, and ataxia

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings!  
water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Hydrogen chloride (HCl), Hydrogen halides (HX)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Trichloromethane ROTISOLV® ≥99,8 %, UV/IR-Grade, stabilized

article number: 4432

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Provide adequate ventilation.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Use extractor hood (laboratory). Avoid exposure. When not in use, keep containers tightly closed.

#### Advice on general occupational hygiene

Wash hands before breaks and after work.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice:

Store locked up.

#### Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

### 7.3 Specific end use(s)

No information available.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Trichloromethane ROTISOLV® ≥99,8 %, UV/IR-Grade, stabilized

article number: 4432

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

#### Occupational exposure limit values (Workplace Exposure Limits)

| Country | Name of agent | CAS No  | Identifier | TWA [ppm] | TWA [mg/m <sup>3</sup> ] | STEL [ppm] | STEL [mg/m <sup>3</sup> ] | Ceiling-C [ppm] | Ceiling-C [mg/m <sup>3</sup> ] | Notation | Source     |
|---------|---------------|---------|------------|-----------|--------------------------|------------|---------------------------|-----------------|--------------------------------|----------|------------|
| EU      | chloroform    | 67-66-3 | IOELV      | 2         | 10                       |            |                           |                 |                                | H        | 2000/39/EC |
| MT      | chloroform    | 67-66-3 | OELV       | 2         | 10                       |            |                           |                 |                                | H        | CAP. 424   |

#### Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

H Absorbed through the skin

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

#### Human health values

##### Relevant DNELs and other threshold levels

| Endpoint | Threshold level       | Protection goal, route of exposure | Used in           | Exposure time              |
|----------|-----------------------|------------------------------------|-------------------|----------------------------|
| DNEL     | 2,5 mg/m <sup>3</sup> | human, inhalatory                  | worker (industry) | chronic - systemic effects |
| DNEL     | 333 mg/m <sup>3</sup> | human, inhalatory                  | worker (industry) | acute - systemic effects   |
| DNEL     | 2,5 mg/m <sup>3</sup> | human, inhalatory                  | worker (industry) | chronic - local effects    |
| DNEL     | 0,94 mg/kg bw/day     | human, dermal                      | worker (industry) | chronic - systemic effects |

#### Environmental values

##### Relevant PNECs and other threshold levels

| Endpoint | Threshold level | Organism              | Environmental compartment    | Exposure time                |
|----------|-----------------|-----------------------|------------------------------|------------------------------|
| PNEC     | 0,146 mg/l      | aquatic organisms     | freshwater                   | short-term (single instance) |
| PNEC     | 0,015 mg/l      | aquatic organisms     | marine water                 | short-term (single instance) |
| PNEC     | 0,048 mg/l      | aquatic organisms     | sewage treatment plant (STP) | short-term (single instance) |
| PNEC     | 0,45 mg/kg      | aquatic organisms     | freshwater sediment          | short-term (single instance) |
| PNEC     | 0,09 mg/kg      | aquatic organisms     | marine sediment              | short-term (single instance) |
| PNEC     | 0,56 mg/kg      | terrestrial organisms | soil                         | short-term (single instance) |

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Trichloromethane ROTISOLV® ≥99,8 %, UV/IR-Grade, stabilized

article number: 4432

### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

##### Eye/face protection



Use safety goggle with side protection.

##### Skin protection



##### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

##### • type of material

FKM (fluoro rubber)

##### • material thickness

≥0,4 mm

##### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

##### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

##### Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: AX (gas filters and combined filters against low-boiling point organic compounds, colour code: Brown).

##### Environmental exposure controls

Keep away from drains, surface and ground water.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Trichloromethane ROTISOLV® ≥99,8 %, UV/IR-Grade, stabilized

article number: 4432

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|  |                                  |
|--|----------------------------------|
| Physical state   | liquid                           |
| Colour   | colourless                       |
| Odour  | characteristic                   |
| Odour threshold  | 85 – 202 ppm                     |
| Melting point/freezing point                             | -63 °C                           |
| Boiling point or initial boiling point and boiling range | 61 °C at 1.013 hPa               |
| Flammability   | non-combustible                  |
| Lower and upper explosion limit                          | not determined                   |
| Flash point  | not determined                   |
| Auto-ignition temperature                                | not determined                   |
| Decomposition temperature                                | not relevant                     |
| pH (value)   | not determined                   |
| Kinematic viscosity                                      | 0,38 mm <sup>2</sup> /s at 20 °C |
| Dynamic viscosity  | 0,56 mPa s at 20 °C              |
| <u>Solubility(ies)</u>                                   |                                  |
| Water solubility   | 8,7 g/l at 23 °C (ECHA)          |
| <u>Partition coefficient</u>                             |                                  |
| Partition coefficient n-octanol/water (log value):       | 1,97 (25 °C) (Experimental data) |
| Soil organic carbon/water (log KOC)                      | 1,8 – 2,6 (ECHA)                 |
| Vapour pressure  | 211 hPa at 20 °C                 |
| <u>Density and/or relative density</u>                   |                                  |
| Density  | 1,48 g/cm <sup>3</sup> at 20 °C  |
| Relative vapour density                                  | 4,25 (air = 1)                   |
| Particle characteristics                                 | not relevant (liquid)            |
| <u>Other safety parameters</u>                           |                                  |
| Oxidising properties                                     | none                             |

### 9.2 Other information

|   |   |
|---|---|
| Information with regard to physical hazard classes: | hazard classes acc. to GHS (physical hazards): not relevant |
|---|---|



# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Trichloromethane ROTISOLV® ≥99,8 %, UV/IR-Grade, stabilized

article number: 4432

Other safety characteristics:

There is no additional information.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

**Violent reaction with:** strong oxidiser, Acetone, Alkali metals, Alkaline earth metal, Mineral acids, Strong alkali, Metal powder, Nitro compound, Peroxides,  
=> Explosive properties

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

different plastics, Rubber articles, Light metals

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Harmful if swallowed. Toxic if inhaled.

| Acute toxicity |          |           |         |        |        |
|----------------|----------|-----------|---------|--------|--------|
| Exposure route | Endpoint | Value     | Species | Method | Source |
| oral           | LD50     | 908 mg/kg | rat     |        | ECHA   |

#### Acute toxicity of components

| Name of substance | CAS No  | Exposure route     | Endpoint | Value         | Species |
|-------------------|---------|--------------------|----------|---------------|---------|
| Ethanol           | 64-17-5 | oral               | LD50     | 10.470 mg/kg  | rat     |
| Ethanol           | 64-17-5 | inhalation: vapour | LC50     | 124,7 mg/l/4h | rat     |

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Trichloromethane ROTISOLV® ≥99,8 %, UV/IR-Grade, stabilized

article number: 4432

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Suspected of causing cancer.

### Reproductive toxicity

Suspected of damaging the unborn child.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Causes damage to organs (liver, kidney) through prolonged or repeated exposure.

| Hazard category | Target organ | Exposure route |
|-----------------|--------------|----------------|
| 1               | liver        | if exposed     |
| 1               | kidney       | if exposed     |

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

vomiting, nausea

#### • If in eyes

Causes serious eye irritation

#### • If inhaled

vertigo, dizziness, deficits in perception and coordination, reaction time, or sleepiness, loss of righting reflex, and ataxia, cough, headache, poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness

#### • If on skin

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation), causes skin irritation

#### • Other information

none

### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.

### 11.3 Information on other hazards

There is no additional information.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Trichloromethane ROTISOLV® ≥99,8 %, UV/IR-Grade, stabilized

article number: 4432

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

| Aquatic toxicity (acute) |            |                       |        |               |
|--------------------------|------------|-----------------------|--------|---------------|
| Endpoint                 | Value      | Species               | Source | Exposure time |
| EC50                     | 152,5 mg/l | aquatic invertebrates | ECHA   | 48 h          |
| ErC50                    | 13,3 mg/l  | algae                 | ECHA   | 72 h          |

| Aquatic toxicity (acute) of components |         |          |              |                       |               |
|--|---------|----------|--------------|-----------------------|---------------|
| Name of substance                      | CAS No  | Endpoint | Value        | Species               | Exposure time |
| Ethanol                                | 64-17-5 | LC50     | 15.400 mg/l  | fish                  | 96 h          |
| Ethanol                                | 64-17-5 | EC50     | >10.000 mg/l | aquatic invertebrates | 48 h          |
| Ethanol                                | 64-17-5 | ErC50    | 22.000 mg/l  | algae                 | 96 h          |

| Aquatic toxicity (chronic) |           |                |        |               |
|----------------------------|-----------|----------------|--------|---------------|
| Endpoint                   | Value     | Species        | Source | Exposure time |
| EC50                       | 0,48 mg/l | microorganisms | ECHA   | 24 h          |

| Aquatic toxicity (chronic) of components |         |          |            |                       |               |
|--|---------|----------|------------|-----------------------|---------------|
| Name of substance                        | CAS No  | Endpoint | Value      | Species               | Exposure time |
| Ethanol                                  | 64-17-5 | LC50     | 1.806 mg/l | aquatic invertebrates | 10 d          |
| Ethanol                                  | 64-17-5 | ErC50    | 675 mg/l   | algae                 | 4 d           |

### 12.2 Persistence and degradability

Theoretical Oxygen Demand: 0,134 mg/mg  
Theoretical Carbon Dioxide: 0,3686 mg/mg

#### Biodegradation

Not readily biodegradable.

| Process of degradability |                  |      |
|--------------------------|------------------|------|
| Process                  | Degradation rate | Time |
| biotic/abiotic           | 0 %              | 14 d |

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Trichloromethane ROTISOLV® ≥99,8 %, UV/IR-Grade, stabilized

article number: 4432

| Degradability of components |         |                  |                  |      |        |        |
|-----------------------------|---------|------------------|------------------|------|--------|--------|
| Name of substance           | CAS No  | Process          | Degradation rate | Time | Method | Source |
| Ethanol                     | 64-17-5 | biotic/abiotic   | 94 %             | d    |        |        |
| Ethanol                     | 64-17-5 | oxygen depletion | 69 %             | 5 d  |        | ECHA   |
| Ethanol                     | 64-17-5 | oxygen depletion | 84 %             | 10 d |        | ECHA   |
| Ethanol                     | 64-17-5 | oxygen depletion | 97 %             | 20 d |        | ECHA   |

## 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

|                           |                                  |
|---------------------------|----------------------------------|
| n-octanol/water (log KOW) | 1,97 (25 °C) (Experimental data) |
|---------------------------|----------------------------------|

| Bioaccumulative potential of components |         |     |         |          |
|---|---------|-----|---------|----------|
| Name of substance                       | CAS No  | BCF | Log KOW | BOD5/COD |
| Ethanol                                 | 64-17-5 |     | -0,31   | 0,6211   |

## 12.4 Mobility in soil

|  |                               |
|--|-------------------------------|
| Henry's law constant                                 | 14.084 Pa m <sup>3</sup> /mol |
| The Organic Carbon normalised adsorption coefficient | 1,8 – 2,6 (ECHA)              |

## 12.5 Results of PBT and vPvB assessment

Data are not available.

## 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.

## 12.7 Other adverse effects

Data are not available.

# SECTION 13: Disposal considerations

## 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

### Sewage disposal-relevant information

Do not empty into drains.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Trichloromethane ROTISOLV® ≥99,8 %, UV/IR-Grade, stabilized

article number: 4432

### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

- HP 4** irritant - skin irritation and eye damage
- HP 5** specific target organ toxicity (STOT)/aspiration toxicity
- HP 6** acute toxicity
- HP 7** carcinogenic
- HP 10** toxic for reproduction

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

## SECTION 14: Transport information

### 14.1 UN number or ID number

|           |         |
|-----------|---------|
| ADR       | UN 1888 |
| IMDG-Code | UN 1888 |
| ICAO-TI   | UN 1888 |

### 14.2 UN proper shipping name

|           |            |
|-----------|------------|
| ADR       | CHLOROFORM |
| IMDG-Code | CHLOROFORM |
| ICAO-TI   | Chloroform |

### 14.3 Transport hazard class(es)

|           |     |
|-----------|-----|
| ADR       | 6.1 |
| IMDG-Code | 6.1 |
| ICAO-TI   | 6.1 |

### 14.4 Packing group

|           |     |
|-----------|-----|
| ADR       | III |
| IMDG-Code | III |
| ICAO-TI   | III |

### 14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU




Trichloromethane ROTISOLV® ≥99,8 %, UV/IR-Grade, stabilized


article number: 4432

## 14.8 Information for each of the UN Model Regulations


### Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) Additional information

|   |                                   |
|---|-----------------------------------|
| Proper shipping name  | CHLOROFORM                        |
| Particulars in the transport document   | UN1888, CHLOROFORM, 6.1, III, (E) |
| Classification code   | T1                                |
| Danger label(s)   | 6.1                               |
|  |                                   |
| Special provisions (SP)   | 802(ADN)                          |
| Excepted quantities (EQ)  | E1                                |
| Limited quantities (LQ)   | 5 L                               |
| Transport category (TC)   | 2                                 |
| Tunnel restriction code (TRC)   | E                                 |
| Hazard identification No  | 60                                |

### International Maritime Dangerous Goods Code (IMDG) - Additional information

|   |                                      |
|---|--------------------------------------|
| Proper shipping name  | CHLOROFORM                           |
| Particulars in the shipper's declaration  | UN1888, CHLOROFORM, 6.1, III         |
| Marine pollutant  | -                                    |
| Danger label(s)   | 6.1                                  |
|  |                                      |
| Special provisions (SP)   | -                                    |
| Excepted quantities (EQ)  | E1                                   |
| Limited quantities (LQ)   | 5 L                                  |
| EmS   | F-A, S-A                             |
| Stowage category  | A                                    |
| Segregation group   | 10 - Liquid halogenated hydrocarbons |

### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

|   |                              |
|---|------------------------------|
| Proper shipping name  | Chloroform                   |
| Particulars in the shipper's declaration  | UN1888, Chloroform, 6.1, III |
| Danger label(s)   | 6.1                          |
|  |                              |
| Excepted quantities (EQ)  | E1                           |
| Limited quantities (LQ)   | 2 L                          |

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Trichloromethane ROTISOLV® ≥99,8 %, UV/IR-Grade, stabilized

article number: 4432

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

#### Restrictions according to REACH, Annex XVII

| Dangerous substances with restrictions (REACH, Annex XVII) |  |         |             |    |
|--|--|---------|-------------|----|
| Name of substance  | Name acc. to inventory   | CAS No  | Restriction | No |
| Trichloromethane   | chloroform   | 67-66-3 | R32-38      | 32 |
| Trichloromethane   | this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC |         | R3          | 3  |
| Trichloromethane   | substances in tattoo inks and permanent make-up  |         | R75         | 75 |

#### Legend

- R3 1. Shall not be used in:  
- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,  
- tricks and jokes,  
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,  
2. Articles not complying with paragraph 1 shall not be placed on the market.  
3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:  
— can be used as fuel in decorative oil lamps for supply to the general public, and  
— present an aspiration hazard and are labelled with H304.  
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).  
5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:  
(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";  
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';  
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.;
- R32-38 1. Shall not be placed on the market, or used,  
- as substances,  
- as constituents of other substances, or in mixtures in concentrations equal to or greater than 0,1 % by weight, where the substance or mixture is intended for supply to the general public and/or is intended for diffusive applications such as in surface cleaning and cleaning of fabrics.  
2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures containing them in concentrations equal to or greater than 0,1 % by weight is visibly, legibly and indelibly marked as follows:  
'For use in industrial installations only'.  
By way of derogation this provision shall not apply to:  
(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;  
(b) cosmetic products as defined by Directive 76/768/EEC.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Trichloromethane ROTISOLV® ≥99,8 %, UV/IR-Grade, stabilized

article number: 4432

### Legend

- R75
1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:
    - (a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
    - (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
    - (c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
    - (d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:
      - (i) 0,1 % by weight, if the substance is used solely as a pH regulator;
      - (ii) 0,01 % by weight, in all other cases;
    - (e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (\*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
    - (f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:
      - (i) "Rinse-off products";
      - (ii) "Not to be used in products applied on mucous membranes";
      - (iii) "Not to be used in eye products";
    - (g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;
    - (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.
  2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.
  3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.
  4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
    - (a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
    - (b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).
  5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.
  6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.
  7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:
    - (a) the statement "Mixture for use in tattoos or permanent make-up";
    - (b) a reference number to uniquely identify the batch;
    - (c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;
    - (d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;
    - (e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;
    - (f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;
    - (g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.The information shall be clearly visible, easily legible and marked in a way that is indelible. The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise. Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use. Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.
  8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.



# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Trichloromethane ROTISOLV® ≥99,8 %, UV/IR-Grade, stabilized

article number: 4432

### Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

### Seveso Directive

| 2012/18/EU (Seveso III) |                                       |   |       |
|-------------------------|---------------------------------------|---|-------|
| No                      | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | Notes |
| H2                      | acute toxic (cat. 2 + cat. 3, inhal.) | 50                      200   | 41)   |

#### Notation

- 41) - Category 2, all exposure routes
- category 3, inhalation exposure route

### Deco-Paint Directive

|             |           |
|-------------|-----------|
| VOC content | 100 %     |
| VOC content | 1.480 g/l |

### Industrial Emissions Directive (IED)

|             |           |
|-------------|-----------|
| VOC content | 100 %     |
| VOC content | 1.480 g/l |

### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

| Pollutant release and transfer registers (PRTR) |         |         |   |
|---|---------|---------|---|
| Name of substance                               | CAS No  | Remarks | Threshold for releases to air (kg/year) |
| Trichloromethane                                | 67-66-3 |         | 500                                     |

### Water Framework Directive (WFD)

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Trichloromethane ROTISOLV® ≥99,8 %, UV/IR-Grade, stabilized

article number: 4432

| List of pollutants (WFD) |   |         |           |         |
|--------------------------|---|---------|-----------|---------|
| Name of substance        | Name acc. to inventory  | CAS No  | Listed in | Remarks |
| Trichloromethane         | trichloromethane (chloroform)   | 67-66-3 | b)        |         |
| Trichloromethane         | trichloromethane  | 67-66-3 | c)        |         |
| Trichloromethane         | Organohalogen compounds and substances which may form such compounds in the aquatic environment   |         | a)        |         |
| Trichloromethane         | Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment |         | a)        |         |

### Legend

- a) Indicative list of the main pollutants
- b) List of priority substances in the field of water policy
- c) Environmental Quality Standards for Priority Substances and certain other pollutants

### Regulation on the marketing and use of explosives precursors

not listed

### Regulation on drug precursors

not listed

### Regulation on substances that deplete the ozone layer (ODS)

not listed

### Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

| Name of substance | Name acc. to inventory | CAS No  | Wt% | Category / subcategory | Use limitation |
|-------------------|------------------------|---------|-----|------------------------|----------------|
| Trichloromethane  | chloroform             | 67-66-3 | 100 | i(2)                   | b              |

### Legend

- b) Use limitation: ban (for the sub-category or sub-categories concerned) according to Union legislation
- i(2) Sub-category: i(2) - industrial chemical for public use

### Regulation on persistent organic pollutants (POP)

not listed

### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Trichloromethane ROTISOLV® ≥99,8 %, UV/IR-Grade, stabilized

article number: 4432

### National inventories

| Country | Inventory  | Status                       |
|---------|------------|------------------------------|
| AU      | AIIC       | substance is listed          |
| CA      | DSL        | substance is listed          |
| CN      | IECSC      | substance is listed          |
| EU      | ECSI       | substance is listed          |
| EU      | REACH Reg. | substance is listed          |
| JP      | CSCL-ENCS  | substance is listed          |
| KR      | KECI       | substance is listed          |
| MX      | INSQ       | substance is listed          |
| NZ      | NZIoC      | substance is listed          |
| PH      | PICCS      | substance is listed          |
| TR      | CICR       | substance is listed          |
| TW      | TCSI       | substance is listed          |
| US      | TSCA       | substance is listed (ACTIVE) |
| VN      | NCI        | substance is listed          |

#### Legend

|            |   |
|------------|---|
| AIIC       | Australian Inventory of Industrial Chemicals                            |
| CICR       | Chemical Inventory and Control Regulation                               |
| CSCL-ENCS  | List of Existing and New Chemical Substances (CSCL-ENCS)                |
| DSL        | Domestic Substances List (DSL)  |
| ECSI       | EC Substance Inventory (EINECS, ELINCS, NLP)                            |
| IECSC      | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ       | National Inventory of Chemical Substances                               |
| KECI       | Korea Existing Chemicals Inventory                                      |
| NCI        | National Chemical Inventory   |
| NZIoC      | New Zealand Inventory of Chemicals                                      |
| PICCS      | Philippine Inventory of Chemicals and Chemical Substances (PICCS)       |
| REACH Reg. | REACH registered substances   |
| TCSI       | Taiwan Chemical Substance Inventory                                     |
| TSCA       | Toxic Substance Control Act   |

### 15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

## SECTION 16: Other information

### Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value)  | Safety-relevant |
|---------|---------------------------|--|-----------------|
| 2.2     |                           | Hazard statements:<br>change in the listing (table)  | yes             |
| 2.2     |                           | Labelling of packages where the contents do not exceed 125 ml:<br>change in the listing (table)                | yes             |
| 2.3     |                           | Endocrine disrupting properties:<br>Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%. | yes             |

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Trichloromethane ROTISOLV® ≥99,8 %, UV/IR-Grade, stabilized

article number: 4432

| Section | Former entry (text/value)   | Actual entry (text/value)   | Safety-relevant |
|---------|---|---|-----------------|
| 15.1    | VOC content:<br>100 %<br>1.480 g/l  | VOC content:<br>100 %   | yes             |
| 15.1    |   | VOC content:<br>1.480 g/l   | yes             |
| 15.1    |   | National inventories:<br>change in the listing (table)  | yes             |
| 15.2    | Chemical Safety Assessment:<br>No Chemical Safety Assessment has been carried out for this substance. | Chemical safety assessment:<br>According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant. | yes             |

### Abbreviations and acronyms

| Abbr.      | Descriptions of used abbreviations  |
|------------|---|
| 2000/39/EC | Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC                                   |
| ADR        | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)                     |
| ATE        | Acute Toxicity Estimate   |
| BCF        | Bioconcentration factor   |
| BOD        | Biochemical Oxygen Demand   |
| CAP. 424   | Occupational Health and Safety Authority Act (CAP. 424)   |
| CAS        | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)  |
| Ceiling-C  | Ceiling value   |
| CLP        | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures  |
| COD        | Chemical oxygen demand  |
| DGR        | Dangerous Goods Regulations (see IATA/DGR)  |
| DNEL       | Derived No-Effect Level   |
| EC50       | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval  |
| EC No      | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |
| ED         | Endocrine disruptor   |
| EINECS     | European Inventory of Existing Commercial Chemical Substances   |
| ELINCS     | European List of Notified Chemical Substances   |
| EmS        | Emergency Schedule  |
| ErC50      | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control            |
| GHS        | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations   |

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Trichloromethane ROTISOLV® ≥99,8 %, UV/IR-Grade, stabilized

article number: 4432

| Abbr.     | Descriptions of used abbreviations  |
|-----------|---|
| IATA      | International Air Transport Association   |
| IATA/DGR  | Dangerous Goods Regulations (DGR) for the air transport (IATA)  |
| ICAO      | International Civil Aviation Organization   |
| ICAO-TI   | Technical instructions for the safe transport of dangerous goods by air   |
| IMDG      | International Maritime Dangerous Goods Code   |
| IMDG-Code | International Maritime Dangerous Goods Code   |
| index No  | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008                          |
| IOELV     | Indicative occupational exposure limit value  |
| LC50      | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50      | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval                  |
| log KOW   | n-Octanol/water   |
| NLP       | No-Longer Polymer   |
| PBT       | Persistent, Bioaccumulative and Toxic   |
| PNEC      | Predicted No-Effect Concentration   |
| ppm       | Parts per million   |
| REACH     | Registration, Evaluation, Authorisation and Restriction of Chemicals  |
| STEL      | Short-term exposure limit   |
| SVHC      | Substance of Very High Concern  |
| TWA       | Time-weighted average   |
| VOC       | Volatile Organic Compounds  |
| vPvB      | Very Persistent and very Bioaccumulative  |

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.  
Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### List of relevant phrases (code and full text as stated in section 2 and 3)

| Code  | Text                                    |
|-------|---|
| H302  | Harmful if swallowed.                   |
| H315  | Causes skin irritation.                 |
| H319  | Causes serious eye irritation.          |
| H331  | Toxic if inhaled.                       |
| H351  | Suspected of causing cancer.            |
| H361d | Suspected of damaging the unborn child. |

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



## Trichloromethane ROTISOLV® ≥99,8 %, UV/IR-Grade, stabilized

article number: **4432**

| Code | Text  |
|------|---|
| H372 | Causes damage to organs (liver, kidney) through prolonged or repeated exposure. |

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.