

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Bismuth(III) nitrate $\geq 71$ % Bi, p.a., basic

article number: **4447**  
Version: **GHS 4.0 en**  
Replaces version of: 2022-07-20  
Version: (GHS 3)

date of compilation: 2017-01-27  
Revision: 2024-03-02

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Identification of the substance **Bismuth(III) nitrate  $\geq 71$  % Bi, p.a., basic**  
Article number 4447  
CAS number 10361-46-3

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical  
Laboratory and analytical use  
Uses advised against: Do not use for private purposes (household).  
Food, drink and animal feedingstuffs.

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:** +49 (0) 721 - 56 06 0  
**Telefax:** +49 (0) 721 - 56 06 149  
**e-mail:** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)  
**Website:** [www.carlroth.de](http://www.carlroth.de)

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

**e-mail (competent person):** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

### 1.4 Emergency telephone number

| Name   | Street          | Postal code/city   | Telephone | Website |
|--|-----------------|--------------------|-----------|---------|
| NSW Poisons Information Centre<br>Childrens Hospital | Hawkesbury Road | 2145 Westmead, NSW | 131126    |         |

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification acc. to GHS

| Section | Hazard class  | Category | Hazard class and category | Hazard statement |
|---------|---|----------|---------------------------|------------------|
| 2.14    | Oxidising solid   | 2        | Ox. Sol. 2                | H272             |
| 3.2     | Skin corrosion/irritation   | 2        | Skin Irrit. 2             | H315             |
| 3.3     | Serious eye damage/eye irritation   | 2A       | Eye Irrit. 2A             | H319             |
| 3.8R    | Specific target organ toxicity - single exposure (respiratory tract irritation) | 3        | STOT SE 3                 | H335             |

For full text of abbreviations: see SECTION 16

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Bismuth(III) nitrate $\geq 71$ % Bi, p.a., basic

article number: 4447

### 2.2 Label elements

#### Labelling

#### Signal word

**Danger**

#### Pictograms

GHS03, GHS07



#### Hazard statements

|      |                                  |
|------|----------------------------------|
| H272 | May intensify fire; oxidiser     |
| H315 | Causes skin irritation           |
| H319 | Causes serious eye irritation    |
| H335 | May cause respiratory irritation |

#### Precautionary statements

##### **Precautionary statements - prevention**

|      |   |
|------|---|
| P210 | Keep away from heat/sparks/open flames/hot surfaces. - No smoking |
| P261 | Avoid breathing dust/fume/gas/mist/vapours/spray                  |
| P280 | Wear protective gloves  |

##### **Precautionary statements - response**

|                |   |
|----------------|---|
| P302+P352      | IF ON SKIN: Wash with plenty of soap and water  |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing |
| P312           | Call a POISON CENTER or doctor/physician if you feel unwell   |
| P370+P378      | In case of fire: Use sand, carbon dioxide or powder extinguisher for extinction   |

##### **Precautionary statements - storage**

|           |   |
|-----------|---|
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed |
|-----------|---|

##### **Precautionary statements - disposal**

|      |  |
|------|--|
| P501 | Dispose of contents/container to industrial combustion plant |
|------|--|

### 2.3 Other hazards

#### **Results of PBT and vPvB assessment**

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



**Bismuth(III) nitrate ≥71 % Bi, p.a., basic**

article number: **4447**

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

|                   |                      |
|-------------------|----------------------|
| Name of substance | Bismuth(III) nitrate |
| Molecular formula | BiNO <sub>4</sub>    |
| Molar mass        | 287 g/mol            |
| CAS No            | 10361-46-3           |

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

#### Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

Irritation, Cough, Dyspnoea

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings!  
water, foam, dry extinguishing powder, ABC-powder

#### Unsuitable extinguishing media

water jet

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



**Bismuth(III) nitrate  $\geq 71$  % Bi, p.a., basic**

article number: **4447**

## 5.2 Special hazards arising from the substance or mixture

Oxidising property. Non-combustible.

### Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NO<sub>x</sub>)

## 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically. Control of dust.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid dust formation.

#### Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits. Keep away from combustible material.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed. May cause decomposition by long-term light influence.

#### Incompatible substances or mixtures

Observe hints for combined storage. Keep/store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles.

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Bismuth(III) nitrate $\geq 71$ % Bi, p.a., basic

article number: 4447

### Protect against external exposure, such as

humidity, UV-radiation/sunlight

### Consideration of other advice:

#### Ventilation requirements

Use local and general ventilation.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

#### Occupational exposure limit values (Workplace Exposure Limits)

| Country | Name of agent  | CAS No | Identifier | TWA [mg/m <sup>3</sup> ] | STEL [mg/m <sup>3</sup> ] | Ceiling-C [mg/m <sup>3</sup> ] | Notation | Source |
|---------|----------------|--------|------------|--------------------------|---------------------------|--------------------------------|----------|--------|
| AU      | nuisance dusts |        | WES        | 10                       |                           |                                | i        | WES    |

#### Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

i Inhalable fraction

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

##### Eye/face protection



Use safety goggles with side protection.

##### Skin protection



##### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Bismuth(III) nitrate $\geq 71$ % Bi, p.a., basic

article number: 4447

only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

- **type of material**

NBR (Nitrile rubber)

- **material thickness**

>0,11 mm


- **breakthrough times of the glove material**

>480 minutes (permeation: level 6)

- **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

### Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

### Environmental exposure controls

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|  |                         |
|--|-------------------------|
| Physical state   | solid                   |
| Form   | powder                  |
| Colour   | whitish                 |
| Odour  | odourless               |
| Melting point/freezing point                             | 500 °C                  |
| Boiling point or initial boiling point and boiling range | not determined          |
| Flammability   | non-combustible         |
| Lower and upper explosion limit                          | not determined          |
| Flash point  | not applicable          |
| Auto-ignition temperature                                | not determined          |
| Decomposition temperature                                | not relevant            |
| pH (value)   | not applicable          |
| Kinematic viscosity                                      | not relevant            |
| <u>Solubility(ies)</u>                                   |                         |
| Water solubility   | (practically insoluble) |

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Bismuth(III) nitrate $\geq 71$ % Bi, p.a., basic

article number: 4447

### Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

### Density and/or relative density

Density 4.93 g/cm<sup>3</sup>

Relative vapour density Information on this property is not available.

Particle characteristics No data available.

### Other safety parameters

Oxidising properties oxidiser

## 9.2 Other information

Information with regard to physical hazard classes: There is no additional information.

Other safety characteristics: There is no additional information.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

It's a reactive substance. Oxidising property.

### 10.2 Chemical stability

Moisture-sensitive. May cause decomposition by long-term light influence.

### 10.3 Possibility of hazardous reactions

**Violent reaction with:** Metal powder, Organic substances, Reducing agents, Strong acid

### 10.4 Conditions to avoid

Humidity. UV-radiation/sunlight.

### 10.5 Incompatible materials

combustible materials

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

**Bismuth(III) nitrate  $\geq 71$  % Bi, p.a., basic**

article number: **4447**

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Classification acc. to GHS

##### Acute toxicity

Shall not be classified as acutely toxic.

##### Skin corrosion/irritation

Causes skin irritation.

##### Serious eye damage/eye irritation

Causes serious eye irritation.

##### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

##### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

##### Carcinogenicity

Shall not be classified as carcinogenic.

##### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

##### Specific target organ toxicity - single exposure

May cause respiratory irritation.

##### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

##### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

##### • If swallowed

Data are not available.

##### • If in eyes

Causes serious eye irritation

##### • If inhaled

Irritation to respiratory tract, cough, Dyspnoea

##### • If on skin

causes skin irritation

##### • Other information

none

### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .



# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



**Bismuth(III) nitrate  $\geq 71$  % Bi, p.a., basic**

article number: 4447

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

### 12.2 Persistence and degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### Relevant provisions relating to waste(Basel Convention)

#### Properties of waste which render it hazardous

**H5.1** Oxidizing  
**H11** Toxic (Delayed or chronic)

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



**Bismuth(III) nitrate ≥71 % Bi, p.a., basic**

article number: **4447**

## SECTION 14: Transport information

### 14.1 UN number

|                |         |
|----------------|---------|
| <b>UN RTDG</b> | UN 1477 |
| IMDG-Code      | UN 1477 |
| ICAO-TI        | UN 1477 |

### 14.2 UN proper shipping name

|                |                             |
|----------------|-----------------------------|
| <b>UN RTDG</b> | NITRATES, INORGANIC, N.O.S. |
| IMDG-Code      | NITRATES, INORGANIC, N.O.S. |
| ICAO-TI        | Nitrates, inorganic, n.o.s. |

### 14.3 Transport hazard class(es)

|                |     |
|----------------|-----|
| <b>UN RTDG</b> | 5.1 |
| IMDG-Code      | 5.1 |
| ICAO-TI        | 5.1 |

### 14.4 Packing group

|                |    |
|----------------|----|
| <b>UN RTDG</b> | II |
| IMDG-Code      | II |
| ICAO-TI        | II |

### 14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

### 14.6 Special precautions for user

There is no additional information.

### 14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

Transport information National regulations Additional information (UN RTDG)

|                        |      |
|------------------------|------|
| <b>UN number</b>       | 1477 |
| <b>Class</b>           | 5.1  |
| <b>Packing group</b>   | II   |
| <b>Danger label(s)</b> | 5.1  |



|                                 |                 |
|---------------------------------|-----------------|
| <b>Special provisions (SP)</b>  | -<br>UN RTDG    |
| <b>Excepted quantities (EQ)</b> | E2<br>UN RTDG   |
| <b>Limited quantities (LQ)</b>  | 1 kg<br>UN RTDG |



# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Bismuth(III) nitrate $\geq 71$ % Bi, p.a., basic

article number: 4447

|   |  |
|---|--|
| <b>Emergency Action Code</b>  | 1Y   |
| <b>International Maritime Dangerous Goods Code (IMDG) - Additional information</b>        |  |
| Proper shipping name  | NITRATES, INORGANIC, N.O.S.                  |
| Particulars in the shipper's declaration  | UN1477, NITRATES, INORGANIC, N.O.S., 5.1, II |
| Marine pollutant  | -  |
| Danger label(s)   | 5.1  |
|          |  |
| Special provisions (SP)   | -  |
| Excepted quantities (EQ)  | E2   |
| Limited quantities (LQ)   | 1 kg   |
| EmS   | F-A, S-Q                                     |
| Stowage category  | A  |
| <b>International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information</b> |  |
| Proper shipping name  | Nitrates, inorganic, n.o.s.                  |
| Particulars in the shipper's declaration  | UN1477, Nitrates, inorganic, n.o.s., 5.1, II |
| Danger label(s)   | 5.1  |
|        |  |
| Special provisions (SP)   | A3   |
| Excepted quantities (EQ)  | E2   |
| Limited quantities (LQ)   | 2,5 kg                                       |

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

#### National regulations(Australia)

##### Australian Inventory of Chemical Substances(AICS)

Substance is listed.

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### National inventories

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Bismuth(III) nitrate $\geq 71$ % Bi, p.a., basic

article number: 4447

| Country | Inventory | Status              |
|---------|-----------|---------------------|
| AU      | AIIC      | substance is listed |
| CN      | IECSC     | substance is listed |
| EU      | ECSI      | substance is listed |
| JP      | CSCL-ENCS | substance is listed |
| KR      | KECI      | substance is listed |
| NZ      | NZIoC     | substance is listed |
| PH      | PICCS     | substance is listed |
| TW      | TCSI      | substance is listed |
| VN      | NCI       | substance is listed |

### Legend

|           |   |
|-----------|---|
| AIIC      | Australian Inventory of Industrial Chemicals                            |
| CSCL-ENCS | List of Existing and New Chemical Substances (CSCL-ENCS)                |
| ECSI      | EC Substance Inventory (EINECS, ELINCS, NLP)                            |
| IECSC     | Inventory of Existing Chemical Substances Produced or Imported in China |
| KECI      | Korea Existing Chemicals Inventory                                      |
| NCI       | National Chemical Inventory   |
| NZIoC     | New Zealand Inventory of Chemicals                                      |
| PICCS     | Philippine Inventory of Chemicals and Chemical Substances (PICCS)       |
| TCSI      | Taiwan Chemical Substance Inventory                                     |

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

## SECTION 16: Other information

### Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value)   | Safety-relevant |
|---------|---------------------------|---|-----------------|
| 2.3     |                           | Endocrine disrupting properties:<br>Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$ . | yes             |
| 14.8    |                           | Emergency Action Code:<br>1Y  | yes             |
| 15.1    |                           | National inventories:<br>change in the listing (table)  | yes             |

### Abbreviations and acronyms

| Abbr.     | Descriptions of used abbreviations   |
|-----------|--|
| CAS       | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value  |
| DGR       | Dangerous Goods Regulations (see IATA/DGR)   |
| ED        | Endocrine disruptor  |
| EINECS    | European Inventory of Existing Commercial Chemical Substances  |
| ELINCS    | European List of Notified Chemical Substances  |
| EmS       | Emergency Schedule   |

# Safety data sheet Safety data sheet

acc. to Safe Work Australia - Code of Practice



## Bismuth(III) nitrate $\geq 71$ % Bi, p.a., basic

article number: 4447

| Abbr.     | Descriptions of used abbreviations  |
|-----------|---|
| GHS       | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA      | International Air Transport Association   |
| IATA/DGR  | Dangerous Goods Regulations (DGR) for the air transport (IATA)  |
| ICAO      | International Civil Aviation Organization   |
| ICAO-TI   | Technical instructions for the safe transport of dangerous goods by air                                   |
| IMDG      | International Maritime Dangerous Goods Code   |
| IMDG-Code | International Maritime Dangerous Goods Code   |
| NLP       | No-Longer Polymer   |
| PBT       | Persistent, Bioaccumulative and Toxic   |
| STEL      | Short-term exposure limit   |
| TWA       | Time-weighted average   |
| UN RTDG   | UN Recommendations on the Transport of Dangerous Good   |
| vPvB      | Very Persistent and very Bioaccumulative  |
| WES       | Safe Work Australia: Workplace exposure standards for airborne contaminants                               |

### Key literature references and sources for data

Safe Work Australia's Code of Practice for Labelling of Workplace Hazardous Chemicals (under WHS Regulations).

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text                              |
|------|-----------------------------------|
| H272 | May intensify fire; oxidiser.     |
| H315 | Causes skin irritation.           |
| H319 | Causes serious eye irritation.    |
| H335 | May cause respiratory irritation. |

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.