Safety data sheet

date of compilation: 2016-04-27 Revision: 2024-03-01

Nickel(II) chloride hexahydrate ≥98 %, p.a.

article number: 4489 Version: 4.0 en Replaces version of: 2022-06-23 Version: (3)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance	Nickel(II) chloride hexahydrate ≥98 %, p.a.
Article number	4489
Registration number (REACH)	01-2119486973-20-xxxx
Index number in CLP Annex VI	028-011-00-6
EC number	231-743-0
CAS number	7791-20-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Centre Beaumont Hospital	Beaumont Road	Dublin 9	+353 1 809 2166	https:// www.poisons.ie/

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Nickel(II) chloride hexahydrate ≥98 %, p.a.

article number: 4489

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	3	Acute Tox. 3	H301
3.1I	Acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.4R	Respiratory sensitisation	1	Resp. Sens. 1	H334
3.4S	Skin sensitisation	1	Skin Sens. 1	H317
3.5	Germ cell mutagenicity	2	Muta. 2	H341
3.6	Carcinogenicity	1A	Carc. 1A	H350i
3.7	Reproductive toxicity	1B	Repr. 1B	H360D
3.9	Specific target organ toxicity - repeated exposure	1	STOT RE 1	H372
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Danger

Signal word

Pictograms

GHS06, GHS08, GHS09



Hazard statements

H301+H331 H315	Toxic if swallowed or if inhaled Causes skin irritation
H317	May cause an allergic skin reaction
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H341	Suspected of causing genetic defects
H350i	May cause cancer by inhalation
H360D	May damage the unborn child
H372 H410	Causes damage to organs through prolonged or repeated exposure Very toxic to aquatic life with long lasting effects

® Roth

Nickel(II) chloride hexahydrate ≥98 %, p.a.

article number: 4489

Precautionary statements

Precautionary statements - prevention

P270	Do not eat, drink or smoke when using this product
P273	Avoid release to the environment
P280	Wear protective gloves/eye protection

Precautionary statements - response

P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing
P310	Immediately call a POISON CENTER/doctor

For professional users only

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger



H301+H331	Toxic if swallowed or if inhaled.
H317	May cause an allergic skin reaction.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/eye protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Nickel(II) chloride hexahydrate
Molecular formula	$NiCl_2 \cdot 6 H_2O$
Molar mass	237,7 ^g / _{mol}
REACH Reg. No	01-2119486973-20-xxxx
CAS No	7791-20-0
EC No	231-743-0
Index No	028-011-00-6

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Nickel(II) chloride hexahydrate ≥98 %, p.a.

article number: 4489

Substance, Specific Conc. Limits, M-factors, ATE				
Specific Conc. Limits	M-Factors	ATE	Exposure route	
Skin Irrit. 2; H315: C ≥ 20 % Skin Sens. 1; H317: C ≥ 0,01 % STOT RE 1; H372: C ≥ 1 % STOT RE 2; H373: 0,1 % ≤ C < 1 %	M-factor (acute) = 1 M-factor (chronic) = 1	105 ^{mg} / _{kg} >0,5 ^{mg} / _l /4h	oral inhalation: dust/ mist	

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Self-protection of the first aider.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician. In case of skin irritation, consult a physician.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Irritation, Allergic reactions, Cough, Dyspnoea, Gastrointestinal complaints

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Nickel(II) chloride hexahydrate ≥98 %, p.a.

article number: 4489

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Hydrogen chloride (HCl), Hydrogen chloride (HCl)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory). Provision of sufficient ventilation. Avoid exposure. Avoid dust formation. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Hygroscopic.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Nickel(II) chloride hexahydrate ≥98 %, p.a.

article number: 4489

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
IE	dusts, non-specific		OELV	10			i	S.I. No. 619 of 2001
IE	dusts, non-specific		OELV	4			r	S.I. No. 619 of 2001

Notation

 Ceiling-C
 Ceiling value is a limit value above which exposure should not occur

 i
 Inhalable fraction

 r
 Respirable fraction

 STEL
 Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

 TWA
 Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

WA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNELs and other threshold levels					
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time	
DNEL	0,7 mg/m³	human, inhalatory	worker (industry)	acute - local effects	
DNEL	16 mg/m³	human, inhalatory	worker (industry)	acute - systemic effects	
DNEL	0,05 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects	

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Nickel(II) chloride hexahydrate ≥98 %, p.a.

article number: 4489

Environm	Environmental values					
Relevant PNECs and other threshold levels						
End- point	Threshold level	Organism	Environmental com- partment	Exposure time		
PNEC	0,0086 ^{mg} / _{cm³}	unknown	marine water	intermittent release		
PNEC	0,0071 ^{mg} / _{cm³}	unknown	freshwater	intermittent release		
PNEC	29,9 ^{mg} / _{cm³}	unknown	soil	intermittent release		

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,3 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Nickel(II) chloride hexahydrate ≥98 %, p.a.

article number: 4489

Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1	Information on basic physical and chemical properties		
	Physical state	solid	
	Form	crystalline	
	Colour	green	
	Odour	odourless	
	Melting point/freezing point	1.000 °C	
	Boiling point or initial boiling point and boiling range	not determined	
	Flammability	non-combustible	
	Lower and upper explosion limit	not determined	
	Flash point	not applicable	
	Auto-ignition temperature	not determined	
	Decomposition temperature	>140 °C (Release of crystal water)	
	pH (value)	4 – 7 (in aqueous solution: 50 ^g / _l , 25 °C)	
	Kinematic viscosity	not relevant	
	Solubility(ies)		
	Water solubility	2.540 ^g / _l at 20 °C	
	Partition coefficient		
	Partition coefficient n-octanol/water (log value):	not relevant (inorganic)	
	Vapour pressure	not determined	
	Density and/or relative density		
	Density	1,92 ^g / _{cm³} at 20 °C	
	Relative vapour density	Information on this property is not available.	
	Bulk density	650 ^{kg} / _{m³}	
	Particle characteristics	No data available.	
	Other safety parameters		
	Oxidising properties	none	

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Nickel(II) chloride hexahydrate ≥98 %, p.a.

article number: 4489

9.2 Other information

Information with regard to physical hazard classes:

Other safety characteristics:

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >140 °C.

10.5 Incompatible materials

substance, leather articles

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Toxic if swallowed. Toxic if inhaled.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	105 ^{mg} / _{kg}	rat		TOXNET

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

May cause cancer by inhalation.

hazard classes acc. to GHS (physical hazards): not relevant

There is no additional information.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Nickel(II) chloride hexahydrate ≥98 %, p.a.

article number: 4489

Reproductive toxicity

May damage the unborn child.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

irritant effects, gastrointestinal complaints, nausea, diarrhoea

• If in eyes

causes slight to moderate irritation

• If inhaled

May produce an allergic reaction, cough, Dyspnoea

• If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	1,3 ^{mg} / _l	common carp (Cyprinus caprio)	ECOTOX Database	96 h
EC50	0,51 ^{mg} / _l	daphnia magna	ECOTOX Database	48 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential Data are not available.

12.4 Mobility in soil

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Nickel(II) chloride hexahydrate ≥98 %, p.a.

article number: 4489

Data are not available.

- 12.5 **Results of PBT and vPvB assessment** Data are not available.
- 12.6 Endocrine disrupting properties Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.
- 12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

Waste treatment methods 13.1



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Relevant provisions relating to waste 13.2

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- HP 4 irritant - skin irritation and eye damage
- HP 5 specific target organ toxicity (STOT)/aspiration toxicity
- HP₆ acute toxicity
- HP 7 carcinogenic
- HP 10 toxic for reproduction
- HP 11 HP 13 mutagenic
- sensitising
- HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Nickel(II) chloride hexahydrate ≥98 %, p.a.

article number: 4489

SEC	TION 14: Transport information	
14.1	UN number or ID number	
	ADRRID	UN 3288
	IMDG-Code	UN 3288
	ICAO-TI	UN 3288
14.2	UN proper shipping name	
	ADRRID	TOXIC SOLID, INORGANIC, N.O.S.
	IMDG-Code	TOXIC SOLID, INORGANIC, N.O.S.
	ICAO-TI	Toxic solid, inorganic, n.o.s.
	Technical name	Nickel(II) chloride hexahydrate
14.3	Transport hazard class(es)	
	ADRRID	6.1
	IMDG-Code	6.1
	ICAO-TI	6.1
14.4	Packing group	
	ADRRID	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information		
Proper shipping name	TOXIC SOLID, INORGANIC, N.O.S.	
Particulars in the transport document	UN3288, TOXIC SOLID, INORGANIC, N.O.S., (Nick- el(II) chloride hexahydrate), 6.1, III, (E), environ- mentally hazardous	
Classification code	Τ5	
Danger label(s)	6.1, "Fish and tree"	
Environmental hazards	Yes (hazardous to the aquatic environment)	
Special provisions (SP)	274, 802(ADN)	
Excepted quantities (EQ)	E1	

Safety data sheet according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Nickel(II) chloride	e hexahydrate	≥98 %,	p.a.
---------------------	---------------	--------	------

Transport category (TC) Tunnel restriction code (TRC) Hazard identification No Regulations concerning the International Carrier information Classification code Danger label(s) $\widehat{\checkmark}$ Environmental hazards Special provisions (SP) Excepted quantities (EQ) Limited quantities (LQ)	2 E 60 age of Dangerous Goods by Rail (RID)Addition T5 6.1, "Fish and tree" Yes Hazardous to water 274, 802(ADN)
Hazard identification No Regulations concerning the International Carri- information Classification code Danger label(s) Environmental hazards Special provisions (SP) Excepted quantities (EQ)	60 age of Dangerous Goods by Rail (RID)Addition T5 6.1, "Fish and tree" Yes Hazardous to water
Regulations concerning the International Carrie Information Classification code Danger label(s) Environmental hazards Special provisions (SP) Excepted quantities (EQ)	age of Dangerous Goods by Rail (RID)Addition T5 6.1, "Fish and tree" Yes Hazardous to water
information Classification code Danger label(s) \checkmark Environmental hazards Special provisions (SP) Excepted quantities (EQ)	T5 6.1, "Fish and tree" Yes Hazardous to water
Danger label(s) \checkmark Environmental hazards Special provisions (SP) Excepted quantities (EQ)	6.1, "Fish and tree" Yes Hazardous to water
Environmental hazards Special provisions (SP) Excepted quantities (EQ)	Yes Hazardous to water
Special provisions (SP) Excepted quantities (EQ)	Hazardous to water
Special provisions (SP) Excepted quantities (EQ)	Hazardous to water
Excepted quantities (EQ)	274, 802(ADN)
• • •	
Limited quantities (LQ)	E1
	5 kg
Transport category (TC)	2
Hazard identification No	60
International Maritime Dangerous Goods Code	(IMDG) - Additional information
Proper shipping name	TOXIC SOLID, INORGANIC, N.O.S.
Particulars in the shipper's declaration	UN3288, TOXIC SOLID, INORGANIC, N.O.S., (N el(II) chloride hexahydrate), 6.1, III, MARINE P LUTANT
Marine pollutant	Yes (hazardous to the aquatic environment)
Danger label(s)	6.1, "Fish and tree"
Special provisions (SP)	223, 274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
EmS	F-A, S-A
Stowage category	A
International Civil Aviation Organization (ICAO	-IATA/DGR) - Additional information
Proper shipping name	Toxic solid, inorganic, n.o.s.
Particulars in the shipper's declaration	UN3288, Toxic solid, inorganic, n.o.s., (Nickel(chloride hexahydrate), 6.1, III
Environmental hazards	Yes (hazardous to the aquatic environment)
Danger label(s)	

1

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Nickel(II) chloride hexahydrate ≥98 %, p.a.

article number: 4489

Special provisions (SP)	A3, A5
Excepted quantities (EQ)	E1
Limited quantities (LQ)	10 kg

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

angerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Nickel(II) chloride hexahydrate	nickel compounds		R27	27
Nickel(II) chloride hexahydrate	carcinogenic		R28-30	28
Nickel(II) chloride hexahydrate	toxic for reproduction		R28-30	30
Nickel(II) chloride hexahydrate	substances in tattoo inks and perman- ent make-up		R75	75

Legend R27

1. Shall not be used:

(a) in any post assemblies which are inserted into pierced ears and other pierced parts of the human body unless the rate of nickel release from such post assemblies is less than 0,2 μg/cm2/week (migration limit);

(b) in articles intended to come into direct and prolonged contact with the skin such as:

earrings,

- necklaces, bracelets and chains, anklets, finger rings,

- wrist-watch cases, watch straps and tighteners,
 - rivet buttons, tighteners, rivets, zippers and metal marks, when these are used in garments,

if the rate of nickel release from the parts of these articles coming into direct and prolonged contact with the skin is greater than 0,5 µg/cm2/week.

(c) in articles referred to in point (b) where these have a non-nickel coating unless such coating is sufficient to ensure that the rate of nickel release from those parts of such articles coming into direct and prolonged contact with the skin will not exceed 0,5 µg/cm2/week for a period of at least two years of normal use of the article. 2. Articles which are the subject of paragraph 1 shall not be placed on the market unless they conform to the require-

ments set out in that paragraph.

3. The standards adopted by the European Committee for Standardisation (CEN) shall be used as the test methods for demonstrating the conformity of articles to paragraphs 1 and 2. 1. Shall not be placed on the market, or used,

R28-30

- as substances - as constituents of other substances, or,

in mixtures

for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:

either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,

- the relevant generic concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, 01, Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows: 'Restricted to professional users'.

2. By way of derogation, paragraph 1 shall not apply to:
(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;
(b) cosmetic products as defined by Directive 76/768/EEC;
(c) the following fuels and oil products:
motor fuels which are covered by Directive 98/70/EC,

- mineral oil products intended for use as fuel in mobile or fixed combustion plants,

fuels sold in closed systems (e.g. liquid gas bottles);
 (d) artists' paints covered by Regulation (EC) No 1272/2008;

(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date; (f) devices covered by Regulation (EU) 2017/745.

Ireland (en)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Nickel(II) chloride hexahydrate ≥98 %, p.a.



article number: 4489



8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.



Nickel(II) chloride hexahydrate ≥98 %, p.a.

article number: 4489

Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or gener-ate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclus-ively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Device the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

Seveso Directive

2012/18/EU (Seveso III)					
No	Dangerous substance/hazard categories	Qualifying quantity plication of lower quire		Notes	
H2	acute toxic (cat. 2 + cat. 3, inhal.)	50	200	41)	

Notation

41)

- Category 2, all exposure routes - category 3, inhalation exposure route

Deco-Paint Directive

VOC content	0 %
VOC content	0 ^g / _l

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer **Register (PRTR)**

not listed

Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Nickel(II) chloride hexahydrate	nickel compounds		b)	
Nickel(II) chloride hexahydrate	nickel compounds	7440-02-0	c)	

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU



Nickel(II) chloride hexahydrate ≥98 %, p.a.

article number: 4489

List of pollutants (WFD)

1 (,				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Nickel(II) chloride hexahydrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Nickel(II) chloride hexahydrate	Metals and their compounds		a)	

Legend

a) b) c) Indicative list of the main pollutants

List of priority substances in the field of water policy

Environmental Quality Standards for Priority Substances and certain other pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
VN	NCI	substance is listed

Legend AIIC CICR

Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation



Nickel(II) chloride hexahydrate ≥98 %, p.a.

article number: 4489

Legend	
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
TCSI	Taiwan Chemical Substance Inventory

15.2 Chemical safety assessment

According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.	yes
15.1	VOC content: 0 % 0 ^g / _l	VOC content: 0 %	yes
15.1		VOC content: 0 ^g / _l	yes
15.1		National inventories: change in the listing (table)	yes
15.2	Chemical Safety Assessment: No Chemical Safety Assessment has been car- ried out for this substance.	Chemical safety assessment: According to REACH, Article 14 (1) a chemical safety assessment has been carried out for this substance or components of this mixture when the substance has been registered in quantities of 10 tonnes or more per year per registrant.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Nickel(II) chloride hexahydrate ≥98 %, p.a.



article number: 4489

Abbr.	Descriptions of used abbreviations
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
S.I. No. 619 of 2001	Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Nickel(II) chloride hexahydrate ≥98 %, p.a.



article number: 4489

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H301	Toxic if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.