acc. to Regulation (EC) No. 1907/2006 (REACH)



Hydrochloric acid ROTIPURAN® 37 %, p.a., ACS, ISO, fuming

article number: 4625 Version: 5.1 en Replaces version of: 2022-07-19 Version: (5)

date of compilation: 2017-04-07 Revision: 2022-10-06

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

| Identification of the substance | Hydrochloric acid ROTIPURAN® 37 %, p.a., ACS, ISO, fuming | | | | |
|---|--|--|--|--|--|
| Article number | 4625 | | | | |
| EC number | [231-595-7] | | | | |
| CAS number | [7647-01-0] | | | | |
| Relevant identified uses of the substance or mixture and uses advised against | | | | | |

1.2 ies of the substance or mixture and uses advised against Relevant identified us

| Relevant identified uses: | Laboratory chemical Laboratory and analytical use |
|---------------------------|---|
| Uses advised against: | Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come in- to contact with foodstuffs. Do not use for private purposes (household). |

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 **Emergency telephone number**

| Name | Street | Postal code/city | Telephone | Website |
|--|-----------|----------------------|--------------|---------|
| National Poisons Information Service City Hospital | Dudley Rd | B187QH Birmingham | 844 892 0111 | |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

acc. to Regulation (EC) No. 1907/2006 (REACH)





article number: **4625**

Classification acc. to GHS

| Section | Hazard class | Cat- egory | Hazard class and category | Hazard statement |
|---------|--|---------------|---------------------------|---------------------|
| 2.16 | Substance or mixture corrosive to metals | 1 | Met. Corr. 1 | H290 |
| 3.2 | Skin corrosion/irritation | 1B | Skin Corr. 1B | H314 |
| 3.3 | Serious eye damage/eye irritation | 1 | Eye Dam. 1 | H318 |
| 3.8R | Specific target organ toxicity - single exposure (respirat- ory tract irritation) | 3 | STOT SE 3 | H335 |

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS05, GHS07



Hazard statements

| H290 | May be corrosive to metals |
|------|---|
| H314 | Causes severe skin burns and eye damage |
| H335 | May cause respiratory irritation |

Precautionary statements

Precautionary statements - prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements - response

| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower] |
|----------------|--|
| P304+P340 | |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact |
| | |
| P310 | Immediately call a POISON CENTER/doctor |
| | with water [or shower] IF INHALED: Remove person to fresh air and keep comfortable for breathing IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER/doctor |

Hazardous ingredients for labelling:

Hydrochloric acid %

acc. to Regulation (EC) No. 1907/2006 (REACH)

Hydrochloric acid ROTIPURAN® 37 %, p.a., ACS, ISO, fuming

article number: 4625

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

not relevant (mixture)

3.2 **Mixtures**

Description of the mixture

| Name of sub- stance | Identifier | Wt% | Classification acc. to GHS | Pictograms | Notes |
|------------------------|---|-----------|--|------------|-------------------------|
| Hydrochloric acid % | CAS No 7647-01-0 EC No 231-595-7 Index No 017-002-01-X | > 32 - 37 | Met. Corr. 1 / H290 Skin Corr. 1B / H314 Eye Dam. 1 / H318 STOT SE 3 / H335 | | B(a) GHS-HC IOELV |

Notes

B(a): The classification refers to an aqueous solution GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI)

IOELV: Substance with a community indicative occupational exposure limit value

| Name of sub- stance | Identifier | Specific Conc. Limits | M-Factors | ATE | Exposure route |
|------------------------|------------------------------|--|------------------|-----|-------------------|
| Hydrochloric acid % | CAS No 7647-01-0 EC No | Met. Corr. 1; H290: C ≥ 0,1 % Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 25 % | - | - | |
| | 231-595-7 | Eye Dam. 1, H318. $C \ge 25\%$ Eye Irrit. 2; H319: 10 % $\le C < 25\%$ STOT SE 3; H335: $C \ge 10\%$ | | | |

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 **Description of first aid measures**



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.



acc. to Regulation (EC) No. 1907/2006 (REACH)

Hydrochloric acid ROTIPURAN® 37 %, p.a., ACS, ISO, fuming

® Roth

article number: 4625

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Risk of blindness, Gastric perforation, Risk of serious damage to eyes, Irritation, Cough, Dyspnoea

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 4625

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 **Reference to other sections**

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 **Precautions for safe handling**

Use extractor hood (laboratory). When diluting/dissolving, always have the water ready first, then slowly stir in the product. Handle and open container with care. Provision of sufficient ventilation. Clear contaminated areas thoroughly.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

Conditions for safe storage, including any incompatibilities 7.2

Keep container tightly closed. Keep only in original container.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Cou ntr y | Name of agent | CAS No | Identi- fier | TW A [pp m] | TWA [mg/ m³] | STE L [pp m] | STEL [mg/ m³] | Ceil ing- C [pp m] | Ceil- ing-C [mg/ m³] | Nota- tion | Source |
|-----------------|-------------------|---------------|-----------------|----------------------|--------------------|-----------------------|---------------------|--------------------------------|-------------------------------|---------------|----------------|
| EU | hydrogen chloride | 7647-01- 0 | IOELV | 5 | 8 | 10 | 15 | | | | 2000/39/ EC |
| GB | hydrogen chloride | 7647-01- 0 | WEL | 1 | 2 | 5 | 8 | | | ga | EH40/ 2005 |

Notation

Ceilina-C Ceiling value is a limit value above which exposure should not occur

As gases and aerosols ga STEL

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)



acc. to Regulation (EC) No. 1907/2006 (REACH)



Hydrochloric acid ROTIPURAN® 37 %, p.a., ACS, ISO, fuming

article number: 4625

| Relevant DNELs of components of the mixture | | | | | | | | | | |
|---|-----------|---------------|---------------------|--|-------------------|------------------------------|--|--|--|--|
| Name of sub- stance | CAS No | End- point | Threshol d level | Protection goal, route of exposure | Used in | Exposure time | | | | |
| Hydrochloric acid % | 7647-01-0 | DNEL | 8 mg/m³ | human, inhalat- ory | worker (industry) | chronic - local ef- fects | | | | |
| Hydrochloric acid % | 7647-01-0 | DNEL | 15 mg/m³ | human, inhalat- ory | worker (industry) | acute - local ef- fects | | | | |

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,3 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



acc. to Regulation (EC) No. 1907/2006 (REACH)



Hydrochloric acid ROTIPURAN® 37 %, p.a., ACS, ISO, fuming

article number: 4625

Respiratory protection necessary at: Aerosol or mist formation. Type: E (against acidic gases like sulphur dioxide or hydrogen chloride, colour code: Yellow).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Physical state | liquid |
|--|---|
| Colour | colourless - light yellow |
| Odour | stinging |
| Melting point/freezing point | -30 °C |
| Boiling point or initial boiling point and boiling range | not determined |
| Flammability | non-combustible |
| Lower and upper explosion limit | not determined |
| Flash point | not determined |
| Auto-ignition temperature | not determined |
| Decomposition temperature | not relevant |
| pH (value) | <1 (20 °C) |
| Kinematic viscosity | not determined |
| Dynamic viscosity | 2,3 mPa s at 15 °C |
| Solubility(ies) | |
| Water solubility | miscible in any proportion |
| Partition coefficient | |
| Partition coefficient n-octanol/water (log value): | not relevant (inorganic) |
| | |
| Vapour pressure | 190 hPa at 20 °C |
| Density and/or relative density | |
| Density | 1,19 ^g / _{cm³} at 20 °C |
| Relative vapour density | information on this property is not available |
| Particle characteristics | not relevant (liquid) |
| Other safety parameters | |
| Oxidising properties | none |

acc. to Regulation (EC) No. 1907/2006 (REACH)

Hydrochloric acid ROTIPURAN® 37 %, p.a., ACS, ISO, fuming

article number: 4625

9.2 Other information

Information with regard to physical hazard classes:

Corrosive to metals

Other safety characteristics:

Miscibility

completely miscible with water

category 1: corrosive to metals

SECTION 10: Stability and reactivity

10.1 Reactivity

Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Dangerous/dangerous reactions with: strong oxidiser, Aldehydes, Aluminium, Amines, Carbide, Fluorine, Metals, Permanganates, Strong alkali, **Danger of explosion:** Alkali metals, Sulphuric acid, concentrated

10.4 Conditions to avoid

Keep away from heat.

10.5 Incompatible materials

different metals

Release of flammable materials with

Metals, Light metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Hydrochloric acid ROTIPURAN® 37 %, p.a., ACS, ISO, fuming

article number: 4625



Germ cell mutagenicity Shall not be classified as germ cell mutagenic. Carcinogenicity Shall not be classified as carcinogenic. Reproductive toxicity Shall not be classified as a reproductive toxicant. Specific target organ toxicity - single exposure May cause respiratory irritation. Specific target organ toxicity - repeated exposure Shall not be classified as a specific target organ toxicant (repeated exposure). Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

If inhaled

Irritation to respiratory tract, cough, Dyspnoea, pulmonary oedema

• If on skin

causes severe burns, causes poorly healing wounds

Other information

Other adverse effects: Circulatory collapse, Cardiac arrhythmias, Symptoms can occur only after several hours

11.2 Endocrine disrupting properties

None of the ingredients are listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Hydrochloric acid ROTIPURAN® 37 %, p.a., ACS, ISO, fuming

article number: 4625

12.4 Mobility in soil

Data are not available.

- 12.5 Results of PBT and vPvB assessment Data are not available.
- 12.6 Endocrine disrupting properties None of the ingredients are listed.
- 12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- HP 4 irritant - skin irritation and eye damage
- HP 5 specific target organ toxicity (STOT)/aspiration toxicity
- **HP 8** corrosive

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

| | ADRRID | UN 1789 |
|------|----------------------------|-------------------|
| | IMDG-Code | UN 1789 |
| | ICAO-TI | UN 1789 |
| 14.2 | UN proper shipping name | |
| | ADRRID | HYDROCHLORIC ACID |
| | IMDG-Code | HYDROCHLORIC ACID |
| | ICAO-TI | Hydrochloric acid |
| 14.3 | Transport hazard class(es) | |



acc. to Regulation (EC) No. 1907/2006 (REACH)

® Roth

Hydrochloric acid ROTIPURAN® 37 %, p.a., ACS, ISO, fuming

article number: 4625

| 14.5 | Environmental hazards | non-environmentally hazardous acc. to the dan- gerous goods regulations |
|------|-----------------------|--|
| | ICAO-TI | II |
| | IMDG-Code | II |
| | ADRRID | II |
| 14.4 | Packing group | |
| | ICAO-TI | 8 |
| | IMDG-Code | 8 |
| | ADRRID | 8 |
| | | |

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

| | information | | | |
|---|---------------------------------------|---------------------------------------|--|--|
| | Proper shipping name | HYDROCHLORIC ACID | | |
| | Particulars in the transport document | UN1789, HYDROCHLORIC ACID, 8, II, (E) | | |
| | Classification code | C1 | | |
| | Danger label(s) | 8 | | |
| | | | | |
| | V | | | |
| | Special provisions (SP) | 520 | | |
| | Excepted quantities (EQ) | E2 | | |
| | Limited quantities (LQ) | 1 L | | |
| | Transport category (TC) | 2 | | |
| | Tunnel restriction code (TRC) | E | | |
| | Hazard identification No | 80 | | |
| | Emergency Action Code | 2R | | |
| Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information | | | | |
| | Classification code | C1 | | |
| | Danger label(s) | 8 | | |
| | | | | |
| | Special provisions (SP) | 520 | | |
| | Excepted quantities (EQ) | E2 | | |
| | | | | |

acc. to Regulation (EC) No. 1907/2006 (REACH)



Hydrochloric acid ROTIPURAN® 37 %, p.a., ACS, ISO, fuming

| Limited quantities (LQ) | 1 L |
|--|--------------------------------------|
| Transport category (TC) | 2 |
| Hazard identification No | 80 |
| International Maritime Dangerous Goods Coo | le (IMDG) - Additional information |
| Proper shipping name | HYDROCHLORIC ACID |
| Particulars in the shipper's declaration | UN1789, HYDROCHLORIC ACID, 8, II |
| Marine pollutant | - |
| Danger label(s) | 8 |
| | |
| 8 | |
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 1 L |
| EmS | F-A, S-B |
| Stowage category | С |
| Segregation group | 1 - Acids |
| International Civil Aviation Organization (ICA | O-IATA/DGR) - Additional information |
| Proper shipping name | Hydrochloric acid |
| Particulars in the shipper's declaration | UN1789, Hydrochloric acid, 8, II |
| Danger label(s) | 8 |
| | |
| | |
| Special provisions (SP) | A3 |
| Excepted quantities (EQ) | E2 |
| Limited quantities (LQ) | 0,5 L |
| | |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

| Seveso Directive | | | | |
|-------------------------|---------------------------------------|---|-------|--|
| 2012/18/EU (Seveso III) | | | | |
| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements | Notes | |
| | not assigned | | | |

Deco-Paint Directive

| 0 ^g /l | | VOC content | 0 % 0 ^g / ₁ |
|-------------------|--|-------------|--------------------------------------|
|-------------------|--|-------------|--------------------------------------|

acc. to Regulation (EC) No. 1907/2006 (REACH)



Hydrochloric acid ROTIPURAN® 37 %, p.a., ACS, ISO, fuming

article number: 4625

| Industrial Emissions Directive (IED) | | |
|--|-------------------------------|--|
| VOC content | 0 % | |
| VOC content (Water content was discounted) | 0 ^g / _l | |

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

none of the ingredients are listed

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

| Name of substance | CAS No | Wt% | Classification | CN Code | Threshold level |
|---------------------|-----------|-----|----------------|------------|--------------------|
| Hydrochloric acid % | 7647-01-0 | 37 | Category 3 | 2806 10 00 | |

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

UN Convention against Illicit Traffic in Narcotic Drugs and Psychotropic Substances

| Name of substance | CAS No | Listed in | HS code |
|---------------------|-----------|-----------|---------|
| Hydrochloric acid % | 7647-01-0 | Table II | 2806.10 |

National inventories

| Country | Inventory | Status |
|---------|------------|----------------------------|
| AU | AIIC | all ingredients are listed |
| CA | DSL | all ingredients are listed |
| CN | IECSC | all ingredients are listed |
| EU | ECSI | all ingredients are listed |
| EU | REACH Reg. | all ingredients are listed |
| JP | CSCL-ENCS | all ingredients are listed |
| | | |

acc. to Regulation (EC) No. 1907/2006 (REACH)

Hydrochloric acid ROTIPURAN® 37 %, p.a., ACS, ISO, fuming

article number: 4625

| Country | Inventory | Status |
|---------|-----------|--------------------------------|
| KR | KECI | all ingredients are listed |
| MX | INSQ | all ingredients are listed |
| NZ | NZIoC | all ingredients are listed |
| PH | PICCS | all ingredients are listed |
| TR | CICR | not all ingredients are listed |
| TW | TCSI | all ingredients are listed |
| US | TSCA | all ingredients are listed |

Legend

| AIIC | Australian Inventory of Industrial Chemicals |
|------------|---|
| CICR | Chemical Inventory and Control Regulation |
| CSCL-ENCS | List of Existing and New Chemical Substances (CSCL-ENCS) |
| DSL | Domestic Substances List (DSL) |
| ECSI | EC Substance Inventory (EINECS, ELINCS, NLP) |
| IECSC | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ | National Inventory of Chemical Substances |
| KECI | Korea Existing Chemicals Inventory |
| NZIoC | New Zealand Inventory of Chemicals |
| PICCS | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| REACH Reg. | REACH registered substances |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Restructuring: section 9, section 14

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|--|--|--------------------------|
| 2.2 | Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger | | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.2 | contains: Hydrochloric acid % | | yes |



acc. to Regulation (EC) No. 1907/2006 (REACH)



Hydrochloric acid ROTIPURAN® 37 %, p.a., ACS, ISO, fuming

article number: 4625

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations | |
|------------|---|--|
| 2000/39/EC | Commission Directive establishing a first list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC | |
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways) | |
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road) | |
| ATE | Acute Toxicity Estimate | |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) | |
| Ceiling-C | Ceiling value | |
| CN Code | Combined Nomenclature | |
| DGR | Dangerous Goods Regulations (see IATA/DGR) | |
| DNEL | Derived No-Effect Level | |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union) | |
| EH40/2005 | EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/) | |
| EINECS | European Inventory of Existing Commercial Chemical Substances | |
| ELINCS | European List of Notified Chemical Substances | |
| EmS | Emergency Schedule | |
| Eye Dam. | Seriously damaging to the eye | |
| Eye Irrit. | Irritant to the eye | |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions | |
| HS | Harmonized Commodity Description and Coding System (Harmonized System, drawn up by the World Customs Organisation) | |
| IATA | International Air Transport Association | |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) | |
| ICAO | International Civil Aviation Organization | |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air | |
| IMDG | International Maritime Dangerous Goods Code | |
| IMDG-Code | International Maritime Dangerous Goods Code | |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 | |
| IOELV | Indicative occupational exposure limit value | |
| Met. Corr. | Substance or mixture corrosive to metals | |
| NLP | No-Longer Polymer | |
| PBT | Persistent, Bioaccumulative and Toxic | |
| ppm | Parts per million | |

acc. to Regulation (EC) No. 1907/2006 (REACH)



Hydrochloric acid ROTIPURAN® 37 %, p.a., ACS, ISO, fuming

article number: **4625**

| Abbr. | Descriptions of used abbreviations | |
|-------------|--|--|
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals | |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail) | |
| Skin Corr. | Corrosive to skin | |
| Skin Irrit. | Irritant to skin | |
| STEL | Short-term exposure limit | |
| STOT SE | Specific target organ toxicity - single exposure | |
| TWA | Time-weighted average | |
| VOC | Volatile Organic Compounds | |
| vPvB | Very Persistent and very Bioaccumulative | |
| WEL | Workplace exposure limit | |

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|--|
| H290 | May be corrosive to metals. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H335 | May cause respiratory irritation. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.